


©
ORIGINAL **STYLE**
MOSAICS






Mosaics

Welcome to our extensive collection of mosaics made from contemporary glass, precious metals, shimmering iridescents, luxurious shell or tumbled marble

Versatile mosaics have always been in style and they are a brilliant way to add an individual touch to your home in so many different ways: as a splashback, a shower wall, a decorative wall feature, an accent within a neutral scheme, to provide a contrast of colour or texture.

To make it easy to choose the perfect mosaic, there are four sections: **NEW**, **WALLS**, **FLOORS** and **STONE**. From the **WALLS** section onwards, all of the mosaics swatches are laid out in colour order, from bright white to inky black, with a whole spectrum of colours in between. All **NEW** mosaics are highlighted throughout.



NEW

Inspirational photography showcasing some of the newest additions to our collection



WALLS

A dazzling choice of mosaics made from different materials from white to black



FLOORS

These mosaics have been designed specifically for use on floors



STONE AND BORDERS

Tumbled, polished or honed natural stone shaped into mosaics, with borders for a finishing touch



BESPOKE

If you still can't find what you are looking for, we can make it for you!



IMPORTANT INFORMATION AND PRODUCT INDEX

Technical details and suitability guidelines, and the A-Z list of products



Raipur GW-RAIMOS, see page 125 for further information

Front cover image: Pearl Brickbond EW-PRLMOSBB, see page 34 for more information

04

NEW

White Pearl Herringbone EW-WPHERMOS, →
see pages 35 and 55 for further information
and more mosaics made from shell

Icy Whites NEW

For a calm and serene mood

Ice has a hint of iridescence and an angular texture, White Pearl Herringbone captures all the beauty of natural shell



↑ Ice GW-ICERRMOS, see page 37 for further information on Ice, and pages 94 and 117 for similar mosaics Beryl and Zircon





Wall: Neve Linear EW-NEVMOS, see page 138 for further information and more stone mosaics. **Floor:** Amelia Carbon CS1063-9045 porcelain tiles from our Tileworks Collection

07

NEW

White Lines

NEW

These mosaics have been
created from pale marble


Different finishes and textures have been
combined together for a pleasing end result





Fusion Micro EW-FUSMIMOS, see page 78 for further information, a larger Fusion Macro mosaic and more made from metal

Silver Nugget EW-SNUMOS, see page 75 for further information
↙ and page 69 for a Golden Nugget mosaic



Silver Stars

NEW

Make a feature out of these
metallic effects

Silver Link is made up from small circles (above, right),
Silver Nugget's texture is a real statement (above, left)
and Fusion's herringbone pattern is right on-trend (left)


↑ Silver Link EW-SVLMOS, see page 77 for further information
and more metal mosaics. A Black Link mosaic is on page 124

10

NEW

Sparkle & Shine[®]


For walls that will glisten
and glitter in different lights



Poona GW-PNAHEXMOS and Chanda GW-CHNHEXMOS, see pages 125 and 97 for further information about these hexagon mosaics. There are more on pages 58, 89, 97 and 124. ↑




↑ Taj GW-TAJMOS, see page 73 for further information and similar sparkling mosaics.
Shown with Turin Grigio CS504-6030 polished porcelain from our Tileworks Collection



Copper Highlights[®]

Get a real glow with these warm-toned
mosaics in different formats

Orabella EW-ORAMOS, see page 61 for further information and more copper effect mosaics.
Shown with Ice White CS777-6030 gloss ceramic wall tiles from our Tileworks Collection ↴



NEW



↑ Zenith Copper EW-ZENCPMOS, see page 62 for further information and more copper effect mosaics



16

NEW





Party wall[®]

A mosaic with the happiness factor

Colourful Ibiza will jazz up a bathroom – and you don't need to tile the whole wall to get the effect. It can be used on the floor as well as it has great slip resistant properties too.






Spiral Grey EW-SPGRMOS, see page 146 for further information and page 152 for Spiral Black mosaic ↗

Geometry class^{NEW}

Add patterned mosaics for an extra dimension

Herald's tumbling blocks is a real classic and looks 3D although it is flat.
Spiral's clever design, above, is etched from stone.



↑ Aztec EW-AZTMOS, see page 129 for further information and more patterned mosaics

It's all in the detail. Take a closer look at these intricate patterns



↑ Savoy GW-SAVHEXMOS, see page 128 for further information and more patchwork effect mosaics



Empire statement[®]

Muted tones of smoky grey and copper
for a contemporary kitchen

Loosely inspired by New York's Empire State Building, this linear
metallic mosaic has a soft sheen of silver and coppery lights



Empire EW-EMPMOS, see page 63 and for further information on Empire and page 79 for more similar linear mosaics. Shown with Broadway Lime CS753-6060 matt porcelain tiles from our Tileworks Collection

24

NEW



Earthy tones and textures

NEW

These stone wall mosaics add depth and drama

Patchwork effects are right on-trend and Delta's mix is made up from warm browns and greys in different finishes. The squares in Origin Brown are honed marble with a 3D effect



↑ Origin Brown EW-ORBRMOS, see page 146 for further information and pages 138, 142, and 151 for similar mosaics Origin Beige, Grey and Dark Grey



Storm Dark Grey EW-STDGRMOS, see page 151 for further information
and page 146 for similar mosaics Storm Beige and GRey



↖ Solitaire GW-SLTDLMOS, see page 94 for further information and pages 113 and 117 for similar mosaics Paragon and Jager

A darker side NEW

Don't be afraid to use dark colours in your décor

Tile a panel, splashback area or alcove if you are looking for a dramatic effect, as shown with Solitaire and Storm.



↑ Nimbus Basketweave EW-NIMMOS, see page 138 for further information
and similar stone mosaics

Keeping it simple (NEW)

Use a palette of white and soft grey in
traditional basketweaves and hexagons



↖ White Large Honeycomb CS-HNYWHTLG, see page 133 for further information and more floor tiles, shown with Mint Brick Tiles W.VMI2100 from our Winchester Tile Company Cosmopolitan Collection



↑ Crypto Large Hexagon EW-CLYHXMOS, see page 153 for further information and more Crypto floor tiles.
Shown with Cosmopolitan Papyrus W.VPA2100 brick tiles from our Winchester Tile Company Residence Collection

Take to the floor[®]


These two stone mosaics are practical and hard wearing enough for high traffic areas



↑ Perla Large Hexagon EW-PRLHMOS, see page 141 for further information and Perla Linear mosaic

WALLS

The following section is full of mosaics suitable for walls in different styles, materials and textures. They are laid out in colour order, from white to black, to help you choose the perfect mosaic for your project



Pearly Whites

The height of luxury - all the mosaics on this page are made from natural shell

Pearl Brickbond ◆◆●◆



318 x 310 x 2mm
12 1/2" x 12 3/16" x 1/16"

Individual piece size:
24 x 15mm 1 5/16" x 9/16"

EW-PRLMOSBB
shell



Pearl ◆◆●◆



305 x 305 x 2mm
12" x 12" x 1/16"

Individual piece size:
20mm 1 3/16"

EW-PRLMOS
shell



Innocence ◆◆●◆



305 x 305 x 2mm
12" x 12" x 1/16"

Individual piece size:
20mm 1 3/16"

EW-INNMOS
shell



Purity ◆◆●◆



300 x 300 x 2mm
11 1/16" x 11 1/16" x 1/16"

Individual piece size:
15mm 5/8"

EW-PURMOS
shell





Pearl Brickbond EW-PRLMOSBB ↗



Purity EW-PURMOS ↗



White Pearl Herringbone ◆◆●◆ NEW

305 x 285 x 2mm
12" x 11 1/4" x 1/16"

Individual piece size:
25 x 15mm 5/16" x 1/16"



EW-WPHERMOS
shell



White Pearl Hexagon ◆◆●◆ NEW

295 x 285 x 2mm
11 5/8" x 11 1/4" x 1/16"

Individual piece size:
15mm 5/16"



White Pearl Lozenge ◆◆●◆ NEW

305 x 298 x 2mm
12" x 11 3/4" x 1/16"

Individual piece size:
20 x 15mm 13/16" x 9/16"



EW-WPLOZMOS
shell





White Lady GW-WLYMOS ↗

Iridescent Whites

Banish the lacklustre and bring on the lustrous with iridescence. Enjoy their changing colours under different lighting conditions



↑ Whitney GW-WHIMOS



↑ Ilusion GW-ILSMOS

Ice

NEW



300 x 300 x 7-9mm
11 ¾" x 11 ¾" x ¼"-¾"

Individual piece size:
23 x 48mm 1 ½" x 1 ⅛"



GW-ICERRMOS
glass/iridescent

Banana Daiquiri



305 x 300 x 6mm
12" x 11 ¾" x ¼"

Individual piece size:
18 x 48mm ¾" x 1 ⅛"

GW-BNDMOS
glass/iridescent

White Lady



285 x 285 x 6mm
11 ¼" x 11 ¼" x ¼"

Individual piece size:
19mm ¾"

GW-WLYMOS
glass/iridescent

Illusion




300 x 300 x 8mm
11 ⅓" x 11 ⅓" x ⅜"

Individual piece size:
23mm ⅞"



GW-ILSMOS
glass

Whitney



327 x 327 x 4mm
12 ⅞" x 12 ⅞" x ⅜"

Individual piece size:
20mm 1 ⅙"

GW-WHIMOS
recycled glass/iridescent

Milk Pearl ◇



327 x 327 x 6mm
12 ⅞" x 12 ⅞" x ¼"

Individual piece size:
25mm 1"


GW-MKPPMOS
glass/iridescent/paper faced





Ultimo Shell GW-UMSMOS ↗

Ultimo Shell



300 x 300 x 9mm
11 13/16" x 11 13/16" x 3/8"

Individual piece size:
48mm 1 7/8"

GW-UMSMOS
glass iridescent



Eos



290 x 290 x 8mm
11 3/8" x 11 3/8" x 5/16"

Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-EOSMOS
glass



Huascaran




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-HSRMOS
glass/mixed blends





↑ Eos EW-EOSMOS

Peace

300 x 300 x 8mm


11 13/16" x 11 13/16" x 5/16"

Individual piece size:

23mm 7/8"

GW-PEAMOS

glass/iridescent

**Taupo Stripe**327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"Individual piece size:
20mm 13/16"**GW-TPOMOS**
glass/mixed blends**Everest**318 x 318 x 6mm
12 1/2" x 12 1/2" x 1/4"Individual piece size:
24mm 15/16"**GW-EVEMOS**
glass/iridescent lustre crackle**Mont Blanc**327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"Individual piece size:
20mm 13/16"**GW-MBLMOS**
glass/iridescent

40

WALLS



Bright Whites

Crisp and pure whites to pair with other colours – or keep it simple and layer white with white



Karisimbi




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 13/16"

GW-KRMMOS
glass/mixed blends



Arctic




300 x 300 x 5mm
11 13/16" x 11 3/16" x 3/16"
Individual piece size:
24mm 1"

GW-ARTMOS
glass



Arctic Clear Brickbond




300 x 300 x 10mm
11 13/16" x 11 3/16" x 3/8"
Individual piece size:
24 x 48mm 1" x 1 7/8"

GW-ARTMOSBBC
glass



Kongur



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 13/16"

GW-KNGMOS
recycled glass/matt



Onya



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
15mm 9/16"

EW-ONYMOS
glass/mixed/iridescent



42

WALLS



↑ Marmo CS-MMOMOS

Soft Tones

Hints of creams, beiges and browns gently mixed with white for a softer effect

Marmo



298 x 298 x 7mm
11 3/4" x 11 3/4" x 1/4"

Individual piece size:
23mm 7/8"

CS-MMOMOS
porcelain





↙ Galiano Silk GW-GLSPMOS



Rois



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-ROIMOS
mixed materials



Galiano Silk



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-GLSPMOS
glass/paper faced



Torcello White ●



324 x 280 x 5mm
12 3/4" x 11" x 3/16"

Individual piece size:
25mm 3/16"

GW-TORHEXMOS
glass





↑ Barcelona GW-BRCMOS. Shown with Mineral Portland Natural CS747-6030 and CS747-6060 from our Tileworks Collection

Creamy Whites & Beiges

Introducing warmer shades into the mix, with mosaics made from glass, stone and other materials

Milk Silk ◊



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-MKSPMOS
glass/paper faced



Lafayette Pearl ◊



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-LFPPMOS
glass/iridescent/paper faced



Lafayette Silk ◊



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-LFSPMOS
glass/paper faced



Harmony




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-HARMOS
glass/gold fleck



Golpo



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-GOLMOS
mixed materials



Alluvial ☀◆



334 x 304 x 8mm
12" x 13 1/8" x 5/16"

Individual piece size:
Mixed

GW-ALLMOS
stone/glass



Exti



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-EXTMOS
mixed materials



Heney Silk ◇



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-HYSPMOS
glass/paper faced



NEW

Barcelona ♦



318 x 318 x 6.6mm
12 1/2" x 12 1/2" x 5/16"

Individual piece size:
15mm 5/8"

GW-BRCMOS
glass






↑ Selene GW-SELMOS

Soft Browns & Mixes

Mosaics come in all shapes and sizes, not just as squares

Use different tile profiles and interesting materials to express your individuality. Explore the palette of soft to warm browns and mixes on this and the following pages to see the wide variety available for any number of styles from earthy organic to urban industrial


Selene

295 x 280 x 8mm
11 5/8" x 11" x 5/16"Individual piece size:
30 x 25mm 1 3/16" x 1"GW-SELMOS
glass

Theia

290 x 290 x 8mm
11 3/8" x 11 3/8" x 5/16"Individual piece size:
30 x 25mm 1 3/16" x 1"GW-THIMOS
glass


Morning Sun

298 x 298 x 8mm
11 13/16" x 11 13/16" x 5/16"GW-MORMOS
glass/iridescent

Jai

301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"Individual piece size:
15mm 5/8"EW-JAIMOS
mixed materials

Latouche Natural ◇

327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"Individual piece size:
25mm 1"GW-LTNPMOS
glass/iridescent/paper faced

Latouche Silk ◇

327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"Individual piece size:
25mm 1"GW-LTSPMOS
glass/paper faced

Lombok *

300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"Individual piece size:
23mm 7/8"GW-LOMMOS
mixed materials

Ceylon ▲

280 x 300 x 6mm
11" x 11 3/4" x 1/4"Individual piece size:
MixedEW-CEYMOS
coconut shell

Postojna

300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"Individual piece size:
23mm 7/8"EW-POSMOS
glass/stone

48

WAELS

Warm Browns & Mixes

↑ Autumn Haze GW-AUTMOS

Shala



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-SHLMOS
glass/mixed blends



Golden Spur



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-GDSMOS
glass/gold fleck



Aldo



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-ALDMOS
mixed materials





↑ Czars Delight



↑ Silurian GW-SILMOS

Serpentine Silk ◇



327 x 327 x 6mm

12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-SPSPMOS
glass/paper faced



Serpentine Natural ◇



327 x 327 x 6mm

12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-SPNPMOS
glass/iridescent/paper faced



Prague ✤



318 x 318 x 6.6mm

12 1/2" x 12 1/2" x 5/16"

Individual piece size:
15mm 5/8"

GW-PRGMOS
glass



Czars Delight



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-CZDMOS
glass/iridescent



Silurian ☀◆



334 x 304 x 8mm
12" x 13 1/8" x 5/16"

Individual piece size:
Mixed

GW-SILMOS
stone/glass



Autumn Haze



305 x 315 x 3mm
12" x 12 3/8" x 1/8"

Individual piece size:
Mixed

GW-AUTMOS
glass/iridescent



50

WALLS



↑ Divine GW-DIVMOS

Divine *



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm $\frac{5}{8}$ "

GW-DIVMOS
mixed materials



Hotat




301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm $\frac{5}{8}$ "

EW-HOTMOS
mixed materials



Egon



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"


Individual piece size:
20mm $1\frac{3}{16}$ "

GW-EGNMOS
glass/mixed blends





↑ Aura GW-AUAMOS



↑ Sumatra GW-SUMTRA (recess grouted)

Aura



300 x 300 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
15mm 5/8"

GW-AUAMOS
mixed materials



Chennai



298 x 298 x 8mm
11 3/4" x 11 3/4" x 5/16"

Individual piece size:
23mm 7/8"

EW-CHEMOS
mixed materials



Sumatra *



300 x 300 x 10-14mm
11 3/16" x 11 3/16" x 3/8-1/2"

Individual piece size:
Mixed

GW-SUMTRA
glass/frosted/pebble



Kolkata



298 x 298 x 8mm
11 3/4" x 11 3/4" x 5/16"

Individual piece size:
23mm 7/8"

EW-KOLMOS
mixed materials



Tanganyika Clear Random Pattern



304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
Mixed


GW-TGKmosr
glass



Golden Brown & Mixes

Flecks and flashes of reddish golds, bronzes and coppery tones set these mosaics apart as something special

Almoutala




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-ALMMOS
glass/gold fleck



Ruby Falls



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-RBYMOS
glass/gold fleck



Santa Ana




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-SNTMOS
glass/gold fleck



Klondike




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-KLOMOS
glass/gold fleck



San Felipe




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-SFPMOS
glass/gold fleck



Discovery



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"


Individual piece size:
20mm 1 3/16"

GW-DSCMOS
glass/gold fleck





↑ Cedar Ridge GW-CDR莫斯



↑ Emperor GW-EPRMOS

Emperor



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-EPRMOS
glass/gold fleck

Sierra



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-SRAMOS
glass/gold fleck

Seneca




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-SNCMOS
glass/gold fleck

Cedar Ridge



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-CDR莫斯
glass/gold fleck



Warm Pearly Browns

Natural pearl mosaics in tawny shades with understated
shine, perfect for an opulent backdrop

← Gold Pearl EW-GLPMOS, see next page for further details and pages 34-35 for more shell mosaics



Grace ◆◆●◆



305 x 305 x 2mm

12" x 12" x 1/8"

Individual piece size:
20mm 1 1/16"EW-GRCMOS
shell

Mother of Pearl ◆◆●◆



300 x 300 x 2mm

11 3/16" x 11 3/16" x 1/8"

Individual piece size:
15mm 5/16"EW-PARMOS
shell

Mother of Pearl Light Brickbond ◆◆●◆



318 x 310 x 2mm

12 1/2" x 12 3/16" x 1/8"

Individual piece size:
24 x 15mm 1 5/16" x 9/16"EW-MOPLBBMOS
shell


Mother of Pearl Dark Brickbond ◆◆●◆



318 x 310 x 2mm

12 1/2" x 12 3/16" x 1/8"

Individual piece size:
24 x 15mm 1 5/16" x 9/16"EW-MOPDBBMOS
shell



↑ Modesty Shell EW-MDYMOS

Modesty ◆◆●◆



305 x 305 x 2mm
12" x 12" x $\frac{1}{16}$ "

Individual piece size:
20mm $1\frac{3}{16}$ "

EW-MDYMOS
shell

Gold Pearl ◆◆●◆



304 x 304 x 2mm
12" x 12" x $\frac{1}{16}$ "

Individual piece size:
15mm $\frac{5}{8}$ "

EW-GPLMOS
shell

Gold Pearl Brickbond ◆◆●◆



318 x 310 x 2mm
12 $\frac{1}{2}$ " x 12 $\frac{3}{16}$ " x $\frac{1}{16}$ "

Individual piece size:
24 x 15mm $1\frac{3}{16}$ " x $\frac{9}{16}$ "

EW-GPLBBMOS
shell





↖ Mother of Pearl Dark Brickbond EW-MOPDBBMOS (see previous page for further information)

Naga



298 x 260 x 8mm

10 1/4" x 11 1/16" x 5/16"

Individual piece size:

73 x 23mm 2 7/8" x 7/8"

EW-NGAMOS
mixed materials

Cretaceous ♦♦



395 x 358 x 8mm

15 1/2" x 14 1/8" x 5/16"

Individual piece size:

Mixed

GW-CREMOS
stone/glass

Imphal



300 x 300 x 8mm


11 1/4" x 11 1/4" x 5/16"

Individual piece size:

23mm 7/8"

EW-IMPMOS
mixed materials

Cochin



275 x 292 x 6mm

10 7/8" x 11 1/2" x 1/4"


Individual piece size:

30 x 25mm 1 3/16" x 1"

NEW

GW-CCHHEXMOS
glass

Kumta



275 x 292 x 6mm

10 7/8" x 11 1/2" x 1/4"


Individual piece size:

30 x 25mm 1 3/16" x 1"

NEW

GW-KMTHEXMOS
glass

Dispur



275 x 292 x 6mm

10 7/8" x 11 1/2" x 1/4"

Individual piece size:

30 x 25mm 1 3/16" x 1"

NEW

GW-DISHEXMOS
glass

Bronze & Copper

Rich metallics of bronzes and coppers work their magic in kitchens and bathrooms

59

WALLS



Naga EW-NGAMOS shown with Piera di Firenze Off White CS960-6060 porcelain floor tiles from our Tileworks Collection ↗

60

WALLS






Alchemy Brick EW-ALCACBB ↗

Orabella *

NEW

290 x 285 x 8mm
11 7/16" x 11 1/4" x 5/16"EW-ORAMOS
metal/brushedIndividual piece size:
19mm 3/4"


Ottone *

NEW

298 x 298 x 8mm
11 3/4" x 11 3/4" x 5/16"EW-OTTMOS
metalIndividual piece size:
Mixed

Aurelio *


NEW

305 x 305 x 7mm
12 x 12 x 1/4"EW-AURMOS
metal/brushedIndividual piece size:
20mm 3/4"

Alchemy Brick *


298 x 286 x 8mm
11 3/4" x 11 1/4" x 5/16"EW-ALCACBB
copperIndividual piece size:
98 x 30mm 3 7/8" x 1 3/16"

Alchemy Square *


305 x 305 x 10mm
12" x 12" x 3/8"EW-ALCAC20
copperIndividual piece size:
20mm 13/16"

Please turn to page 159 for full details of suitability and special notes on individual products


Ethereal




Mandalay *




Zamo **




Kobushi ♦♦



Byzantium Bronze ♦



Byzantium Amber ♦





Desire EW-DESMOS ↗

Opulence




298 x 298 x 8mm
11 ¾" x 11 ¾" x ½"

Individual piece size:
23mm 7/8"



EW-OPUMOS
glass

Byzantium Copper ♦



294 x 294 x 8mm
11 ½" x 11 ½" x ½"

Individual piece size:
25mm 1"



GW-BYZCOPMOS
glass

Desire




300 x 300 x 8mm
11 ¾" x 11 ¾" x ½"

Individual piece size:
23mm 7/8"



EW-DESMOS
mixed materials

Astral Copper *▲*



270 x 260 x 8mm
10 ½" x 10 ¼" x ½"

Individual piece size:



EW-ASTCPMOS
aluminium

Zenith Copper *



285 x 275 x 2mm
11 ¾" x 10 ⅞" x ½"

Individual piece size:
50mm 2"



EW-ZENCPMOS
aluminium

Empire *




312 x 300 x 8mm
12 ¼" x 11 ¾" x ½"

Individual piece size:
Mixed



EW-EMPMOS
aluminium




Gold

Here's a treasure chest of gold, with a sprinkle of mosaics made with the real thing

Can you ever have enough gold? Make a statement by going floor to ceiling or just add a few highlights by using a golden mosaic as a border

Bullion



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-BULMOS
glass

Dawn




295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-DWNMOS
glass

Orla *



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-ORLMOS
mixed materials

Medina




290 x 305 x 8mm
11 3/8" x 11 3/8" x 5/16"

Individual piece size:
20 x 40mm 1 3/16" x 1 1/16"

GW-MDNMOS
glass

Reflection



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-RFLMOS
glass




↑ Inca Gold 15 EW-INGMOS15



↑ Eastern Light GW-EASMOS

Byzantium Gem ♦




294 x 294 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
25mm 1"

GW-BYZGEMMOS
glass



Byzantium Gold ♦




294 x 294 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
25mm 1"

GW-BYZGLDMOS
glass



Eastern Light ◆



290 x 290 x 5mm
11 1/16" x 11 1/16" x 3/16"

Individual piece size:
15mm 5/8"

GW-EASMOS
glass



Inca Gold 15



300 x 300 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
15mm 5/8"

EW-INGMOS15
glass



Inca Gold 23




300 x 300 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
23mm 7/8"

EW-INGMOS23
glass



Vista



310 x 310 x 4mm
12 3/16" x 12 3/16" x 3/16"

Individual piece size:
18mm 11/16"

GW-VSTMOS
glass








↑ Precious GW-PREMOS

Hades




290 x 290 x 8mm
11 3/8" x 11 3/8" x 5/16"

Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-HADMOS
glass

Stellar *♦



260 x 270 x 8mm
10 1/4" x 10 5/8" x 5/16"

Individual piece size:
30 x 12mm 1 3/16" x 1/2"

EW-STLMOS
metal/brushed/anodized

Telstar *




300 x 300 x 8mm
11 1/4" x 11 1/4" x 5/16" metal/brushed/anodized

Individual piece size:
48mm 1 7/8"

EW-TLSMOS
metal/brushed/anodized

Yari ♦♦



300 x 300 x 8mm
11 1/4" x 11 1/4" x 5/16"

Individual piece size:
23, 48mm 7/8", 1 7/8"

GW-YARMOS
glass

Paparazzi



300 x 300 x 8mm
11 1/4" x 11 1/4" x 5/16"

Individual piece size:
23, 48mm 7/8", 1 7/8"

GW-PAPMOSR
glass

Precious



294 x 294 x 8mm
11 1/4" x 11 1/4" x 5/16"

Individual piece size:
25mm 1"

GW-PREMOS
glass






↑ Stellar EW-STLMOS

Golden Nugget ▲

(NEW)

300 x 300 x 10-12mm
11 3/4" x 11 3/4" x 3/8"-3/4"Individual piece size:
30mm 1 3/16"EW-GNUMOS
stone with foil surface

Minoan ✶

(NEW)

300 x 300 x 9mm
11 3/4" x 11 3/4" x 3/8"Individual piece size:
48mm 1 7/8"EW-MINMOS
stone


Inca ✶

(NEW)

300 x 300 x 9mm
11 3/4" x 11 3/4" x 3/8"Individual piece size:
48mm 1 7/8"EW-INC莫斯
stone

Mayan ✶

(NEW)

300 x 300 x 9mm
11 3/4" x 11 3/4" x 3/8"Individual piece size:
48mm 1 7/8"EW-MAYMOS
glass



↑ Ares GW-AREMOS, shown with Viano Honed marble EW-VIAH61x31 from our Earthworks Collection

Shimmer & Sparkle

Lighten up dark corners with light reflecting surfaces

Ares




290 x 290 x 8mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-AREMOS
glass

Mists




310 x 310 x 4mm
12 3/16" x 12 3/16" x 3/16"

Individual piece size:
18mm 1 1/16"

GW-MISMOS
glass

Shimmer



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-SHMMOS
glass

Sphere




295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-SPHMOS
glass

Breeze



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-BRZMOS
glass

Tekari ♦♦



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece sizes:
23, 48mm 7/8", 1 7/8"

GW-TEKMOS
glass



↑ Agra GW-AGRMOS

Shadow




295 x 295 x 4mm
11 5/8" x 11 5/8" x 5/16"

Individual piece size:
15mm 5/8"

GW-SHDMOS
glass

Byzantium Platinum ♦




294 x 294 x 8mm
11 9/16" x 11 9/16" x 5/16"

Individual piece size:
25mm 1"

GW-BYZPLAMOS
glass



Taj




NEW

295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"Individual piece size:
10mm 3/8"

GW-TAJMOS




Agra

298 x 298 x 5mm
11 3/4" x 11 3/4" x 3/16"Individual piece size:
10mm 3/8"

GW-AGRMOS



Okhotsk (sparkle)

300 x 300 x 5mm
11 7/16" x 11 13/16" x 3/16"Individual piece size:
24mm 1"


GW-OKHMOS

glass



NEW

Panaji

290 x 275 x 7mm
11 7/16" x 10 13/16" x 1/4"Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-PJIHEXMOS

glass



Axum

300 x 300 x 9mm
11 3/4" x 11 3/4" x 3/8"Individual piece size:
48mm 1 7/8"

EW-AXUMOS

stone



↑ Agra GW-AGRMOS, shown with Antique Mirror White tiles GW-ANTWH3010 from our Glassworks Collection

Metallic & Mirror Effects

If you prefer silver to gold, then this is the section for you – it has it all, from brushed metals to interesting shapes, textures and formats



El Divino (mirror tile) GW-EDIMOS ↑

El Divino ◆



301 x 301 x 8mm

12" x 12" x 3/16"

Individual piece size:
15mm 5/8"GW-EDIMOS
glass/mirror

Valen *




300 x 300 x 8mm

11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"GW-VALMOS
mixed materials

Torque **◆



270 x 270 x 8, 10 & 12mm

10 5/8" x 10 5/8" x 5/16" & 3/8" & 1/2"

Individual piece size:
15 x 30mm & 15mm 5/8" x 1 3/16" & 5/8"EW-TORMOS
metal/brushed


Zenith Silver *

NEW

285 x 275 x 2mm
11 3/4" x 10 7/8" x 1/16"EW-ZENSLMOS
aluminiumIndividual piece size:
50 mm 2"


Astral Silver *▲


NEW

270 x 260 x 8mm
10 5/8" x 10 1/4" x 5/16"EW-ASTSLMOS
aluminiumIndividual piece size:
30mm 1 3/16"

Silver Nugget ▲

NEW

300 x 300 x 10-12mm
11 3/4" x 11 3/4" x 3/8"-3/4"Individual piece size:
30mm 1 3/16"EW-SNUMOS
stone with foil surface

Hussar Brushed *

296 x 296 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
23mm 7/8"

EW-HUSB23
metal/brushed


EW-BATB47
metal/brushed

Battalion Brushed *

296 x 296 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
47mm 1 7/8"

EW-BATB47
metal/brushed

Lancer Brushed *

306 x 287 x 8mm
12 1/16" x 11 5/16" x 5/16"

Individual piece size:
20 x 30mm 3/4" x 1 1/8"

EW-LANB2X3
metal/brushed

Cavalier Brushed *

262 x 262 x 8mm
10 3/8" x 10 3/8" x 5/16"

Individual piece size:
Mixed


EW-CAVBBB
metal/brushed

Cuirassier Brushed Steel *

292 x 278 x 8mm
11 1/2" x 10 1/16" x 5/16"

Individual piece size:
92 x 23mm 3 5/8" x 7/8"


EW-CURBS
metal/brushed

Highlander Polished & Brushed *

295 x 295 x 8mm
11 5/8" x 11 5/8" x 5/16"

Individual piece size:
48x24 & 10mm 1 7/8" x 1 1/16" & 3/8"

EW-HIGBW
metal/brushed & polished

Lega *

290 x 290 x 6-9mm
11 7/16" x 11 7/16" x 1/4"-3/8"

Individual piece size:
48mm 7/8"

EW-LEG莫斯
metal


NEW





↑ Artillery Brushed EW-ARTBPR and Fusilier Brushed EW-FUSBS

Silver Link *




292 x 292 x 8mm
11 1/2" x 11 1/2" x 5/16"

Individual piece size:
20mm 13/16"

NEW

EW-SVLMOS
aluminium

Artillery Brushed *




305 x 285 x 5mm
11 1/4" x 12" x 3/16"

Individual piece size:
20mm 3/4"

EW-ARTBPR
metal/brushed

Fusilier Brushed *



303 x 287 x 8mm
11 5/16" x 11 5/16" x 5/16"

Individual piece size:
25 x 150mm 1 x 5 15/16"

EW-FUSBS
metal/brushed





↑ Jules Verne EW-JUVEP



↑ Fusion Micro EW-FUSMIMOS

Jules Verne *▲




288 x 288 x 4mm
11 5/16" x 11 5/16" x 5/16"

Individual piece size:
10mm 5/8"

EW-JUVEP
metal/brushed



Fusion Micro *



278 x 248 x 8mm
11" x 9 3/4" x 5/16"

EW-FUSMIMOS



Fusion Macro *




278 x 248 x 8mm
11" x 9 3/4" x 5/16"

EW-FUSMAMOS
aluminium



Shard *

(NEW)



312 x 300 x 8mm
12 1/4" x 11 13/16" x 5/16"
Individual piece size:
MIXED

EW-SHRMOS
aluminium



Willis *

(NEW)



312 x 300 x 8mm
12 1/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-WILMOS
aluminium

Rodio *

(NEW)




298 x 298 x 8mm
11 3/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-RODMOS
metal



Singer *

(NEW)



312 x 300 x 8mm
12 1/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-SNGMOS
aluminium

Chrysler *

(NEW)



312 x 300 X 8mm
12 1/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-CYSMOS
glass/aluminium



80

WALLS



↑ Marsabit GW-MRBPAN


8 Tile Sets

Versatile panels with artfully
graduated tones from dark to light


Likaiu (8 sheets)



Menagai (8 sheets)



Marsabit (8 sheets)

GW-LIKPAN
glass/mixed blends327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"Individual piece size:
20mm 13/16"GW-MENPAN
glass/mixed blends327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"Individual piece size:
20mm 13/16"GW-MBRPAN
glass/mixed blends327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"Individual piece size:
20mm 13/16"




↑ Ming CS-MINMOS, shown with Levantine Ivory travertine EW-LIV60x40 from our Earthworks Collection

Light Blues & Mixes

There's more than 30 shades of blue
in this section

Ming



298 x 298 x 7mm
11 3/4" x 11 3/4" x 1/4"

Individual piece size:
23mm 7/8"

CS-MINMOS
porcelain



Phoenicia ◇◆



300 x 300 x 4mm
11 1/4" x 11 1/4" x 3/16" glass/iridescent/film faced

Individual piece size:
15mm 5/8"

Shoreline



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16" glass

Individual piece size:
15mm 5/8"

GW-SLNMOS
glass






Kinabalu GW-KINMOS ↗



Fantasy GW-FANMOS ↗

Fantasy ◊◊



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"
Individual piece size:
25mm 1"

GW-FANMOS
glass/iridescent/film faced



Kinabalu



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 3/16"

GW-KINMOS
glass/mixed blends



Schwan Natural ◊◊



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"
Individual piece size:
25mm 1"

GW-SCNPMOS
glass/iridescent/paper faced



Juvela ◊◊



300 x 300 x 4mm
12" x 12" x 3/16"
Individual piece size:
15mm 5/8"

GW-JUVMOS
glass/iridescent/film faced



Cascade Silk ◊◊




327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"
Individual piece size:
25mm 1"

GW-CSSPMOS
glass/paper faced



Cascade Natural ◊◊



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"
Individual piece size:
25mm 1"

GW-CSNPMOS
glass/iridescent/paper faced



84

WALLS



John Collins



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"
Individual piece size:
15mm 5/8"

GW-JNCMOS
glass/iridescent



Blue Heaven



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"
Individual piece size:
15mm 5/8"

GW-BLHMOS
glass/iridescent



Safira ◊



300 x 300 x 4mm
11 13/16" x 11 13/16" x 3/16" glass/iridescent/film faced
Individual piece size:
15mm 5/8"

GW-SAFMOS



Elbert




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 3/16"

GW-EBTMOS
glass/mixed blends



Weisshorn



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 3/16"

GW-WEIMOS
glass/iridescent



El Dorado



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 3/16"

GW-ELDMOS
glass/gold fleck





↑ Tranquility GW-TRAMOS

Tranquility




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-TRAMOS
glass/iridescent



Lopeui



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-LPEMOS
recycled glass/matt



Fantale




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-FNTMOS
glass/mixed blends




Pacific



300 x 300 x 5mm
 11 13/16" x 11 13/16" x 3/16"
 Individual piece size:
 24mm 1"




Atlantic



300 x 300 x 5mm
 11 13/16" x 11 13/16" x 3/16"
 Individual piece size:
 24mm 1"




Monte Cristo



327 x 327 x 4mm
 12 7/8" x 12 7/8" x 3/16"
 Individual piece size:
 20mm 1 3/16"



Moonlight



295 x 295 x 4mm
 11 5/8" x 11 5/8" x 3/16"
 Individual piece size:
 15mm 5/8"




Mauna Kea



327 x 327 x 4mm
 12 7/8" x 12 7/8" x 3/16"
 Individual piece size:
 20mm 1 3/16"



Saratoga



327 x 327 x 4mm
 12 7/8" x 12 7/8" x 3/16"
 Individual piece size:
 20mm 1 3/16"







Deep Blues

Dive in, these colours are lovely!

Biscay Clear Offset

304 x 304 x 10mm
12" x 12" x 3/8"Individual piece size:
24mm 1"GW-BCYMOSSOFFC
glass

Jaipur

275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"Individual piece size:
30 x 25mm 1 3/16" x 1"GW-JIPHEXMOS
glass

Dappled Sky ◆

305 x 315 x 3mm
12" x 12 3/8" x 1/8"Individual piece size:
MixedGW-DAPMOS
glass/iridescent

Eden

300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"Individual piece size:
23mm 5/8"GW-EDEMOS
glass

Magalia

327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"Individual piece size:
20mm 1 3/16"GW-MAGMOS
glass/gold fleck

Crystal Blue


327 x 327 x 3mm
12 7/8" x 12 7/8" x 1/8"Individual piece size:
19mm 3/4"GW-CRYMOS
glass

Crystal Blue CW-CRYMOS ↗

Soft Blues & Greens

Is it blue, or is it green? As long as you love it and it suits your style, does it really matter?

Volta Clear & Frosted Random Pattern



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
Mixed



GW-VTAMOSRM
glass

Volta Clear Random Pattern



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
Mixed



Volta Frosted Random Pattern



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
Mixed



Volta




300 x 300 x 10mm
11 $\frac{3}{16}$ " x 11 $\frac{3}{16}$ " x $\frac{3}{8}$ "
Individual piece size:
48mm 1 $\frac{7}{8}$ "



GW-VTAMOS48T

Volta Clear Brickbond



300 x 300 x 10mm
11 $\frac{3}{16}$ " x 11 $\frac{3}{16}$ " x $\frac{3}{8}$ "
Individual piece size:
24 x 48mm 1" x 1 $\frac{7}{8}$ "



Volta Brickbond



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
24 x 48mm 1" X 1 $\frac{7}{8}$ "




GW-VTAMOSBBT
glass/tumbled/frosted



↑ Batu GW-BATMOS

Volga Frosted Offset




304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
24mm 1"

GW-VOLMOSOFF
glass/frosted



Batu *



300 x 300 x 8mm
11 $\frac{1}{16}$ " x 11 $\frac{1}{16}$ " x $\frac{5}{16}$ "

Individual piece size:
23mm $\frac{7}{8}$ "

GW-BATMOS
glass/metal



Kamet



327 x 327 x 4mm
12 $\frac{7}{8}$ " x 12 $\frac{7}{8}$ " x $\frac{3}{16}$ "

Individual piece size:
20mm 1 $\frac{3}{16}$ "

GW-KAMMOS
recycled glass/matt



Pagai *



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-PAGMOS
glass/metal



Schwan Silk ◊◊



327 x 327 x 6mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
25mm 1"

GW-SCSPMOS
glass/paper faced




Ripple



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-RPLMOS
glass



↑ Byzantium Treasure GW-BYZTREMOS


Powell



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
24mm 1"



Java



300 x 300 x 5mm
11 $\frac{1}{16}$ " x 11 $\frac{1}{16}$ " x $\frac{3}{16}$ "
Individual piece size:
24mm 1"



Ontario



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
24mm 1"



Tahoe



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
24mm 1"




Oasis



300 x 300 x 8mm
11 $\frac{1}{16}$ " x 11 $\frac{1}{16}$ " x $\frac{5}{16}$ "
Individual piece size:
23mm $\frac{7}{8}$ "




Byzantium Treasure ♦



301 x 301 x 8mm
11 $\frac{1}{8}$ " x 11 $\frac{1}{8}$ " x $\frac{5}{16}$ "
Individual piece size:
15mm $\frac{5}{8}$ "



Solitaire



290 x 206 x 5-10mm
11 7/16" x 8 1/8" x 3/16"-3/8"

Individual piece size:
102x10-28mm 4" x 3/8"-1 1/8"

NEW

Beryl




300 x 300 x 7-9mm
11 3/4" x 11 3/4" x 1/4"-3/8"

Individual piece size:
23 x 48mm 1 1/16" x 1 7/8"

NEW

Superior Clear Brickbond




300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8"

Individual piece size:
24 x 48mm 1" x 1 7/8"

GW-SUPMOSBBC
glass

Superior Brickbond




304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
24 x 48mm 1" x 1 7/8"

GW-SUPMOSBBT
glass/tumbled/frosted



Huron Clear Random Pattern



304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
Mixed

GW-HURMOSR
glass

Huron Frosted Random Pattern



304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
Mixed

GW-HURMOSRF
glass





↑ Spirit GW-SPIMOS

Spirit ◊*




320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"

Individual piece size:
25mm 1"

GW-SPIMOS
glass/iridescent/film faced



Superior



304 x 304 x 10mm
11 13/16" x 11 13/16" x 3/8"

Individual piece size:
24mm 1"

GW-SUPMOST
glass/tumbled/frosted



Superior



300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8"

Individual piece size:
48mm 1 7/8"


GW-SUPMOS48T
glass/tumbled/frosted surface





Caribbean GW-CARMOS, shown with Mississippi glass tile GW-MSP6030C from our Glassworks Collection

Caribbean




300 x 300 x 5mm
11 1/4" x 11 1/4" x 5/16"
Individual piece size:
24mm 1"

GW-CARMOS
glass



Mediterranean




300 x 300 x 5mm
11 1/4" x 11 1/4" x 5/16"
Individual piece size:
24mm 1"

GW-MEDMOS
glass




Muztag



327 x 327 x 4mm
12 7/8" x 12 7/8" x 5/16"
Individual piece size:
20mm 1 3/16"

GW-MUZMOS
recycled glass/matt


Hudson Clear Offset



304 x 304 x 10mm
12" x 12" x 5/16"
Individual piece size:
24mm 1"

GW-HUDMOSOFFC
glass

Hatteras Clear Offset




304 x 304 x 10mm
12" x 12" x 5/16"
Individual piece size:
24mm 1"

GW-HATMOSOFFC
glass



Borneo *




300 x 300 x 10-14mm
11 13/16" x 11 13/16" x 3/8-1/2"

Individual piece size:
Mixed

GW-BORNEO
glass/frosted/pebble



Medak




275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"

Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-MDKHEXMOS
glass



Chanda



275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"

Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-CHNHEXMOS
glass



Evening Glow ◆



305 x 315 x 3mm
12" x 12 3/8" x 1/8"

Individual piece size:
Mixed

GW-EVGMOS
glass/iridescent



Sadiola




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-SADMOS
glass/gold fleck



Illampu



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-ILPMOS
glass/mixed blends



Jalapa ◆❖




300 x 300 x 4mm
11 1/16" x 11 1/16" x 3/16" glass/iridescent/film faced

Individual piece size:
15mm 5/8"

GW-JALMOS



Komati




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-KOMMOS
glass/gold fleck



Sequoia



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-SEQMOS
glass/gold fleck



Kohar ◆❖



300 x 300 x 4mm
11 1/16" x 11 1/16" x 3/16" glass/iridescent/film faced

Individual piece size:
15mm 5/8"

GW-KOHMOS



Chad



300 x 300 x 10mm
11 1/16" x 11 1/16" x 3/8"

Individual piece size:
48mm 1 7/8"

GW-CHAMOS48T
glass/tumbled/frosted surface



Victoria Clear Brickbond



300 x 300 x 10mm
11 1/16" x 11 1/16" x 3/8"

Individual piece size:
24 x 48mm 1" x 1 7/8"

GW-VCTMOCBBC
glass





Sadiola GW-SADMOS ↗

Victoria Brickbond




304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
24 x 48mm 1" x 1 7/8"

GW-VCTMOSBBT
glass/tumbled/frosted



Chesapeake Clear Offset



304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
24mm 1"

GW-CHEMOSOFFC
glass



Manitoba



304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
24mm 1"

GW-MANMOS
glass/tumbled/frosted



100


WALLS



Oranges & Lemons

Get sunny side up and
turn up the brightness
levels to maximum

Harvey Wallbanger




295 x 295 x 4mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
15mm 5/8"

GW-HVWMOS
glass/iridescent



Sunset Special




295 x 295 x 4mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
15mm 5/8"

GW-SNSMOS
glass/iridescent



Seram




300 x 300 x 5mm
12" x 12" x 3/16"

Individual piece size:
24mm 1"

GW-SRMMOS
glass



Etna



327 x 327 x 4mm
13" x 13" x 3/16"

Individual piece size:
20mm 1 3/16"

GW-ETNMOS
glass/iridescent



Serene ◊❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"

Individual piece size:
25mm 1"

GW-SERMOS
glass/iridescent/film faced



Chi ◊❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"

Individual piece size:
25mm 1"

GW-CHIMOS
glass/iridescent/film faced



Genie ◊❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 3/16"

Individual piece size:
25mm 1"


GW-GENMOS
glass/iridescent/film faced





↑ Zao GW-ZAOMOS

Tequila Sunrise




295 x 295 x 4mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
15mm 5/8"

GW-TQSMOS
glass/iridescent



Zao ♦




300 x 300 x 8mm
12" x 12" x 5/16"

Individual piece size:
23, 48mm 7/8", 1 1/8"

GW-ZAOMOS
glass






Red

The colour of creativity, good fortune and of passion, and it's best used with confidence



Kara GW-KARMOS ↗

Velvet Bloom ●



295 x 295 x 4mm

11 13/16" x 11 13/16" x 3/16"

Individual piece size:

15mm 5/8"

GW-VTBMOS

glass

Utopia ◇❖



320 x 320 x 6mm

12 5/8" x 12 5/8" x 1/4"


Individual piece size:

25mm 1"

GW-UTOMOS

glass/iridescent/film faced

Kara



300 x 300 x 5mm

12" x 12" x 3/16"


Individual piece size:

24mm 1"

GW-KARMOS

glass

Jordan Clear Offset



304 x 304 x 10mm

12" x 12" x 3/8"

Individual piece size:


24mm 1"

GW-JORMOSOFFC

glass

WALLS


Morij ●



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
glass/mixed/iridescent




Lust ●



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
mixed materials



Singapore Sling



285 x 285 x 6mm
11 1/4" x 11 1/4" x 1/4"
Individual piece size:
19mm 3/4"
glass/iridescent




Bijou ◆◆



300 x 300 x 4mm
12" x 12" x 3/16"
Individual piece size:
15mm 5/8"
glass/iridescent/film faced




Ashanti



327 x 327 x 4mm
13" x 13" x 5/16"
Individual piece size:
20mm 13/16"
glass/gold fleck




Ligurian



300 x 300 x 5mm
12" x 12" x 3/16"
Individual piece size:
24mm 1"
glass




Napoli Clear Offset



304 x 304 x 10mm
12" x 12" x 3/8"
Individual piece size:
24mm 1"
glass




Donegal Clear Offset



304 x 304 x 10mm
12" x 12" x 3/8"
Individual piece size:
24mm 1"
glass



Athabasca



304 x 304 x 10mm
12" x 12" x 3/8"
Individual piece size:
24mm 1"
glass/tumbled/frosted






Singapore Sling GW-SISMOS, shown with Mineral Nude Natural porcelain tiles CS744-6030 from our Tileworks Collection

Iridescent Pinks & Mixes

More iridescence, with pinks and
lilacs providing the light show



↑ St Elias GW-STEMOS

Helmi ◇◆



300 x 300 x 4mm
11 13/16" x 11 13/16" x 3/16" glass/iridescent/film faced
Individual piece size:
15mm 5/8"



St Elias



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16" recycled glass/iridescent
Individual piece size:
20mm 1 3/16"



Margarita




295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-MGRMOS
glass/iridescent

Pink Panther



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-PPAMOS
glass/iridescent

Garabaldi



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16" glass/mixed blends

Individual piece size:
20mm 1 3/16"


GW-GRBMOS
glass/mixed blends





↑ Frankincense GW-BYZFRAMOS

Cotopaxi



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-COTMOS
recycled glass/iridescent



Katinka




295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-KTKMOS
glass/iridescent



Byzantium Frankincense ♦



294 x 294 x 8mm
11 1/16" x 11 1/16" x 5/16"

Individual piece size:
25mm 1"

GW-BYZFRAMOS
glass



Toubkal



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"


Individual piece size:
20mm 13/16"

GW-TKLMOS

glass/mixed blends



Butajira



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-BTJMOS

glass/mixed blends



Morning Dew ◆



305 x 315 x 3mm
12" x 12 3/8" x 1/8"

Individual piece size:
Mixed

GW-MRDMOS

glass/iridescent



↑ Morning Dew GW-MRDMOS

112


WALLS





↑ Coral GW-CRLMOS

Coral




300 x 300 x 5mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
24mm 1"

GW-CRLMOS
glass

Paragon



290 x 206 x 5-10mm
11 7/16" x 8 1/8" x 3/16"-3/8"

Individual piece size:
102 x 10-28mm 4" x 3/8"-1 1/8"

GW-PARDLMOS
glass/iridescent

(NEW)

Actamira



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

EW-ACTMOS
glass/stone

Surprise



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-SPRMOS
glass

114

WALLS

Serene



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-SREMOS
glass/iridescent



Eiger



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 1/16"

GW-EIGMOS
glass/iridescent



Dream ♡♦



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"
Individual piece size:
25mm 1"

GW-DREMOS
glass/iridescent/film faced



Karma



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-KRAMOS
glass/iridescent



Chakra



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-CHAMOS
glass/iridescent





↑ Obsession EW-OBSMOS

Nirvana




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-NIRMOS
glass/iridescent

Mellow ♦



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-MELMOS
glass/iridescent

Splendour



301 x 301 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
15mm 5/8"

GW-SPLMOS
mixed materials

Obsession




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:

EW-OBSMOS
mixed materials

Amnesia




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-AMNMOS
glass

Byzantium Jewel ♦



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"


Individual piece size:
15mm 5/8"

GW-BYZJEWMOS
glass

Greys & Mixes

Poised midway between white and black, grey is such a versatile and useful colour for interiors

Baring



300 x 300 x 5mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
24mm 1"

GW-BARMOS
glass

Chumu



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-CHUMOS
mixed materials

Shanir



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-SHAMOS
mixed materials

Pamplona



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
15mm 5/8"

GW-PAMMOS
mixed materials

Spectre ◊❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"

Individual piece size:
25mm 1"

GW-SPEMOS
glass/iridescent/film faced

Carinthia *



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
15mm 5/8"


GW-CRAMOS
mixed materials





Spectre GW-SPEMOS ↑

Jager



290 x 206 x 5-10mm
11 7/16" x 8 1/8" x 3/16"-3/8"

Individual piece size:
102 x 10-28mm 4" x 3/8"-11/8"

NEW

Zircon



300 x 300 x 7-9mm
11 13/16" x 11 13/16" x 1/4"-3/8"

Individual piece size:
23 x 48mm 1 5/16" x 1 7/8"

NEW

Murano Grey ●



324 x 280 x 5mm
12 3/4" x 11" x 3/16"

Individual piece size:
25 x 5mm 1" x 3/16"

NEW

GW-MRNHEXMOS
glass



Silvermoon Silk ◊❖



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-SLSPMOS
glass/paper faced



Silvermoon Pearl ◊❖



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-SLPPMOS
glass/iridescent/paper faced



Mogao



300 x 300 x 8mm
11 1/4" x 11 1/4" x 5/16"

Individual piece size:
23mm 7/8"

EW-MOGMOS
glass/stone



Amar



301 x 301 x 8mm
11 1/8" x 11 1/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-AMAMOS
mixed materials



Guyot Silk ◊❖



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-GYSPMOS
glass/paper faced



Guyot Natural ◊❖



327 x 327 x 6mm
12 7/8" x 12 7/8" x 1/4"

Individual piece size:
25mm 1"

GW-GYNPMOS
glass/iridescent/paper faced



Viedo *



300 x 300 x 8mm
11 1/4" x 11 1/4" x 5/16"

Individual piece size:
15mm 5/8"

GW-VIEMOS
mixed materials



Lial



301 x 301 x 8mm
11 1/8" x 11 1/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-LIAMOS
mixed materials



Leso *



301 x 301 x 8mm
11 1/8" x 11 1/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-LESMOS
mixed materials





Guyot Silk GW-GYSPMOS ↗

Rena *



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
15mm 5/8"

GW-RENMOS
mixed materials



Kandahar *



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

GW-KANMOS
mixed materials



Basu




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
15mm 5/8"


EW-BASMOS
glass/mixed/iridescent





Dark to Black

Mosaics in deep dark hues that move towards pure black



↑ Rakaposhi GW-RAKMOS

Khois




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:



EW-KHOMOS
glass/mixed/iridescent

Rakaposhi ♦




318 x 318 x 6mm
12 1/2" x 12 1/2" x 1/4"

Individual piece size:
24mm 1"

GW-RAKMOS
glass/iridescent lustre crackle

Rakoram ♦♦



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
15mm 5/8"

GW-RKOMOS
mixed materials



Winnipeg



304 x 304 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
24mm 1"

GW-WINMOST
glass/tumbled/frosted

Tousside



327 x 327 x 4mm
12 $\frac{7}{8}$ " x 12 $\frac{7}{8}$ " x $\frac{3}{16}$ "
Individual piece size:
20mm 1 $\frac{3}{16}$ "

GW-TSSMOS
glass/mixed blends

Amboseli



298 x 260 x 8mm
10 $\frac{1}{4}$ " x 11 $\frac{1}{16}$ " x $\frac{5}{16}$ "
Individual piece size:
73 x 23mm 2 $\frac{7}{8}$ " x $\frac{7}{8}$ "

EW-ABSMOS
mixed materials


Maasai Mara



300 x 300 x 8mm
11 $\frac{3}{16}$ " x 11 $\frac{3}{16}$ " x $\frac{5}{16}$ "
Individual piece size:
23mm $\frac{7}{8}$ "

EW-MAAMOS
mixed materials


Beaufort



300 x 300 x 5mm
11 $\frac{3}{16}$ " x 11 $\frac{3}{16}$ " x $\frac{3}{16}$ "
Individual piece size:
24mm 1"

GW-BEAMOS
glass

Horizon



298 x 298 x 8mm
11 $\frac{3}{16}$ " x 11 $\frac{3}{16}$ " x $\frac{5}{16}$ "
Individual piece size:

GW-HORMOS
glass/iridescent



Flores GW-FLORES ↗

Labrador




300 x 300 x 5mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
24mm 1"

GW-LABMOS
glass

Flores *



300 x 300 x 10-14mm
11 13/16" x 11 13/16" x 3/8-1/2"

Individual piece size:
Mixed

GW-FLORES
glass/frosted/pebble

Angami



298 x 260 x 8mm
10 1/4" x 11 11/16" x 5/16"

Individual piece size:
73 x 23mm 2 7/8" x 7/8"

EW-AGMMOS
mixed materials

Byzantium Myrrh ♦




294 x 294 x 8mm
11 9/16" x 11 9/16" x 5/16"
Individual piece size:
25mm 1"

GW-BYZMYRMOS
glass



Ferro Black Hexagon *




276 x 286 x 8mm
10 3/4" x 11 1/4" x 5/16"

Individual piece size:
30mm 1 5/16"

EW-FERMOS
metal



Kerala




275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"

Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-KERHEXMOS
glass



Black Link *



292 x 292 x 8mm
11 1/2" x 11 1/2" x 5/16"


Individual piece size:
20mm 13/16"

EW-BKLMOOS
aluminium



↑ Byzantium Myrrh GW-BYZMYRMOS

Poona




NEW

275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"Individual piece size:
30 x 25mm 1 3/16" x 1"GW-PNAHEXMOS
glass

Cuirassier Brushed Black *

292 x 278 x 8mm
11 1/2" x 10 15/16" x 5/16"Individual piece size:
92 x 23mm 3 5/8" x 15/16"EW-CURBB
metal/brushed

Patna mosaic *

300 x 300 x 9mm
11 13/16" x 11 13/16" x 3/8"Individual piece size:
23mm 15/16"GW-PATMOS
glass/stone/metal

↑ Patna GW-PATMOS

Raipur mosaic *

300 x 300 x 9mm
11 13/16" x 11 13/16" x 3/8"Individual piece size:
23mm 15/16"GW-RAIMOS
glass/stone/metal


Kauli *

295 x 295 x 8mm
11 10/16" x 11 10/16" x 5/16"Individual piece size:
25 x 12mm 1" x 1/2"EW-KAUBBMOS
glass/stone/metal



↑ Pacha GW-PCHMOS

Dias *




301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-DASMOS
mixed materials



Pacha




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

GW-PCHMOS
glass



Vatukoula



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-VGMOMOS
glass/gold fleck



Jungfrau




327 x 305 x 4mm
12 7/8" x 12" x 3/16"

Individual piece size:
20 x 42mm 13/16" x 1 1/16"

GW-JUNBB
glass/iridescent



Jungfrau




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"


GW-JUNMOS
glass/iridescent





Dias EW-DASMOS

Smokey Ridge




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
20mm 13/16"

GW-SKRMOS
glass/gold fleck

Mambo




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-MAMMOS
glass

Indus Clear Offset



304 x 304 x 10mm
12" x 12" x 3/8"

Individual piece size:
24mm 1"

GW-INDMOSOFFC
glass




Patterns

Introduce some patchwork or pattern into your décor, choose from delicate florals to abstract art



↑ Sukai GW-SUKMOS

Caspar ●



324 x 280 x 5mm
12 3/4" x 11" x 3/16"

Individual piece size:
25mm 1"

NEW

GW-CASHEXMOS
recycled glass



Bohemia ●



300 x 300 x 6mm
11 3/4" x 11 3/4" x 1/4"

Individual piece size:
48mm 1 7/8"

NEW

GW-BOHMOS
recycled glass



Venetia ●



300 x 300 x 6mm
11 1/3" x 11 1/3" x 1/4"

Individual piece size:
48mm 1 7/8"

NEW

GW-VNTMOS
glass



Savoy ●



324 x 280 x 5mm
12 3/4" x 11" x 3/16"


Individual piece size:
25 x 5 1" x 3/16"

NEW

GW-SAVHEXMOS
glass



Herald ♦



300 x 300 x 10mm
11 1/3" x 11 1/3" x 3/8"

NEW

EW-HERMOS
marble



Tuwana *




300 x 300 x 9mm
11 3/4" x 11 3/4" x 3/8"

Individual piece size:
Mixed

NEW

EW-TUWMOS
stone/metal/glass





Bihar GW-BIHMOS ↑

Sukai ♦♦




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
48mm 1 7/8"

GW-SUKMOS
glass

Bihar *




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
48mm 1 7/8"

GW-BIHMOS
glass/stone/metal

Aztec ♦



300 x 300 x 9mm
11 3/4" x 11 3/4" x 3/8"

Individual piece size:
48mm 1 7/8"

EW-AZTMOS
stone

NEW

130

FLOORS



► Basketweave CS-BSKMOS, shown with Helmingham Field Tiles W.CLHE0606 from our Artisan Winchester Tile Company Collection



↑ Moonbeam Penny Round CS-PRMOON, shown with Brilliant White Field Tiles A9000 and Skirting A9903 from our Artworks Collection

FLOORS

These mosaics made from porcelain have been designed specifically for flooring (although they are all suitable for walls as well)




↑ Octagon and Dot Blue OCTDOTBL



↑ Classic Octagon and Dot CS-OCTDOT. Shown with Jet Black Skirting N9903 and Large Brick tiles N9030 from our Artworks Collection

Moonbeam Penny Round




292 x 310 x 6mm
11 1/2" x 12 1/4" x 1/4"

Individual piece size:
14mm 1/2"

CS-PRMOON
porcelain



Basketweave




297 x 297 x 6mm
11 1/16" x 11 1/16" x 1/4"

Individual piece size:
48 x 24 & 10mm 1 1/8" x 1 1/16" & 3/8"

CS-BSKMOS
porcelain



Octagon and Dot Blue



295 x 295 x 6mm
11 5/8" x 11 5/8" x 1/4"

Individual piece size:
50mm 2"

CS-OCTDOTBL
porcelain/glazed



Classic Octagon and Dot



292 x 292 x 6mm
11 1/2" x 11 1/2" x 1/4"

Individual piece size:
23 & 55mm 1 1/16" x 2 1/4"

CS-OCTDOT
porcelain





Large White Honeycomb CS-HNYWHTLG, shown with Mint Brick Tiles W.VMI2100 ↗
from our Cosmopolitan Winchester Tile Company Collection

White Honeycomb




297 x 257 x 6mm
10 1/8" x 11 3/4" x 1/4"

Individual piece size:
22mm 7/8"

CS-HNYCOMW
porcelain



Black and White Honeycomb



297 x 257 x 6mm
11 1/2" x 11 1/2" x 1/4"


Individual piece size:
22mm 7/8"

CS-HNYCOMWB
porcelain



White Large Hexagon

(NEW)



271 x 281 x 6mm
10 5/8" x 11" x 1/4"


Individual piece size:
50mm 2"

CS-HNYWHTLG
porcelain/glazed



Black Large Hexagon

(NEW)



271 x 281 x 6mm
10 5/8" x 11 1/4" x 1/4"

Individual piece size:
50 x 50mm 2" x 2"

CS-HNYBLKLG
porcelain/glazed



134

FLOORS





↑ Ibiza CS-IBIMOS, shown with Mineral Portland Structured porcelain tiles CS748-6030 from our Tileworks Collection

Ardes



295 x 295 x 7mm
11 5/8" x 11 5/8" x 1/4"

Individual piece size:
47mm 1 7/8"

CS-ARDMOS
porcelain



Ibiza



306 x 306 x 8mm
12" x 12" x 5/16"

Individual piece size:
15mm 5/8"

CS-IBIMOS
porcelain/unglazed





Bianco 1.0 EW-VMBIANCO, see next page for further information



↗ Neve Linear EW-NEVMOS, see next page for further information

STONE

Mosaics made from this natural material range from pale polished marbles through to tumbled travertines



↖ Bianco EW-VMBIANCO, shown with Sorrento EW-SOR40x20 from our Earthworks Collection

Bianco 1.0 ⚡



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
10mm $\frac{3}{8}$ "

EW-VMBIANCO
marble/tumbled



Neve Linear ▲



300 x 295 x 12mm
11 $\frac{1}{16}$ " x 11 $\frac{5}{8}$ " x $\frac{1}{2}$ "

Individual piece size:
86 x 15mm $\frac{3}{16}$ " x $\frac{5}{8}$ "

NEW



Torus Silver ▲



265 x 264 x 12mm
10 $\frac{1}{2}$ " x 10" x $\frac{1}{2}$ "

EW-TORSIMOS
polished marble



Origin Grey ▲




300 x 300 x 15mm
11 $\frac{3}{4}$ " x 11 $\frac{3}{4}$ " x $\frac{5}{8}$ "

Individual piece size:
50mm 2"

EW-ORGIMOS
honed marble



Nimbus Basketweave ⚡




305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
Mixed

NEW



Stratus Basket Weave ⚡



274 x 274 x 10mm
12 $\frac{1}{16}$ " x 12 $\frac{1}{16}$ " x $\frac{3}{8}$ "

Individual piece size:
Mixed

NEW





↑ Grisaille EW-VMGRIG1

Grisaille 1.0 ☀+



305 x 305 x 10mm

12" x 12" x $\frac{3}{8}$ "

Individual piece size:
10mm $\frac{3}{8}$ "

EW-VMGRIG1

marble/tumbled

Cumulus ☀▲



303 x 296 x 8mm

11 $\frac{1}{4}$ " x 10 $\frac{1}{8}$ " x $\frac{5}{16}$ "

Individual piece size:
48mm 1 $\frac{1}{8}$ "

EW-CMUMOS

stone

Nares Hexagon ☀



300 x 260 x 8mm


11 $\frac{3}{16}$ " x 10 $\frac{1}{4}$ " x $\frac{5}{16}$ "

Individual piece size:
48mm 1 $\frac{1}{8}$ "

EW-NARHXMOS

marble

Nares Brick Bond ☀



305 x 305 x 8mm
12" x 12" x $\frac{5}{16}$ "

Individual piece size:
48 x 14mm 1 $\frac{7}{8}$ " x $\frac{9}{16}$ "

EW-NARBGMOS

marble

Nares Running Brick ☀



305 x 305 x 8mm
12" x 12" x $\frac{5}{16}$ "

Individual piece size:
48 x 14mm 1 $\frac{7}{8}$ " x $\frac{9}{16}$ "

EW-NARRBMOS

marble

Delta White ▲ ☀



280 x 270 x (7-12)mm
11" x 10 $\frac{5}{8}$ " x ($\frac{1}{4}$ " - $\frac{1}{2}$ ")

EW-DLWHMOS

marble

Brickbond Bottocino Tumbled ☀◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
48 x 24mm 1 $\frac{1}{8}$ x 1 $\frac{5}{16}$ "

EW-VMBBBOTTM
marble/tumbled



Chic Bottocino Polished ☀◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
152 x 15mm 6 x $\frac{5}{8}$ "

EW-VMCHICBOTT
marble/polished



Crema 1.0 ☀◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
10mm $\frac{3}{8}$ "

EW-VMCREMA1
travertine/tumbled



Crema 23mm ☀◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
23mm $\frac{7}{8}$ "

EW-VMCREMA
travertine/tumbled



Sml Brickbond Crema Tumbled ☀◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
32 x 15mm 1 $\frac{1}{4}$ x $\frac{5}{8}$ "

EW-VMCREMARECT
travertine/tumbled



Brickbond Crema Tumbled ☀◆




305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
48 x 24mm 1 $\frac{1}{8}$ x 1 $\frac{5}{16}$ "

EW-VMBBCREMA1
travertine/tumbled



Brickbond Crema ☀◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "
Individual piece size:
100 x 48mm 4 x 1 $\frac{1}{8}$ "

EW-VMBBCREMA
travertine/tumbled



Crema Chipped Edge 23mm ☀◆



300 x 300 x 10mm
11 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ " x $\frac{3}{8}$ "
Individual piece size:
23mm $\frac{7}{8}$ "


EW-VMCREMACE
travertine/tumbled





Small Brickbond Crema Tumbled EW-VMCREMARECT ↑

Crema 48mm ♦♦



305 x 305 x 10mm
12" x 12" x ¾"

Individual piece size:
48mm 1 ⅜"

EW-VMCREMA48
travertine/tumbled



Brickbond Beige ♦♦



305 x 305 x 10mm
12" x 12" x ¾"

Individual piece size:
48mm 1 ⅓"

EW-VMBBEGE
travertine/tumbled



Crema Pentagon 48mm ♦♦



305 x 305 x 10mm
12" x 12" x ¾"

Individual piece size:
48mm 1 ⅜"

EW-VMCRPENT48
travertine/tumbled



Perla Linear ▲♦ NEW



300 x 295 x 10mm
11 13/16" x 11 5/8" x ¾"

Individual piece size:
86 x 15mm 3 3/16" x 5/8"

EW-PRLNMOS
stone



Perla Large Hexagon ♦ NEW



300 x 297 x 10mm
11 13/16" x 11 3/4" x ¾"

Individual piece size:
48mm 1 ⅜"

EW-PRLHMOS
stone



Trend Sorrento Polished ⚫◆



305 x 330 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
MIXED

EW-TRENSOR
marble/polished



Classic Sorrento Polished ⚫◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
100 x 23mm 4 x $\frac{7}{8}$ "

EW-CLASSICSOR
marble/polished



Sorrento 23mm ⚫◆



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
23mm $\frac{7}{8}$ "

EW-VMSORP23
marble/polished



Sorrento 48mm ⚫◆




300 x 300 x 10mm
11 $\frac{1}{16}$ " x 11 $\frac{1}{16}$ " x $\frac{3}{8}$ "

Individual piece size:
48mm 1 $\frac{1}{8}$ "

EW-VMSORP48
marble/polished



Splitface Beige ⚫◆



305 x 290 x 10mm
12" x 11 $\frac{3}{8}$ " x $\frac{3}{8}$ "

Individual piece size:
40 x 12mm 1 $\frac{1}{16}$ x $\frac{1}{2}$ "

EW-VMSFBEIGE
marble



Origin Beige ▲◆▲



300 x 300 x 15mm
11 $\frac{3}{4}$ " x 11 $\frac{3}{4}$ " x $\frac{5}{8}$ "

Individual piece size:
50mm 2"

EW-ORBGMOS
honed marble



Torus Beige ▲◆▲



265 x 264 x 12mm
10 $\frac{1}{2}$ " x 10" x $\frac{1}{2}$ "

EW-TORBGMOS
polished marble



Ivory Samoa ⚫◆



290 x 290 x 10-14mm
11 $\frac{3}{8}$ " x 11 $\frac{3}{8}$ " x $\frac{3}{8}$ - $\frac{7}{16}$ "

Individual piece size:
Mixed

EW-SAMOA2
pebbles



Beige Hawaii ⚫◆



300 x 300 x 10-14mm
11 $\frac{1}{16}$ " x 11 $\frac{1}{16}$ " x $\frac{3}{8}$ - $\frac{7}{16}$ "

Individual piece size:
Mixed

EW-HAWAII3
pebbles



143

STONE



Ivory Samoa Pebble EW-SAMOA2 ↗

Levantine Ivory Splitface ⚡



290 x 276 x 10mm
 $11\frac{3}{8}'' \times 10\frac{1}{16}'' \times \frac{3}{8}''$
 Individual piece size:
 $48 \times 23mm \quad 1\frac{7}{8}'' \times \frac{7}{8}''$

EW-LIVSF莫斯
 travertine



Jerusalem Gold 23mm ⚡



305 x 305 x 10mm
 $12'' \times 12'' \times \frac{3}{8}''$
 Individual piece size:
 $23mm \quad \frac{7}{8}''$

EW-VMJGOLD
 limestone/tumbled



Fan Honey ⚡



160 x 270 x 10mm
 $6\frac{5}{16}'' \times 10\frac{3}{8}'' \times \frac{3}{8}''$
 Individual piece size:

EW-VMFANH
 limestone & onyx/tumbled

Jerusalem Gold 48mm ⚡



305 x 305 x 10mm
 $12'' \times 12'' \times \frac{3}{8}''$
 Individual piece size:
 $48mm \quad 1\frac{7}{8}''$

EW-VMJGOLD48
 limestone/tumbled



Jerusalem Gold Basketweave ⚡



300 x 300 x 10mm
 $11\frac{1}{16}'' \times 11\frac{1}{16}'' \times \frac{3}{8}''$
 Individual piece size:
 $45 \times 15 \& 15mm \quad \frac{1}{4}'' \times \frac{5}{8}'' \& \frac{5}{8}''$

EW-VMBJGOLD
 limestone/tumbled



Giallo 23mm ⚡



305 x 305 x 10mm
 $12'' \times 12'' \times \frac{3}{8}''$
 Individual piece size:
 $23mm \quad \frac{7}{8}''$

EW-VMGIALLO
 travertine/tumbled



Mixed Travertine 23mm ⚡



305 x 305 x 10mm
 $12'' \times 12'' \times \frac{3}{8}''$
 Individual piece size:
 $23mm \quad \frac{7}{8}''$

EW-VMTM23
 travertine/tumbled



Mixed Travertine 48mm ⚡



305 x 305 x 10mm
 $12'' \times 12'' \times \frac{3}{8}''$
 Individual piece size:
 $48mm \quad 1\frac{7}{8}''$


EW-VMTM48
 travertine/tumbled





Noce 1.0 EW-VMNOCE1 and Noce 23 EW-VMNOCE, shown with Noce Small Chair Rail EW-SCRN30 from our Earthworks Collection

Noce 1.0 ☀+



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
10mm $\frac{3}{8}$ "

EW-VMNOCE1
travertine/tumbled

Noce 23mm ☀+



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
23mm $\frac{7}{8}$ "

EW-VMNOCE
travertine/tumbled

Noce Chipped Edge 23mm ☀+



300 x 300 x 10mm
11 $\frac{1}{16}$ " x 11 $\frac{1}{16}$ " x $\frac{3}{8}$ "

Individual piece size:
23mm $\frac{7}{8}$ "

EW-VMNOCECE
travertine/tumbled

Brickbond Noce Tumbled ☀+



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
48 x 24mm $1\frac{7}{8}$ " x $1\frac{5}{16}$ "

EW-VMBBNOCEM
travertine/tumbled

Noce 48mm ☀+



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
48mm $1\frac{7}{8}$ "

EW-VMNOCE48
travertine/tumbled

Noce Honed ☀+



305 x 330 x 10mm
12" x 13" x $\frac{3}{8}$ "

Individual piece size:
Mixed

EW-TRENDNOCE
travertine/honed



Spiral Noce Black EW-VMNOCESP ↗

Trend Mica Polished ⚡⚡



305 x 330 x 10mm
12" x 13" x 3/8"

Individual piece size:
Mixed

EW-TRENDMIC
marble/polished



Spiral Noce Black ⚡⚡



300 x 300 x 10mm
11 1/16" x 11 1/16" x 3/8" marble & travertine/polished

Individual piece size:
30 x 15 & 15mm 1 1/16 x 5/8 & 5/8"

NEW



Storm Beige ▲❖■



300 x 300 x 16mm
11 3/4" x 11 3/4" x 5/8"
EW-STBGMOS
honored marble



Spiral Grey ▲❖■



300 x 300 x 7mm
11 3/4" x 11 3/4" x 1/4"

Individual piece size:
50mm 2"

EW-SPGRMOS
honored marble



Delta Grey ▲❖■



280 x 270 x (7-12)mm
11" x 10 5/8" x (1/4"-1/2")

EW-DLGRMOS
marble



Origin Brown ▲❖■



300 x 300 x 15mm
11 3/4" x 11 3/4" x 5/8"
EW-ORBRMOS
honored marble





Perugia 48mm EW-VMPER48 ↑

Azahar ☀◆



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
30mm 1 3/16"

EW-VMAZAT30
marble/tumbled



Perugia 23mm ☀◆



305 x 305 x 10mm
12" x 12" x 3/8"

Individual piece size:
23mm 7/8"

EW-VMPERP23
marble/polished



Perugia 48mm ☀◆



305 x 305 x 10mm
12" x 12" x 3/8"

Individual piece size:
48mm 1 7/8"

EW-VMPERP48
marble/polished





↑ Black Crema Octagon EW-VMBLKOC



↑ Baskeweave (White with Black Dot) EW-BSKWHITE

White Octagon 48mm ☀◆



300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8" marble/polished & tumbled
Individual piece size:
48mm 1 7/8"

EW-VMOCTW48

White Octagon 10 ☀◆



310 x 310 x 10mm
12 1/4" x 12 1/4" x 3/8" marble/tumbled
Individual piece size:
100mm 4"

EW-VMOCTW10


Black/Crema Octagon ☀◆



300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8" marble/tumbled
Individual piece size:
100mm 4"


EW-VMBLKOC

Basketweave (white with black dot) ☀◆



290 x 290 x 8mm
11 7/16" x 11 7/16" x 5/16" marble
Individual piece size:
64 x 30 / 15 x 15mm 2 1/2" x 1 3/4" / 5/8" x 5/8"

Basketweave (black with white dot) ☀◆



290 x 290 x 8mm
11 7/16" x 11 7/16" x 5/16" marble
Individual piece size:
64 x 30 / 15 x 15mm 2 1/2" x 1 3/4" / 5/8" x 5/8"

150

STONE



↑ Bora Bora EW-BORA2 with Quail Maui EW-MAUI2

Green Balihai ☀️



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8-9/16"

Individual piece size:
Mixed

EW-BALIHAI2
pebbles



Quail Maui ☀️



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8-9/16"

Individual piece size:
Mixed

EW-MAUI2
pebbles



Bora Bora ☀️



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8-9/16"

Individual piece size:
Mixed


EW-BORA2
pebbles





↑ Storm Dark Grey EW-STDGRMOS

Storm Dark Grey ▲❖■




300 x 300 x 16mm
11 3/4" x 11 3/4" x 5/8"

EW-STDGRMOS
honed marble



Storm Grey ▲❖■



300 x 300 x 16mm
11 3/4" x 11 3/4" x 5/8"

EW-STGRMOS
honed marble



Origin Dark Grey ▲❖■



300 x 300 x 15mm
11 3/4" x 11 3/4" x 5/16"

Individual piece size:
50mm 2"

EW-ORDGRMOS
honed marble





↑ Brickbond Nero EW-VMBBNEROM



↑ Negra Black Splitface EW-NEGSFMOS

Jade 23mm ♡



305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
23mm $\frac{7}{8}$ "

EW-VMJADE
marble/tumbled



Brickbond Nero Tumbled ♡♦




305 x 305 x 10mm
12" x 12" x $\frac{3}{8}$ "

Individual piece size:
48 x 24mm $1\frac{7}{8}$ " x $1\frac{5}{16}$ "

EW-VMBBNEROM
marble/tumbled



Negra Black Splitface ♡♦



290 x 276 x 10mm
 $11\frac{3}{4}$ " x $10\frac{1}{16}$ " x $\frac{3}{8}$ "

Individual piece size:
48 x 23mm $1\frac{7}{8}$ " x $\frac{7}{8}$ "

EW-NEGSFMOS
marble



Delta Black ▲❖▲




280 x 270 x (7-12)mm
11" x $10\frac{5}{8}$ " x ($\frac{1}{4}$ " - $\frac{1}{2}$ ")

EW-DLBLKMOS
marble



Spiral Black ▲❖▲



300 x 300 x 7mm
 $11\frac{3}{4}$ " x $11\frac{3}{4}$ " x $\frac{1}{4}$ "

Individual piece size:
50mm 2"


EW-SPBLKMOS
honed marble





↑ Crypto Large Hexagon EW-CYLHXMOS

Crypto Small Hex



305 x 265 x 10mm
12" x 10 7/16" x 3/8"

EW-CYSHXMOS
honed marble



Crypto Random




305 x 305 x 9-16mm
12" x 12" x 3/8-5/8"

EW-CYRNDMOS
honed marble

Individual piece size:
25mm 1"

Crypto Large Hexagon



285 x 285 x 10mm
11 1/4" x 11 1/4" x 3/8"

EW-CYLHXMOS
honed marble



Borders

Add a finishing touch with one of these borders

Athenian Interlocking Noce ◊



305 x 50 x 10mm
2" x 12" x 3/8"

EW-ATHINTN
marble/tumbled



Athenian Braid Travertine ◊



300 x 50 x 10mm
2" x 11 1/16" x 3/8"

EW-ATBRAIDT
marble/tumbled



Athenian Quadrant Travertine ◊



300 x 70 x 10mm
2 3/4" x 11 1/16" x 3/8"

EW-ATQUADT
marble/tumbled



Meseta ◊



280 x 85 x 10mm
3 3/8" x 11" x 3/8"

EW-ATMES
travertine/tumbled



Gibson ◊



305 x 100 x 10mm
4" x 12" x 3/8"

EW-ATGIB
travertine/tumbled



Namib ◊



290 x 65 x 10mm
2 1/2" x 11 3/8" x 3/8"

EW-ATNAM
travertine/tumbled



Athenian Diamond Noce ◊



300 x 100 x 10mm
4" x 11 1/16" x 3/8"

EW-ATHDIAN



Sevier ◊



280 x 120 x 10mm
4 3/4" x 11" x 3/8"

EW-ATSEV
marble/tumbled



Athenian Diamond Black ◊



300 x 100 x 10mm
4" x 11 1/16" x 3/8"

EW-ATHDIAB



Athenian Quadrant Black ◊



300 x 70 x 10mm
2 3/4" x 11 1/16" x 3/8"

EW-ATQUADB
marble/tumbled



Athenian Scroll Black ◊



300 x 100 x 10mm
4" x 11 1/16" x 3/8"

EW-ATSCROLLB
marble/tumbled



Athenian Scroll Black Corner ◊



100 x 100 x 10mm
4" x 4" x 3/8"

EW-ATSCROLLBC
marble/tumbled



Athenian Braid Black ◊



300 x 50 x 10mm
2" x 11 1/16" x 3/8"

EW-ATBRAIDB
marble/tumbled



Athenian Rope Black ◊



300 x 100 x 10mm
4" x 11 1/16" x 3/8"

EW-ATROPEB
marble/tumbled



Athenian Rope Black Corner ◊



100 x 100 x 10mm
4" x 4" x 3/8"

EW-ATROPEBC
marble/tumbled



Escalante Honed ✶*




340 x 47 x 8mm
1 1/8" x 13 3/8" x 5/16"

EW-ESCHB



Sonoan Honed ✶*



300 x 48 x 8mm
1 1/16" x 11 1/4" x 5/16"

EW-SONHB



Madalena Polished ✶*



340 x 47 x 8mm
1 1/8" x 13 3/8" x 5/16"

EW-MDLPB



Mazatlan Honed ✶*



340 x 47 x 8mm
1 1/8" x 13 3/8" x 5/16"

EW-MAZHB



Escalante Polished ✶*



340 x 47 x 8mm
1 1/8" x 13 3/8" x 5/16"

EW-ESCPB



Borrega ✶*



300 x 49 x 8mm
2" x 11 13/16" x 5/16"

EW-BRRB



Mazatlan Polished ✶*



340 x 47 x 8mm
1 1/8" x 13 3/8" x 5/16"

EW-MAZPB



Yuma Honed ✶*



340 x 47 x 8mm
1 1/8" x 13 3/8" x 5/16"

EW-YMAHB



Zama Polished ◆



305 x 53 x 8mm
2 1/8" x 12" x 5/16"

EW-ZAMPB



Caribou ◆



300 x 50 x 8mm
2" x 11 13/16" x 5/16"

EW-CARHB



Altai Polished ◆



305 x 53 x 10mm
2 1/8" x 12" x 3/8"

EW-ALTPB



Ivory Samoa Border ✶◆



250 x 100 x 10-14mm
4" x 9 13/16" x 3/8-9/16"

Individual piece size:
Mixed

EW-SAMOAB2
pebbles

Beige Hawaii Border ✶◆



270 x 100 x 10-14mm
4" x 10 5/8" x 3/8-9/16"

Individual piece size:
Mixed

EW-HAWAIIB3
pebbles

Green Baha'i Border ✶◆



250 x 100 x 10-14mm
4" x 9 13/16" x 3/8-9/16"

Individual piece size:
Mixed

EW-BALIHAIB2
pebbles

Quail Maui Border ✶◆



250 x 100 x 10-14mm
4" x 9 13/16" x 3/8-9/16"

Individual piece size:
Mixed

EW-MAUIB2
pebbles

Bora Bora Border ✶◆



270 x 100 x 10-14mm
4" x 10 5/8" x 3/8-9/16"

Individual piece size:
Mixed

EW-BORAB2
pebbles

The possibilities are endless....

As well as supplying a vast range of off-the-shelf mosaics in a myriad of colours, shapes and materials, we can also provide you with bespoke designs.



Mosaics can be made to your specific designs, everything from a simple motif or logo to a precious or special photograph can be put on to a mosaic panel. Here are some suggestions for creating your bespoke mosaics:

- Photographs of family groups; individual portraits of babies, children; graduation images
- Pictures from your holiday, photographs of special pets, favourite cityscapes or landscapes, even your garden
- Mosaic panels for behind a bath or in a bedroom; a feature wall in a dining room, kitchen or living room; a panel in a hallway
- Mosaics can be made from glass, stone, ceramic or other materials, depending on where they are going to be installed
- Colours will be closely reproduced from the original image provided

In fact, anything goes! As long as you can provide us with a high resolution photograph or image, we can do the rest. Depending on the size of the area where your mosaic will be installed, your order should only take around 3-4 weeks to be delivered. The price will be dependent on size, colour and materials.

When your bespoke mosaics are ready for installation, a competent tiler should be able to fix them in place for you to enjoy for years. The images on these pages are just a taste to give you an idea, but obviously the possibilities are endless!

Contact your local Original Style mosaics retailer for more information and to discuss your specific requirements.



This larger than life depiction of the famous jockey A P McCoy riding Kauto Star was created by piecing together thousands of hand-cut glass tesserae. The panel, which measures approximately 4.5 x 3 metres is currently on display at the Original Style Cheltenham Tile Showroom [↗](#)

How many tiles will you need?

De combien de carreaux aurez-vous besoin?

Wie viele Fliesen brauchen Sie?

Hoeveel mozaïektegels hebt u nodig?

Nominal mosaic sheet size Taille Nominale de la Plaque de Mosaïque Nennmaße des Mosaikbogens Nominale afmetingen mozaïekmat	Mosaic sheets per sq metre Plaques de mosaïque par mètre carré Mosaikbögen pro Quadratmeter Mozaïekmatten per vierkante meter	Mosaic sheets per sq foot
Metric/mm	Imperial/inches	
+ 160 x 270 (Fan Honey)	6 9/16 x 10 5/8	43
200 x 200	7 7/8 x 7 7/8	25
208 x 292	8 1/4 x 11 1/2	16.5
232 x 316	9 1/4 x 12 1/2	13.6
260 x 270	10 1/4 x 10 5/8	14.2
262 x 262	10 5/16 x 10 5/16	14.6
265 x 254	10 7/16 x 10	14.8
270 x 270	10 5/8 x 10 5/8	13.7
271 x 281	10 5/8 x 11	13.1
272 x 315	10 11/16 x 12 3/8	11.7
274 x 274	10 3/4 x 10 3/4	13.3
275 x 292	10 7/8 x 11 1/2	12.4
276 x 286	10 3/4 x 11 1/4	12.7
279 x 279	11 x 11	12.8
280 x 300	11 x 11 13/16	11.9
285 x 265	11 1/4 x 10 7/16	13.2
285 x 285	11 1/4 x 11 1/4	12.3
286 x 275	11 1/4 x 10 13/16	12.7
290 x 275	11 3/8 x 10 7/8	12.5
290 x 276	11 7/16 x 10 7/8	12.9
290 x 290	11 7/16 x 11 7/16	11.9
290 x 305	11 7/16 x 12	11.3
292 x 276	11 1/2 x 10 3/4	12.4
292 x 278	11 1/2 x 10 15/16	12.3
292 x 288	11 1/2 x 11 3/8	11.9
292 x 292	11 1/2 x 11 1/2	11.7
292 x 310	11 1/2 x 12 3/16	11
294 x 294	11 9/16 x 11 9/16	11.6
295 x 295	11 9/16 x 11 9/16	11.5
296 x 296	11 9/16 x 11 9/16	11.4
298 x 260	11 3/4 x 10 1/4	12.5
298 x 286	11 3/4 x 11 1/4	11.3
298 x 298	11 3/4 x 11 3/4	11.3
300 x 300	11 13/16 x 11 13/16	11.1
300 x 312	11 13/16 x 12 3/8	10.7
300 x 335	11 3/4 x 13 1/4	10
301 x 301	11 13/16 x 11 13/16	11
302 x 302	11 7/8 x 11 5/8	10.3
303 x 287	11 15/16 x 11 5/16	11.5
304 x 298	12 x 11 3/4	11
304 x 304	12 x 12	10.8
304 x 334	12 x 13 1/8	9.8
305 x 265	12 x 10 1/2	10.8
305 x 285	12 x 11 13/16	11.5
305 x 300	12 x 11 3/4	10.9
305 x 305	12 x 12 x 3/8	10.7
305 x 310	12 x 12 1/4	10.6
305 x 315	12 x 12 1/2	10.4
306 x 287	12 1/16 x 11 5/8	11.4
306 x 306	12 x 12 5/16	5.3
307 x 297	12 1/16 x 11 11/16	11
310 x 227	12 3/16 x 8 15/16	14.2
310 x 297	12 3/16 x 11 11/16	10.9
310 x 310	12 3/16 x 12 3/16	10.4
310 x 315	12 3/16 x 12 1/2	9.9
312 x 300	12 4/16 x 11 3/4	10.7
313 x 313	12 9/16 x 12 5/16	10.2
318 x 310	12 1/2 x 12 3/16	10.1
318 x 318	12 1/2 x 12 1/2	9.9
320 x 320	12 5/8 x 12 3/8	9.8
322 x 322	12 11/16 x 12 11/16	9.6
327 x 305	12 7/8 x 12	10
327 x 327	12 7/8 x 12 7/8	9.4
358 x 398	14 1/8 x 15 11/16	7
		0.6

Nominal mosaic border length* Longueur nominale de la bordure de la mosaïque Nennlänge der Mosaikbordüre Nominate lepte mozaïekranden	Borders per linear metre Bordures par mètre linéaire Bordüre pro laufendem Meter Randen per strekkende meter	Borders per linear foot
Metric/mm	Imperial/inches	
240	9 7/16	4.2
250	9 13/16	4.0
267	10 1/2	3.7
270	10 5/8	3.7
280	11	3.6
285	11 1/4	3.5
290	11 7/16	3.4
300	11 13/16	3.3
305	12	3.3
310	12 13/16	3.2
320	12 5/8	3.1
340	13 3/8	2.9
385	15 5/16	2.6
		0.9

* Refers to Venetian Fan Honey, page 144

+ Fait référence au Venetian Fan Honey, page 144

+ Bezieht sich auf Venetian Fan Honey, Seite 144

+ Geldt voor Venetian Fan Honey, pagina 144

* All dimensions are subject to a tolerance of ± 2.5mm or 3/32"

Toutes les dimensions ci-dessus sont sujettes à une tolérance de ± 2.5mm ou 3/32"

Alle obigen Maße unterliegen einer Toleranz von ± 2,5 mm oder 3/32"

Voor alle bovenstaande afmetingen geldt een mogelijke afwijking van ± 2,5 mm


Quantities shown exclude grout gaps between each sheet. When calculating the number of tiles you will require, do not forget to make an allowance for cutting and wastage.

Les quantités indiquées excluent les écarts des joints entre chaque plaque. Lorsque vous calculez le nombre de carreaux dont vous avez besoin, n'oubliez pas de prendre en compte les découpes et les pertes.

Die angegebenen Mengen berücksichtigen nicht die Fugenspalten. Bei der Berechnung der erforderlichen Anzahl von Fliesen denken Sie bitte daran, zusätzliche Fliesen für Verschnitt und Reststücke einzuplanen.

Er wordt bij deze hoeveelheden geen rekening gehouden met voegen tussen de matten. Houd bij het berekenen van het aantal benodigde mozaïekmatten rekening met snijverlies en breuk.

Anatomy of a swatch



Keys to Symbols

Signification des symboles / Symbolerklärung / Sleutel voor symbolen

	Dry walls
	Wet & dry walls (inc.showers and wet rooms)
	Wet & dry floors (inc.showers and wet rooms)
	Dry floors only
	Internal use only
	Internal & external use

External use

All our porcelain tiles have passed the ISO 10545-12 frost resistance test, making them suitable for external use. We recommend that only tiles with shod wet (4S96 shod wet) slip resistance results of 36+ are used in external situations. Original Style Ltd cannot be held liable for cracking that can occur due to adverse weather conditions or poor installation.

	Nur für Trockenwände
	Nass- und Trockenmauern (Inkl. Duschen und Nassräume)
	Nass- und Trockenböden (Inkl. Duschen und Nassräume)
	Nur für Trockenböden
	Nur für Innenbereiche
	Für Innen- und Außenbereiche

Externe Nutzung

Unsere gesamtes Feinsteinzeug hat den Frostbeständigkeits-test nach ISO 10545-12 bestanden, so dass sie für den externen Gebrauch eingesetzt werden können. Wir empfehlen, dass nur Fliesen mit einer Rutschfestigkeit von über 36 in externen Bereichen verwendet werden. Original Style Ltd haftet nicht für Risse, die durch widrige Witterungsverhältnisse oder eine falsche Installation auftreten.

	Murs secs uniquement
	Murs secs et humides (dont douches et douches italiennes)
	Sols secs et humides (dont douches et douches italiennes)
	Sols secs uniquement
	Usage intérieur uniquement
	Usage intérieur et extérieur

Usage extérieur

Tous nos carreaux en porcelaine ont passé le test ISO 10545-12 de résistance au gel et convient donc à un usage extérieur. Nous recommandons toutefois de poser en extérieur uniquement les carreaux dont la résistance au glissement est supérieure à 36 (selon les résultats de la VEP, 4S96). Original Style Ltd décline toute responsabilité en cas de fissuration des carreaux due à des conditions climatiques défavorables ou à une mauvaise installation.

	Alleen droge wande
	Natte en droge wanden (incl. douches)
	Natte en droge vloeren (incl. douches)
	Alleen droge vloeren
	Alleen voor binnengebruik
	Voor binn en buitengebruik

Buitengebruik

Al onze tegels hebben de vorstbestendigheidstest doorstaan van ISO 10545-12, zodat ze geschikt zijn voor buitengebruik. We raden aan dat alleen tegels met een (4S96 shod wet) slipbestendigheid van 36+ buiten worden gebruikt. Original Style Ltd is niet aansprakelijk voor scheuren die optreden als gevolg van slechte weersomstandigheden of een onjuiste installatie.

Special Notes

	<p>Paper Faced/Plastic Film Faced mosaics have a covering of paper or film on the front surface rather than mesh backing. Some individual pieces are clear/translucent so any mesh backing would show through after installation to spoil the overall look. Use a white, rapid setting, cement based flexible adhesive. Because the film or paper facing is on the front of these mosaics it is difficult to see what they look like. Peel back part of the paper or plastic face on one tile BEFORE fixing to ensure the surface finish is what you expected.</p> <p>Plastic film faced mosaics should be adhered in the same way as other mosaics, but with the film facing outwards. Leave the adhesive for at least 24 hours to allow it to completely set and dry before peeling off the film. If it's necessary to make slight adjustments to straighten the mosaics before the adhesive sets, then cut the film carefully with a sharp knife. If the small pieces of mosaic come off when removing the plastic film it means that the adhesive has not been left long enough to dry. Use a sharp knife and cut small slits in the film to allow more air to the adhesive to speed up the process. When the adhesive is dry, remove the film by peeling it from one corner to the opposite corner.</p> <p>Some mosaic sheets may have a protective film covering either the whole surface or certain individual pieces. Keep the film in place during installation then carefully peel away. It is important to factor in time needed to peel off the film from some of those with film on individual pieces</p> <p>Paper faced mosaics should be adhered in the same way as other mosaics, but with the paper facing outwards. Wet the paper and peel off before the setting material hardens to allow time to straighten the mosaics, if necessary, before they set. For more detailed instructions please refer to the Fixing Guide at www.originalstyle.com/guides.</p>
	<p>Epoxy primer, adhesive and grout recommended</p>
	<p>Shower walls only, not walls in wet rooms or steam rooms</p>
	<p>Will fade in direct sunlight</p>
	<p>Contain metal. Extreme caution must be taken when using metal mosaics in an electric shower. Always consult a qualified electrician before installation.</p> <p>Considerable care needs to be taken when installing Fusion Micro EW-FUSMIMOS, Fusion Macro EW-FUSMAMOS, Telstar EW-TLSMOS and Torque EW-TORMOS as they have very sharp edges. Wear thick protective gloves when handling these mosaics. Torque should only be installed in situations where it will not be touched or brushed past as the surface is three dimensional and some edges will be sharp even after installation. Do not install in areas where it can be brushed past or where small children will come into contact with the surface. It is important to take this into account before choosing this product.</p> <p>Make sure that the grain of stainless steel is going in the same direction for all mosaic sheets otherwise it will affect the appearance of the installation. Some metal mosaics have a protective film covering either the whole surface or certain individual pieces. Keep the film in place during installation then carefully peel away. It is important to factor in time needed to peel off the film from some of those with film on individual pieces.</p>
	<p>Mosaics containing or made from copper are not suitable for kitchens, bathrooms, showers and wet rooms or exposure to excessive moisture. When exposed to air and moisture the copper may, over time, form a patina of verdigris (a green coating). It is vital that this feature is taken into account when choosing copper mosaics.</p>
	<p>Seal before use</p>
	<p>Use white, rapid setting cement latex based flexible adhesive and non-sanded or finely sanded grout unless stated otherwise</p>
	<p>Some mosaics may have chipped edges. This is an inherent part of these tiles and add to the rustic effect</p>
	<p>Heavy product: Care must be taken to ensure that the substrate is suitable (eg backerboard) due to the substantial weight of this product</p>
	<p>Do not grout</p>
	<p>Bathroom floors only</p>
	<p>Cutting Instructions</p> <p>Beryl GW-BERRMOS, Ice GW-ICERRMOS, Jager GW-JAGDLMOS, Paragon GW-PARDELMOS, Solitaire GW-SLTDLMOS, Zircon GW-ZIRRRMOS: cut with mosaic tile nippers with tungsten carbide cutting wheels or electric tile saw for mosaics Zenith Copper EW-ZENCPMOS, Zenith Silver EW-ZENSLMOS, Golden Nugget EW-GNUMOS, Silver Nugget EW-SNUMOS, Aurelio EW-AURMOS, Orabella EW-ORAMOS Black Link EW-BKLMOS, EW-SVLMOS Silver Link, Herald EW-HERMOS, Inca EW-INCMOS, Lega EW-LEGMOS, Mayan EW-MAYMOS, Axum EW-AXUMOS, Minoan EW-MINMOS, Tuwana EW-TUWMOS, Aztec EW-AZTMOS: water fed electric cutting machine with a normal diamond blade Astral Silver EW-ASTSLMOS, Astral Copper EW-ASTCPMOS: water fed electric cutting machine with a normal diamond blade, cut edges need filing smooth Coconut mosaics Ceylon EW-CEYMOS can be cut with a jigsaw.</p>

These are Original Style's recommendations and are not necessarily exhaustive

Glass mosaics

Glass thickness will have an effect on the colour of the tile. Glass mosaics near heat:

glass mosaics should be installed a minimum of 3cm from any direct heat source. Handle glass mosaics with care especially when being **cut** or if broken. Ensure that the surfaces do not come into contact with each other or sharp/abrasive objects. Not recommended for use on counter tops because of the likelihood of scratching.

Glass pebble mosaics are only suitable for bathroom floors and slip-resistance may not be adequate for use in wet conditions.

Iridescent mosaics

The appearance and colours of iridescent mosaics change under different lighting conditions and also vary when seen from different angles. We recommend that you ask for samples from your retailer and try them out where you intend installing your mosaics, to make sure you get the look you are after and the most pleasing results.

Bamboo, coconut

Dry areas only, not suitable for wet areas such as wet rooms, bathrooms, showers or splashbacks or where they will be exposed to excessive moisture. Mosaics made from or containing bamboo or wood are subject to natural blemishes such as knots and holes.

Decorative mosaics

Axum EW-AXUMOS, **Minoan EW-MINMOS**, **Tuwana, EW-TUWMOS**: remove grout with clean warm water and wet sponge as tiling progresses. **EW-AZTMOS Aztec**: ONLY use WHITE unsanded grout as the grout will stay in the fine design lines when cleaned off.

Stone pebbles

To avoid visible grout lines, some pebbles may require adjusting slightly so that they interlock with adjoining pebble sheets.

Stone mosaics

Not recommended for external use as most of our stone mosaics are porous to some extent. If installed outside water could be absorbed and the tiles become susceptible to frost

damage. Stone is a natural product and subject to colour variation, pitting, blemishes, chipped edges, size variation and sometimes staining. Natural stone may fade in UV light.

No guarantee can be made against this happening. Some stone mosaics may have minor chips or blemishes. Such relatively insignificant imperfections should be considered normal and not the result of poor/faulty workmanship. Natural stone mosaics may also be subject to scuffing and scratching.

It is important that your tile installer understands the pattern or blended effect you want, the requirements for surface preparation and protecting newly installed tiles from on-going work. Floors and walls may require expansion joints.

Important Information

Please read through the following information carefully. It will help you select the correct mosaics for your application. For more detailed instructions please refer to the Fixing Guide at www.originalstyle.com/guides. We strongly recommend you and your tiler read through the Fixing Guide at www.originalstyle.com/guides before installation as Original Style cannot accept responsibility for any faults after mosaics have been fixed, for issues raised in this Important Information or the Fixing Guide once the product has been laid or installed.

CHOOSING THE RIGHT MOSAICS

Please check suitability of the mosaics ordering and installation. If you are uncertain please ask your Original Style retailer for further information.

SAMPLE SERVICE

Samples and swatch cards can be sent to customers on request. Full size mosaic sheet samples are usually chargeable at a reduced rate. Please see your local stockist for details.

DIMENSIONS

Nominal sizes and thicknesses are shown throughout the brochure. Owing to the high degree of hand finishing of some mosaics, actual dimensions for individual mosaic sheets may vary from these figures and should be treated as a guide only. All dimensions are subject to a tolerance of ± 2.5mm or $\frac{1}{32}$ ". When calculating the number of mosaic sheets required, please allow a five per cent allowance for cutting and wastage.

COLOUR VARIATIONS AND SHADING

There may be distinctive yet subtle variations in shade to be found in many mosaics included in this brochure. A single sample tile should not be taken as a completely accurate indication of colour. Some mosaic sheets and individual tiles may have distinctive yet subtle variations in shade, colour and tone, which will be an inherent feature of that particular product. We advise that you open and inspect each carton of mosaics to confirm consistence of shading. Select six random sheets from different cartons to check if there are any shading differences. We recommend that you spend time to achieve the most pleasing distribution of shades before fixing. Differences between batches can be even more marked. For this reason we recommend that you buy all the tiles at one time.

SCRATCHING

Glass and metal mosaics can be scratched. We recommend that care is taken in installation and that mosaics made from or containing glass and metal are not put in high risk areas for scratching. It is important to use a fine grade or non-sanded grout to avoid scratching the surfaces of glass and metal mosaics. Always test a small area before installation.

MOSAICS AND BORDERS MADE FROM AND CONTAINING METAL

Please refer to the Fixing Guide for more information before installing mosaics and borders made from and containing metal. It is essential that a qualified electrician carries out all electrical work around metal mosaics and any borders containing metal. Extreme caution must be taken when using metal mosaics in an electric shower. Always consult a qualified electrician before installation.

INSTALLATION

We strongly recommend that your tile installer reads through this Important Information and reads the Fixing Guide at www.originalstyle.com/guides before commencing any work. This fully explains the steps necessary to plan, fix and seal your mosaics and how to maintain them in first class condition for years ahead. If in any doubt please contact our technical department prior to installation as fixing tiles incorrectly can prove costly.

CUTTING MOSAICS

Some cutting of mosaics is unavoidable. Please refer to the Fixing Guide before attempting to cut any mosaics. Metal mosaics can be cut with a water-fed electric cutting machine with a normal diamond blade. See information regarding specific products on opposite page.

Appropriate safety precautions should be always taken when cutting any mosaics. Full personal protective equipment (PPE) for hands and eyes should be used.

ADHESIVES, GROUT, SEALANTS

We strongly recommend you and your tiler read through the Fixing Guide at www.originalstyle.com/guides regarding adhesives, grouts and sealants before installation. Particular care should be taken to use the correct adhesive, grout and sealants. Carefully read manufacturers' information and always follow the manufacturer's instructions. We recommend a white, rapid setting cement latex based flexible adhesive and non-sanded grout (or finely sanded) are used unless stated otherwise in the Fixing Guide (www.originalstyle.com/guides). No guarantee can be made by Original Style against some minor scratch marks appearing on mosaic tile surfaces even when using non sanded grout. Please always test the grout and grout removal on an unfixed sheet prior to installation to ensure no scratching and effective grout removal, following all manufacturers' instructions.

MAINTENANCE AND CLEANING

The use of certain acid based cleaning products may cause some of the mosaics featured in this brochure to react and change in character. We recommend the use of pH neutral cleaning products on our tiles unless otherwise stated below. **Glass:** Wash down glass mosaic surfaces with clean water, a normal spirit or alcohol based glass or window cleaner. Ensure a soft cloth is used to avoid scratching. **Gold:** Do not use acid-based cleaners on products containing gold. Follow the instructions as for Glass above. **Iridescence:** avoid any contact with products containing hydrofluoric acid (pool cleaners for example) as this will damage the lustre effects. **Metal:** Use warm soapy water then wipe with a damp cloth and buff dry. Alternatively use a stainless steel cleaner. Do not use harsh or abrasive cleaning products, scourers or bleach. Do not allow other metals

such as steel wool pads to come in contact with stainless steel mosaics, as small metal fragments may enter the surface and start to corrode, resulting in rust spots. **Copper:** avoid any contact with products containing citric acid or hydrofluoric acid (pool cleaners for example) as this will cause staining.

LIGHTING

Clever use of lighting can enhance the beauty of your mosaics, especially those containing iridescent pieces. We hope that you will be inspired by the setting photographs used throughout our brochure.

PHOTOGRAPHY

Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Original Style retailer to show you samples.

LIMITS OF LIABILITY

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Claims must be reported within seven working days from the receipt of the tiles. Tile sizes may vary slightly from the stated nominal dimensions within internationally accepted standards.

Please be advised that installation constitutes acceptance of the quality, colour, size, texture and shade of the tiles. Please note, the use of certain acid-based cleaning products may cause some of the tiles to react and change in character.

Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures. It is imperative to follow grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

In the USA please follow the recommendations of a reputable adhesive manufacturer in conjunction with our Fixing Guide at www.originalstyle.com/guides and always comply with American National Standards Institution (ANSI) specifications as set out in the Handbook for Ceramic Tile Installation published by the Tile Council of America. Useful links: ctia.org, tileusa.com

ACKNOWLEDGEMENTS

We gratefully acknowledge the assistance of the following companies with the photographic settings and props.

Amara	amara.com
Anthropologie	anthropologie.com/en-gb
Bathroom Village	bathroomvillage.com
Chadder & Co	chadder.com
Conran Shop	conranshop.co.uk
Cox & Cox	coxandcox.co.uk
Darts Farm	dartsfarm.co.uk
Debenhams	debenhams.com
Designers Guild	designersguild.com
Fagins	faginsantiques.com
French Connection	frenchconnection.co.uk
Furniture Village	furniturevillage.co.uk
Habitat	habitat.co.uk
Holly's House	hollys-house.com
House of Fraser	houseoffraser.co.uk
Idyll Home	idyllhome.co.uk
Industville	industville.co.uk
Laura Ashley	laurashley.com
Maison de Marrakech	maisondemarrakech.com
Next	next.co.uk
Nkuku	nkuku.com
Not on the high street	notonthehighstreet.com
Orange Tree	theorangetree.co.uk
Penhaligon's	penhaligons.com
Rockett St George	rockettstgeorge.co.uk
Rose & Grey	roseandgrey.co.uk
Rowen and Wren	rowenandwren.co.uk
Selfridges	selfridges.com
The White Company	thewhitecompany.com
West Elm	westelm.co.uk

Adhesives, grouts, sealants

Aquamix UK	celtexagencies.co.uk
Aquamix USA	custombuildingproducts.com/welcome.aspx
HG	hg.eu
Lithofin	lithofin-uk.co.uk
Mapei	mapei.com

Remarques spécifiques

	<p>Face plastique/papier : ces mosaïques ont une fine pellicule de papier ou de plastique recouvrant leur surface plutôt qu'un filet de protection au dos. Nous recommandons l'utilisation d'une colle blanche, rapide, flexible et à base de ciment pour les carreaux recouverts d'une protection papier ou plastique. Etant donné que le papier ou plastique est sur la face avant de ces mosaïques, il est difficile de voir ce à quoi elles ressemblent. Retirez une partie du papier ou du film plastifié AVANT la pose pour vous assurer que la surface est comme vous le souhaitez.</p> <p>Mosaïque à face plastique : Ces mosaïques doivent être posées de la même manière que les autres mosaïques mais en vous assurant que le film se trouve sur la face supérieure. Laissez la colle sécher pendant au moins 24 heures avant de retirer le film plastique. S'il est nécessaire d'ajuster la position des mosaïques avant que la colle ne prenne, alors le film peut être découpé soigneusement à l'aide d'un couteau aiguisé. Si les carreaux individuels de la mosaïque se détachent quand vous retirez le film plastifié cela signifie que vous n'avez pas laissé sécher la colle assez longtemps. Utilisez un couteau aiguisé et coupez des petites fentes dans le film plastifié afin de permettre à la colle de recevoir plus d'air. Quand la colle est sèche, retirez le film plastifié en le tirant d'un coin au coin opposé.</p> <p>Mosaïque à face papier : Ces mosaïques à face papier doivent être posées de la même manière que les autres mosaïques mais en vous assurant que le papier se trouve sur la face supérieure. Humidifiez le papier et retirez-le avant que la colle ne sèche afin d'avoir le temps de réajuster les carreaux, si nécessaire, avant qu'ils ne soient complètement fixés.</p> <p>Certaines mosaïques disposent d'un film protecteur qui recouvre leur surface entière ou certains éléments individuels. Vous devez laisser ce film en place lors de l'installation, puis le retirer avec précaution.</p>
	Usage recommandé d'un apprêt, d'une colle et d'un ciment-joint époxy
	Douches uniquement - pas zoned humides: Ne convient pas aux hammams et zones où l'humidité est excessive telles que les douches italiennes mais peut être utilisée dans les couches ordinaires.
	Ne pas installer directement au soleil. Elle peut se décolorer si exposé au soleil.
	<p>Métal Soyez extrêmement vigilants si vous installez des mosaïques en métal dans des douches électriques. Consultez toujours un électricien qualifié avant l'installation.</p> <p>Faites très attention lorsque vous posez les mosaïques en aluminium Fusion Micro EW-FUSMIMOS, Fusion Macro EW-FUSMAMOS, Telstar EW-TLSMOS et Torque EW-TORMOS car leurs bords sont tranchants. Portez des gants épais lorsque vous manipulez ces mosaïques. Les mosaïques Torque doivent uniquement être installées dans où elles ne seront pas touchées ou effleurées, car leur surface peut blesser. La surface de Torque EW-TORMOS a trois dimensions et certains angles seront toujours coupants même après l'installation. Nous vous déconseillons d'installer ces carreaux dans des zones où ils peuvent être effleurés ou où des enfants pourront entrer en contact avec leur surface. Il est important de prendre en compte ce facteur avant de choisir ce produit.</p> <p>Veillez à ce que le grain de l'acier inoxydable suive la même direction dans toutes les plaques de mosaïques, sinon l'apparence générale de l'installation en sera affectée. Certaines mosaïques disposent d'un film protecteur qui recouvre leur surface entière ou certains éléments individuels. Vous devez laisser ce film en place lors de l'installation, puis le retirer avec précaution.</p>
	Carreaux avec du cuivre: Les mosaïques en cuivre ne doivent pas être posées dans les cuisines, salles de bains, douches et douches italiennes. En étant exposée à l'air et à l'humidité, la surface du cuivre risque, au fil du temps, de se patiner ou de se couvrir de vert-de-gris (une pellicule verte)
	Imperméabilisez avant usage
	Utilisez un ciment blanc et rapide, une colle flexible à base de latex et des joints non sablés ou finement sablés, sauf en cas d'indication contraire.
	Peut avoir les bords coupés: Quelques mosaïques peuvent avoir les bords coupés. C'est une partie inhérente de ces carreaux et un ajout qui a un effet rustique.
	Produit lourd: Il faut veiller à ce que le support soit adapté (ex. le panneau arrière) en raison du poids important de ce produit
	Ne pas jointoyer
	Sols de salles de bains uniquement
	<p>Instruction de coupe</p> <p>Beryl GW-BERRMOS, Ice GW-ICERRMOS, Jager GW-JAGDLMOS, Paragon GW-PARDLMOS, Solitaire GW-SLTDLMOS, Zircon GW-ZIRRRMOS: coupé avec pinces à carreaux de mosaïque avec des roues de coupe en carbure de tungstène ou une scie électrique pour mosaïques. Zenith Copper EW-ZENCPMOS, Zenith Silver EW-ZENSLMOS, Golden Nugget EW-GNUMOS, Silver Nugget EW-SNUMOS, Aurelio EW-AURMOS, Orabella EW-ORAMOS Black Link EW-BKLMOS, EW-SVLMOS Silver Link, Herald EW-HERMOS, Inca EW-INCMS, Lega EW-LEGOMS, Mayan EW-MAYMOS, Axum EW-AXUMOS, Minoan EW-MINMOS, Tuwana EW-TUWMS, Aztec EW-AZTMOS: Machine de découpe électrique alimentée à l'eau avec une lame de diamant normale. Astral Silver EW-ASTSLMOS, Astral Copper EW-ASTCPMOS: Machine de découpe électrique alimentée à l'eau avec une lame de diamant normale. Les bords coupés doivent être limés. La mosaïque Coconut EW-CEYMOS peut être coupée avec une scie sauteuse.</p>

Il s'agit de recommandations d'Original Style. Leur liste n'est pas nécessairement exhaustive

Verre

L'épaisseur du verre influencera aussi la coloration du carreau. Utilisation de mosaïques en verre près d'une source de chaleur : nous vous recommandons d'installer les mosaïques à une distance d'au moins 3 cm de toute source directe de chaleur.

Les mosaïques en verre doivent être maniées avec précaution, en particulier lors du découpage de celles-ci ou si elles se sont brisées. Assurez-vous que les surfaces n'entrent pas en contact les unes avec les autres ou avec des objets tranchants ou abrasifs. Nous vous déconseillons de poser des mosaïques en verre sur le plan de travail d'une cuisine car vous risqueriez de les rayer. Si les carreaux en verre sont posés au sol nous ne pouvons garantir leur propriétés antidérapantes, surtout en zone humide.

Mosaïques iridescentes

L'apparence et les couleurs des mosaïques iridescentes changent en fonction des conditions d'éclairage et varient aussi selon l'angle d'observation. Nous recommandons donc que vous demandiez des échantillons auprès de votre détaillant afin de les observer à l'endroit vous avez l'intention de les installer. Vous serez ainsi assurer d'obtenir l'effet que vous désirez et d'avoir des résultats répondants à vos attentes.

Bois, bambou, noix de coco

Convient uniquement aux zones sèches ; ne conviennent pas aux zones humides (salles de bains, douches, douchems italiennes ou dossier de cuisine) car elles seraient exposées à une humidité excessive. Les mosaïques en bois ou composées de bois comprennent des défauts naturels tels que des noeuds et des cavités.

Mosaïques décoratives

Axum EW-AXUMOS, **Minoan EW-MINMOS**, **Tuwana, EW-TUWMS**: retirez le joint avec de l'eau chaude propre et une éponge mouillée pendant la pause du carrelage. **EW-AZTMOS Aztèque:** N'UTILISEZ que du joint blanc sans sable car celui-ci restera dans les fines lignes de conception au moment du nettoyage.

Galets

Pour éviter que les joints ne soient visibles, vous devrez peut-être ajuster certains galets de manière à ce qu'ils empiètent sur les plaques de galets voisines.

La pierre

La plupart de nos mosaïques en pierre sont poreuses à un plus ou moins haut degré. Installées en extérieur, elles auront tendance à absorber l'eau, ce qui les rendra vulnérables au gel. La pierre naturelle peut perdre de sa couleur lorsqu'exposée aux

ultraviolets. Nous ne pouvons vous donner aucune garantie contre ce phénomène. La pierre est un matériau naturel ; en conséquence, des variations de couleur sont possibles entre chaque mosaïque de pierre et entre éléments individuels. Certaines mosaïques de pierre présenteront de petites marques ou ébréchures. Ces imperfections, relativement insignifiantes, doivent être considérées comme normales et ne sont pas dues à un défaut de fabrication. Les mosaïques en pierre naturelle sont aussi sensibles aux éraflures et aux rayures.

Il est important que l'installateur comprenne les exigences liées à la préparation de la surface, le motif ou l'effet mélangé que vous cherchez à créer et comment protéger les carreaux déjà installés jusqu'à ce que les travaux soient terminés. Des joints de dilatation seront peut-être nécessaires pour les sols et les murs internes et externes.

Informations Essentielles

Nous vous recommandons de lire avec attention les informations suivantes. Celles-ci vous aideront à choisir les mosaïques les plus adaptées à vos exigences et vous permettront de vous familiariser avec certaines procédures d'installation et de maintenance. Pour consulter des instructions plus détaillées avant de procéder à l'installation, veuillez vous reporter au Guide d'Installation sur originalstyle.com/guides. Original Style n'acceptera aucune responsabilité pour toute anomalie qui apparaîtra une fois que le produit aura été posé ou installé, ni pour tout problème préalablement soulevé dans ces Informations Essentielles ou dans nos Guides d'Installation.

Choisir Les Mosaïques Adaptées

Veuillez consulter le Guide d'Utilisation pour vérifier que les mosaïques désirées sont adaptées à vos besoins avant de passer commande et de les installer (intérieur / extérieur / douches / douches italiennes / sols / variation de couleur et remarques spéciales). En cas de doute, n'hésitez pas à consulter votre détaillant Original Style pour de plus amples informations.

Échantillons

Nos clients peuvent demander à recevoir des échantillons et des cartes échantillons. Les échantillons sous forme de plaques de mosaïque sont généralement facturés à un tarif réduit. Nous vous invitons à consulter votre revendeur local pour plus d'informations.

Dimensions

Toutes les dimensions et épaisseurs indiquées dans cette brochure sont nominales. Comme certaines mosaïques sont finies à la main, les dimensions réelles de chaque plaque de mosaïque peuvent varier et ne sont donc données qu'à titre indicatif. Toutes les dimensions sont sujettes à une tolérance de ± 2,5 mm. Lorsque vous calculez le nombre de plaques de mosaïque dont vous avez besoin, n'oubliez pas de prendre en compte les découpes et déchets éventuels, qui représentent en moyenne 5% du total.

Variations de Couleur et Teintes

Un grand nombre de mosaïques comprises dans cette brochure pourront présenter des variations de couleur caractéristiques mais subtiles. Vous ne pouvez donc pas vous fier à un seul échantillon pour connaître la couleur générale de la surface une fois la pose terminée. Certaines plaques de mosaïques et certains carreaux individuels pourront présenter des variations, à la fois distinctes et subtiles, de teinte, couleur et nuance ; il s'agit d'une qualité inhérente du produit concerné. Nous vous conseillons d'ouvrir et d'inspecter chaque boîte de mosaïques pour vérifier l'homogénéité de la teinte. Sélectionnez au hasard six plaques de mosaïques dans différentes boîtes pour vérifier s'il existe des variations de teinte. Nous vous recommandons de prendre le temps d'agencer les différentes teintes de la manière la plus plaisante avant de procéder à l'installation. De surcroît, les différences peuvent être davantage marquées d'un lot à l'autre. Nous vous recommandons donc vivement d'acheter tous les carreaux en une seule fois.

Rayures

Les mosaïques en verre et en métal sont sensibles aux rayures. Nous vous recommandons de prendre le plus grand soin lors de l'installation et de ne pas poser les mosaïques contenant du verre ou du métal dans des endroits où elles seront susceptibles d'être rayées. Il est important d'utiliser un ciment à base de sable fin ou sans sable pour éviter de rayer la surface des carreaux en verre. Faites toujours un essai sur une petite zone avant l'installation.

Mosaïques et Bordures Contenant du Métal

Veuillez vous référer au Guide d'Installation pour de plus amples informations avant de procéder à l'installation des mosaïques en métal. Il est indispensable que tous les travaux électriques autour des mosaïques en métal et bordures contenant du métal soient effectués par un électricien qualifié. Soyez extrêmement vigilants si vous installez des mosaïques en métal dans des douches électriques. Consultez toujours un électricien qualifié avant l'installation.

Installation

Nous recommandons vivement à votre installateur de carreaux de consulter ces Informations Essentielles de même que le Guide d'Installation (www.originalstyle.com/guides) avant de commencer tous travaux. Ces documents expliquent l'ensemble des étapes nécessaires pour planifier, installer et imperméabiliser vos mosaïques et comment les maintenir dans une condition impeccable au fil des années. En cas de doute, n'hésitez pas à prendre contact avec notre département technique avant de procéder à l'installation, car installer les carreaux incorrectement pourra s'avérer coûteux.

Découpe Des Mosaïques

Il est inévitable que certaines mosaïques devront être découpées. Veuillez vous référer au Guide d'Installation avant de procéder à la découpe des mosaïques. Les mosaïques en métal peuvent être coupées avec un coupe carrelage électrique à eau. Les mosaïques en bois et noix de coco peuvent être coupées à la scie sauteuse. Veuillez à toujours prendre les plus grandes précautions en matière de sécurité lors de la découpe des mosaïques. Nous vous conseillons de porter un équipement de protection individuelle (EPI) complet pour protéger vos mains et vos yeux. Voir les informations concernant les produits spécifiques à la page 162.

Colles, Joints, Mastic D'étanchéité

Il est important de veiller à utiliser la colle, le ciment-joint et le mastic d'étanchéité les mieux adaptés. Assurez-vous de toujours lire et suivre les instructions du fabricant. Nous vous recommandons d'utiliser un ciment blanc et rapide, une colle flexible à base de latex et des joints sans sable ou à base de sable fin, sauf en cas d'indication contraire, voir le guide d'utilisation/voir ci-dessous. Original Style ne peut donner aucune garantie contre l'apparition de petites rayures sur la surface des mosaïques même en cas d'utilisation d'un joint sans sable. Tout en suivant les instructions, veuillez toujours tester le joint et le produit pour enlever le joint sur une feuille non-fixée avant l'installation pour éviter les rayures et le retrait du joint.

Entretien et Nettoyage

Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certaines des mosaïques présentées dans cette brochure et en modifier les caractéristiques. Nous vous conseillons d'utiliser des produits nettoyants au pH neutre sur tous nos carreaux, sauf en cas d'indication contraire ci-dessous.

Verre: Nettoyez la surface des mosaïques en verre avec de l'eau propre ou un nettoyant ordinaire ou à base d'alcool pour verre ou vitres. Utilisez toujours un chiffon doux pour éviter toute rayure.

Métal: Utilisez de l'eau chaude et savonneuse puis essuyez avec un chiffon sec et polissez jusqu'à séchage complet. Vous pouvez aussi utiliser un nettoyant pour acier inoxydable. Veuillez à ne pas utiliser de produits corrosifs ou abrasifs, d'éponges à récurer ou de produit à base d'eau de Javel. Veuillez aussi à ce qu'aucun autre objet métallique, comme les tampons en paille de fer, ne soient en contact avec les mosaïques en acier inoxydable car des fragments de métal pourraient alors s'y immiscer et commencer à se corroder, et des tâches de rouille pourraient alors apparaître.

Cuivre: Evitez tout contact avec des produits contenant de l'acide citrique ou fluorhydrique (par exemple, nettoyants pour piscine) car ils risqueraient tacher le cuivre.

Or: Nous vous déconseillons d'utiliser des détergents à base d'acide sur tout produit contenant de l'or. Suivez les instructions ci-dessous concernant le Verre.

Iridescence: évitez tout contact avec des produits contenant de l'acide fluorhydrique (par exemple, nettoyants pour piscine) car ils risqueraient de dégrader l'effet lustré.

Éclairage

Une utilisation astucieuse de la lumière peut optimiser la beauté de vos mosaïques, surtout si elles contiennent des éléments iridescents. Nous espérons que les photographies utilisées dans notre brochure vous inspireront.

Photographie

A cause de la diversité des éclairages utilisés en studio et des encres utilisées pour l'impression, la couleur des carreaux présentés dans ce catalogue pourra différer légèrement de la véritable couleur des carreaux. Avant de faire votre choix, il est toujours préférable de demander à votre revendeur Original Style de vous montrer des échantillons.

Responsabilité

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvrira pas les dommages indirects. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. La taille des carreaux pourra légèrement varier par rapport aux dimensions nominales indiquées, mais cette variation respecte les normes internationales approuvées.

Notez que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques. Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers.

Besondere Hinweise

	<p>Mosaikfliesen auf Papier- und Folienträgern: Diese Mosaikfliesen sind auf der Vorderseite mit Papier oder Folie verklebt, anstatt mit einem Netz auf der Rückseite. Einige Mosaiksteine sind transparent oder lichtdurchlässig. Ein werkseitiger Netzträger würde daher auch nach der Installation durch die Steine sichtbar sein und somit das Erscheinungsbild mindern. Die vorderseitige Verklebung erschwert es, die Optik Ihres Mosaiks zu beurteilen. Ziehen Sie daher VOR der Installation ein kleines Stück der Beschichtung ab, um zu sehen, ob das Mosaik Ihren Vorstellungen entspricht.</p> <p>Mosaikfliesen auf Folienträgern werden generell wie andere Mosaikfliesen verlegt, die Folie muss dabei aber stets nach außen zeigen. Der Kleber sollte mindestens 24 Stunden ruhen, bis er vollkommen fest und trocken ist. Erst dann darf die Folie abgezogen werden. Soll die Ausrichtung der Mosaikfliesen vor dem Aushärten des Klebers noch korrigiert werden, kann die Folie vorsichtig mit einem scharfen Messer eingeschnitten werden. Wenn sich beim Abziehen der Plastikfolie einzelne Mosaiksteine lösen, ist der Kleber noch nicht ausreichend getrocknet. Machen Sie mit einem scharfen Messer kleine Einschnitte in die Folie, um den Trocknungsprozess zu beschleunigen. Wenn der Kleber vollständig getrocknet ist, ziehen Sie die Folie diagonal von Ecke zu Ecke ab.</p> <p>Mosaikfliesen auf Papierträgern werden generell wie andere Mosaikfliesen verlegt, die Folie muss dabei aber stets nach außen zeigen. Feuchten Sie das Papier an und ziehen Sie es ab, bevor der Kleber getrocknet ist, damit die Fliesen ggf. noch ausgerichtet werden können.</p> <p>Einige Mosaikmatten haben eine Schutzfolie, die entweder die gesamte Oberfläche oder einzelne Steine abdeckt. Die Folie sollte während der Installation nicht entfernt und erst anschließend vorsichtig abgezogen werden. Bitte berechnen Sie ausreichend Zeit für das Abziehen der Folie ein.</p>
◆	Epoxid-Grundierung, -kleber und -mörtel empfohlen
●	Nur Duschwände , keine Nassbereiche.
❖	Nicht in direktem Sonnenlicht installieren. Können bei direkter Sonneinstrahlung verblassen.
	<p>Fliesen mit Metallanteil: Äußerste Vorsicht ist geboten, wenn Metallmosaikfliesen in einer elektrischen Dusche verwendet werden. Ziehen Sie vor der Installation unbedingt einen Elektrofachmann zurate.</p> <p>* Metall: Bitte beachten Sie, dass Mosaike der Serie Fusion Micro EW-FUSMIMOS, Fusion Macro EW-FUSMAMOS, Telstart EW-TLSMOS und Torque EW-TORMOS sehr scharfe Kanten haben. Wir empfehlen bei der Installation Handschuhe zu tragen und diese Fliesen nicht in Bereichen zu installieren, in denen Personen sie beim Vorbeigehen streifen oder Kinder mit ihnen in Berührung kommen könnten.</p> <p>Achten Sie darauf, dass die Maserung von Edelstahl auf allen Mosaikmatten immer in der gleichen Richtung verläuft, da sonst das Erscheinungsbild beeinträchtigt werden kann. Entfernen Sie eventuell vorhandene Schutzfolien erst nach der Installation durch vorsichtiges Abziehen.</p>
★	Fliesen mit Kupferanteil sind nicht geeignet für den Einsatz in Küchen, Badezimmern, Duschkabinen und Nassbereichen. Kupfer kann mit der Zeit Grünspan ansetzen. Dies kann die Optik der Fliese beeinträchtigen.
✚	Vor Verwendung versiegeln.
✿	Verwenden Sie, falls nicht anders angegeben, weißen, schnell trocknenden Zement, flexiblen Kleber auf Latexbasis und sandfreien Mörtel oder Mörtel mit feinem Sand
✖	Ausgebrochene Ränder: Einige Mosaike können ausgebrochene Ränder haben. Dies ist die Natur dieser Fliesen und tragen zu einem gewollt rustikalen Effekt bei.
⚖	Schwere Produkte: Es muss sichergestellt werden, dass der Untergrund geeignet ist (z.B. Zementträgerplatte), um das hohe Gewicht des Produktes zu tragen.
▲	Nicht verfügen
*	Nur Badezimmerböden
◆	<p>Schneideanweisungen</p> <p>Beryl GW-BERRRMOS, Ice GW-ICERRMOS, Jager GW-JAGDLMOS, Paragon GW-PARDLMOS, Solitaire GW-SLTDLMOS, Zircon GW-ZIRRMMOS: Mosaikzange mit Wolframcarbid-Schneiderädern oder elektrische Mosaikäge. Zenith Copper EW-ZENCPMOS, Zenith Silver EW-ZENSLMOS, Golden Nugget EW-GRUMOS, Silver Nugget EW-SNUMOS, Aurelio EW-AURMOS, Orabella EW-ORAMOS Black Link EW-BKLMOS, EW-SVLMOS Silver Link, Herald EW-HERMOS, Inca EW-INCMOS, Lega EW-LEGOMOS, Mayan EW-MAYMOS, Axum EW-AXUMOS, Minoan EW-MINMOS, Tuwana EW-TUWMOS, Aztec EW-AZTMOS: Elektrische Nassäge mit Diamanttrennscheibe. Astral Silver EW-ASTSLMOS, Astral Copper EW-ASTCPMOS: Elektrische Nassäge mit Diamanttrennscheibe, Schnittkanten durch Schleifen nacharbeiten. Coconut mosaics EW-CEYMOS können mit Stichsäge geschnitten werden.</p>

Original Style übernimmt für die Richtigkeit dieser Angaben keine Haftung

Glas

Die Dicke des Glases wirkt sich auf die Fliesenfarbe aus. Einsatz am Boden: Glasfliesen sind in nassen Bereichen nicht ausreichend rutschsicher. Einsatz in der Nähe von Wärmequellen: Wir empfehlen mindestens 3 cm Abstand zu allen direkt wirkenden Wärmequellen. Ladentheken: Die Verwendung ist wegen der Kratzanfälligkeit nicht empfohlen. Seien Sie vorsichtig beim Umgang mit Glasmosaiken, besonders mit geschnittenen/ gebrochenen Fliesen. Die Oberflächen sollten nicht miteinander oder mit scharfen/scheuernden Gegenständen in Berührung kommen. Einige Glasmosaikfliesen sind besonders zerbrechlich und sollten vorsichtig behandelt werden.

Irisierende Mosaiken

Das Aussehen und die Farben von irisierenden Mosaiken ändern sich in verschiedenen Lichtverhältnissen und variieren je nach Betrachtungswinkel. Wir empfehlen Ihren Händler um Muster zu bitten und diese am Installationsort zu betrachten. Nur so können Sie sicher sein, das erwünschte Ergebnis zu erlangen.

Bambus, Kokosnuss

Nur für trockene Bereiche geeignet. Können natürliche Schönheitsfehler wie Verwachsungen aufweisen.

Dekorative Mosaiken

Axum EW-AXUMOS, **Minoan EW-MINMOS**, **Tuwana, EW-TUWMOS**: Fugenmasse mit klarem warmen Wasser und feuchtem Schwamm abwaschen. **EW-AZTMOS Aztec**: NUR WEISSEN weichen Mörtel (sandfrei) verwenden, da die Fugenmasse sich in den feinen Designlinien festsetzt.

Kieselsteine

Um sichtbare Fugenlinien zu vermeiden, müssen einige Kiesel möglicherweise leicht eingepasst werden, so dass sie in angrenzende Kieselmatte greifen.

Steinmosaiken

Die meisten Steinmosaiken sind leicht porös und daher nicht für den Außenbereich empfohlen. Bei Installation im Freien absorbieren die Mosaiken Wasser und werden dadurch anfällig für Frostschäden.

Stein ist ein natürliches Material, bei dem es zu Farbabweichungen, Grübchenbildung, kleinen Schönheitsfehlern, Absplitterungen, Größenschwankungen und gelegentlicher Fleckenbildung kommen kann. Derartige geringfügige Unvollkommenheiten sind normal und kein Resultat unzureichender Qualität oder Herstellung. Naturstein kann unter Umständen verkratzen oder Schuppen bilden und bei UV-Einstrahlung verblassen. Hiergegen kann keine Garantie gegeben werden.

Es ist wichtig, dass Ihr Fliesenleger den von Ihnen gewünschten Muster- bzw. Mischeffekt und die Maßnahmen zur Oberflächenvorbereitung kennt sowie die frisch verlegten Fliesen vor Beschädigung durch laufende Arbeiten schützt. An Boden und Wänden im Innen- und Außenbereich sind möglicherweise Dehnungsfugen erforderlich.

Wichtige Informationen

Lesen Sie die folgenden Informationen bitte aufmerksam durch. Sie sollen Ihnen bei der Auswahl des richtigen Mosaiks für Ihre Zwecke helfen und enthalten außerdem Hinweise zu Installation und Pflege. Beachten Sie vor der Montage bitte auch unbedingt die Installationsanleitung unter originalstyle.com/guides. Original Style kann nach dem Verlegen oder Anbringen des Produkts keine Haftung für Probleme übernehmen, die hier oder in der Installationsanleitung behandelt wurden.

ENTSCHEIDEN SIE SICH FÜR DIE RICHTIGEN MOSAIKFLIESEN

Bitte lesen Sie vor der Bestellung und Installation im Benutzerleitfaden nach, ob die gewünschten Mosaikfliesen für Ihre Zwecke geeignet sind (innen/außen/Duschkabinen/Nassbereiche/Böden/Farbabweichungen und besondere Hinweise). Im Zweifelsfall wenden Sie sich bitte an Ihren Original Style Fachhändler, der Sie gerne berät.

MUSTER-SERVICE

Muster und Musterkarten können dem Kunden auf Wunsch zugeschickt werden. Mosaikmattenmuster in voller Größe werden in der Regel zu einem reduzierten Preis berechnet. Für weitere Einzelheiten wenden Sie sich bitte an Ihren Fachhändler vor Ort.

ABMESSUNGEN

In dieser Broschüre werden Sollmaße und Dicken angegeben. Aufgrund der umfangreichen Handarbeiten bei bestimmten Mosaiken können die tatsächlichen Maße einzelner Mosaikmatten von diesen Sollwerten abweichen und sind daher nur als Anhaltspunkt zu betrachten. Alle Maße unterliegen einer Toleranz von ± 2,5 mm. Planen Sie bei der Berechnung der erforderlichen Anzahl Mosaikmatten bitte 5 % zusätzlich für Verschnitt und Reststücke ein.

FARBABWEICHUNGEN UND FARBNUANZEN

Bei vielen Mosaiken in dieser Broschüre können leichte, aber dennoch unverkennbare Unterschiede in der Farbnuance auftreten. Eine Musterfliese kann daher niemals als absoluter Garant für eine bestimmte Farbe gesehen werden. Einige Mosaikmatten und einzelne Fliesen können in ihrer Schattierung, Farbe und im Farnton feine Abweichungen aufweisen, die als Eigenschaft des jeweiligen Produkts anzusehen sind. Wir empfehlen Ihnen, jeden Karton zu öffnen und die Fliesen auf eine konstante Farbgebung zu überprüfen. Wählen Sie aus verschiedenen Kartons sechs beliebige Matten aus und vergleichen Sie den jeweiligen Farbton. Nehmen Sie sich Zeit bei der Anordnung der Fliesen und optimieren Sie den Effekt durch eine bestmöglich Anordnung der verschiedenen Schattierungen. Unterschiede zwischen einzelnen Chargen können sogar noch deutlicher ausfallen. Aus diesem Grund empfehlen wir dringend, alle Fliesen auf einmal kaufen.

KRATZER

Glas- und Metall-Mosaikfliesen können verkratzen. Wir empfehlen bei der Installation vorsichtig vorzugehen und Mosaikfliesen mit Glas- und Metallanteilen von Arbeiten und Bereichen fernzuhalten, in denen Sie leicht verkratzen können. Es ist wichtig, dass eine besonders feine bzw. kornfreie Fugenmasse verwendet wird, um ein Zerkratzen der Oberfläche zu vermeiden. Führen Sie vor der Installation immer einen Test an einer kleinen Stelle durch.

MOSAIKFLIESEN UND BORDÜREN AUS UND MIT METALL

Bitte beachten Sie vor der Installation von Mosaikfliesen und Bordüren aus und mit Metall die Installationsanleitung. Für alle elektrischen Arbeiten in der Nähe von Metallmosaike bzw. metallhaltigen Bordüren muss ein qualifizierter Elektriker hinzugezogen werden. Besondere Sorgfalt ist erforderlich, wenn Metallmosaikfliesen in einer elektrischen Dusche verwendet werden. Ziehen Sie vor der Installation unbedingt immer einen Elektrofachmann zu Rate.

INSTALLATION

Bitte lesen Sie bzw. Ihr Fliesenleger vor Beginn jeglicher Arbeiten diese wichtigen Informationen sorgfältig durch und beachten Sie die Installationsanleitung (www.originalstyle.com/fixing.html). In diesen Dokumenten werden alle erforderlichen Schritte zur Planung, Verlegung und Versiegelung Ihrer Mosaikfliesen erläutert. Zusätzlich erfahren Sie, wie Sie die Fliesen durch richtige Pflege auch in Zukunft in erstklassigem Zustand halten. Bei Unklarheiten wenden Sie sich bitte VOR der Installation an unsere technische Abteilung.

MOSAIKFLIESEN SCHNEIDEN

Beachten Sie vor dem Schneiden von Mosaikfliesen unbedingt die Installationsanleitung. Metallmosaikfliesen können mit einer elektrischen Wasser-Schneidemaschine mit normalen Diamantsägeblatt geschnitten werden. Für Holz- und Kokosnussmosaikfliesen genügt eine Stichsäge. Beim Schneiden von Mosaiken sind entsprechende Vorsichtsmaßnahmen zu treffen. Eine vollständige persönliche Schutzausrüstung (PSA) für Hände und Augen wird empfohlen.

KLEBER, FUGEN- UND DICHTUNGSMASSE

Es ist besonders wichtig auf die Verwendung der richtigen Kleber, Fugen- und Dichtungsmasse zu achten. Beachten Sie dabei stets die Herstellerinformationen. Wir empfehlen, sofern nicht anders angegeben, weißen, schnell trocknenden Zement, flexiblen Kleber auf Latexbasis, sandfreie Fugenmasse oder Fugenmasse mit feinem Sand zu verwenden. Original Style kann nicht garantieren, dass die Mosaikoberfläche selbst bei der Verwendung sandfreier Fugenmasse nicht verkratzt. Testen Sie daher die Fugenmasse und Mörtelentferner stets VOR der Installation gemäß der Herstelleranweisungen.

INSTANDHALTUNG UND PFLEGE

Bitte beachten Sie, dass säurebasierte Reinigungsprodukte die Eigenschaften und das Aussehen einiger Mosaikfliesen verändern können. Wir empfehlen, sofern nicht anders angegeben, die Verwendung pH-neutraler Reinigungsprodukte. **Glas:** Glasmosaikoberflächen mit sauberem Wasser oder einem normalen Glasreiniger auf Spiritus- oder Alkoholbasis abwaschen. Dazu unbedingt ein weiches Tuch verwenden, um Kratzer zu vermeiden. **Metall:** Verwenden sie warmes Seifenwasser. Anschließend mit einem feuchten Tuch abwischen und trockenreiben. Alternativ können Sie einen Edelstahlreiniger verwenden. Benutzen Sie keine aggressiven oder scheuernden Reinigungsprodukte wie Scheuer- oder Bleichmittel. Lassen Sie keine anderen Metalle wie z. B. Stahlwolle mit Stahlmosaikfliesen in Berührung kommen, da kleine Metallteile in die Oberfläche eindringen und dort korrodieren können, so dass Roststellen entstehen. **Kupfer:** Vermeiden Sie jeglichen Kontakt mit Produkten, die Zitronen- oder Flussäure enthalten (wie Swimmingpool-Reiniger), da hierdurch Flecken entstehen können. **Gold:** Wir empfehlen bei Produkten, die Gold enthalten, auf Reinigungsmittel auf Säurebasis zu verzichten. Folgen Sie den Anweisungen für Glas. **Irisierende Produkte:** Vermeiden Sie jeglichen Kontakt mit Produkten, die Flussäure enthalten (wie Swimmingpool-Reiniger), da bei der Reinigung mit ihnen Glanzeffekte verloren gehen können.

BELEUCHTUNG

Eine gut angebrachte Beleuchtung kann die Schönheit Ihrer Mosaikfliesen noch hervorheben. Dies gilt insbesondere für Fliesen mit schillernden Elementen. Wir hoffen, die Fotokulissen in unserem Katalog sind eine gute Inspiration für Sie.

FOTOGRAFIEN

Aufgrund von Abweichungen bei der Studiobeleuchtung und Druckfarben können die Fliesenfarben, die in diesem Katalog dargestellt sind, leicht von den Farben der tatsächlichen Fliesen abweichen. Es ist stets ratsam, Ihren Original Style-Händler zu bitten, Ihnen Muster zu zeigen, bevor Sie Ihre Auswahl treffen.

HAFTUNGSBESCHRÄNKUNG

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Bei Reklamation des eigentlichen Produkts beschränkt sich die gesetzlich eingeräumte Haftung lediglich auf den Umtausch oder Kostenrückerstattung, nicht aber auf mittelbare Schäden. Fliesen sind vor der Installation zu kontrollieren. Eine Reklamation nach der Installation ist nicht möglich. Reklamationen sind innerhalb von sieben Arbeitstagen nach Erhalt der Fliesen einzureichen. Die Maße der Fliesen können im Rahmen der international anerkannten Standards leicht von den angegebenen Nominalgrößen abweichen.

Bitte beachten Sie, dass Sie durch die Installation Qualität, Farbgebung, Größe, Textur und Farnton der Fliesen akzeptieren. Die Verwendung von säurebasierten Reinigungsprodukten kann bei einigen Fliesen Reaktionen und veränderte Eigenschaften hervorrufen.

Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen. Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Instandhaltungsverfahren. Befolgen Sie unbedingt die Anweisungen der Hersteller von Fugenmasse und Kleber hinsichtlich der Eignung für unsere Produkte. Im Zweifelsfall wenden Sie sich bitte an Ihren Fachhändler, Original Style übernimmt keine Verantwortung bezüglich der Gebrauchstauglichkeit von Klebern und Fugenmasse von Drittanbietern.

Speciale aantekeningen

	Mozaieken met een papieren laag of plastic folielag zijn aan de voorkant voorzien met een laag papier of folie en hebben geen netje op de achterzijde. De reden hiervoor is dat sommige tegeltjes doorzichtig of doorschijnend zijn. Hierdoor zou een netje op de achterkant na het tegelen zichtbaar zijn en het effect bederven. We raden aan om witte, sneldrogende, flexibele lijm op cementbasis te gebruiken voor deze mozaïeken. Omdat de papieren of plastic folielag aan de voorkant van het mozaïek zit, is het lastig om te zien hoe de mozaïeken met een plastic of papieren laag eruit zien omdat dit laagje op de voorkant van het mozaïek zit. Pel daarom een klein hoekje van het papier of plastic van het mozaïek af VOOR het plaatsen van de mozaïeken om er zeker van te zijn dat het de juiste textuur en kleur krijgt.
	Mozaieken met plastic bekleding: Na installatie van deze Mozaïeken met een plastic folielag moet de lijm ten minste 24 uur drogen en uitharden, voordat de folie kan worden verwijderd. Als het nodig is om het mozaïek licht te corrigeren voordat de lijm uithardt, dan kan er voorzichtig met een scherp mes in de folie worden gesneden. Als de kleine stukjes van het mozaïek loskomen wanneer u het plastic laagje probeert te verwijderen, dan betekent dit dat de lijm nog niet droog is. Gebruik een scherp mes en maak kleine sneetjes in het plastic om meer lucht bij de lijm te laten komen. Op die manier zal de lijm sneller drogen. Wanneer de lijm volledig droog is, verwijder dan het plastic door het van de ene hoek naar de tegenoverstaande hoek van het mozaïek af te pellen.
	Mozaieken met papieren bekleding: Bevochtig het papier en verwijder het voordat de lijm uithardt om het mozaïek indien nodig nog te kunnen corrigeren. Sommige mozaïeken hebben een beschermende laag die het volledig oppervlak of bepaalde individuele tegels bedekt. Deze laag mag niet worden losgemaakt tijdens zetten. Ze en kan erna voorzichtig worden verwijderd. Het is belangrijk om rekening te houden met de tijdsduur om de laag van de afzonderlijke tegels te verwijderen.
	Epoxy-primer, lijm en voegmiddel aanbevolen
	Alleen douches, geen sauna's
	Niet in direct zonlicht plaatsen. Deze mozaïeken zullen vervagen in direct zonlicht.
	Bevat metaal: Bij het gebruik van metalen mozaïektegels in een elektrische douche moet men heel voorzichtig zijn. Raadpleeg altijd een elektricien voor de installatie. Wees uitermate voorzichtig bij het installeren van het aluminium mozaïek Fusion Micro EW-FUSIMOS , Fusion Macro EW-FUSAMOS , Telstar EW-TLSMOS , and Torque EW-TORMOS , aangezien deze zeer scherpe randen hebben. Het is aangeraden om dikke en beschermende handschoenen te dragen bij het hanteren van dit mozaïek. Torque dient alleen te worden aangebracht in situaties waarbij deze tegels niet kunnen worden aangeraakt, en waarbij men er niet tegen aan kan lopen.. Zorg ervoor dat de vezelrichting bij roestvrij staal in dezelfde richting gaat als alle matjes anders zal het de look van het mozaïek bederft worden. Sommige metalen mozaïeken hebben een beschermende laag die het volledige oppervlak of bepaalde individuele tegels bedekken. Deze laag mag niet worden losgemaakt tijdens het plaatsen en kan erna voorzichtig worden verwijderd. Het is belangrijk dat men rekening houdt met de tijdsduur zodat men de laag van de afzonderlijke tegels kan verwijderen.
	Koper is niet geschikt voor keukens, sauna's, badkamers, douches of spatschermen en blootstelling aan excessieve vochtigheid. Koper kan met het verloop van tijd, als het wordt blootgesteld aan lucht en vochtigheid, een laagje roest vormen. Het is zeer belangrijk dat deze eigenschap in rekening wordt genomen bij het kiezen van koperen mozaïek.
	Afdichten voor gebruik
	Gebruik wit, sneldrogend cement, een flexibele lijm op latexbasis en een zandloos of fijnkorrelig voegmiddel, tenzij er anders staat vermeld.
	Kan afgebroken randen bevatten: Sommige mozaïeken bevatten afgebroken randen. Dit is een inherent onderdeel van deze tegels en een toevoegsel tot het rustieke effect.
	Zwaar product: Er moet voorzien worden dat de ondergrond geschikt is (bijv. steunboardplaten) door het hoog gewicht van dit product.
	Geen cement in de voegingen
	Alleen voor badkamers
	Snij instructies Beryl GW-BERRMOS , Ice GW-ICERRMOS , Jager GW-JAGDLMOS , Paragon GW-PARDLMOS , Solitaire GW-SLTDLMOS , Zircon GW-ZIRRRMOS : gesneden aan de hand van mozaïek tegeltangen met hardmetalensnijwieljes of elektrische tegelzaag voor mozaïeken. Zenith Copper EW-ZENCPMOS , Zenith Silver EW-ZENSLMOS , Golden Nugget EW-GNUMOS , Silver Nugget EW-SNUMOS , Aurelio EW-AURMOS , Orabella EW-ORAMOS Black Link EW-BKLMOS, EW-SVLMOS Silver Link, Herald EW-HERMOS , Inca EW-INCMOS , Lega EW-LEGOMOS , Mayan EW-MAYMOS , Axum EW-AXUMOS , Minoan EW-MINMOS , Tuwana EW-TUWOMOS , Aztec EW-AZTMOS : Elektrische snijmachine gevoed met water en een normale diamantzaag. Astral Silver EW-ASTSLMOS , Astral Copper EW-ASTCPMOS : Elektrische snijmachine gevoed met water en een normale diamantzaag. De snijkanten moeten gladgestreken worden. Kokosnoot mozaïek EW-CEYOMOS kan gesneden worden met een decoupeerzaag.

Deze aanbevelingen van Original Style zijn niet per se volledig

Glas

De dikte van de glazen tegel heeft invloed op de kleur van de tegel. Slipbestendigheid met glazen tegels is wellicht niet toereikend in vochtige omstandigheden wanneer deze voor de vloer worden gebruikt. Glasmozaïek in de buurt van hittebronnen: we raden aan om minstens 3 cm vrij te houden tussen glasmozaïek en directe hittebronnen.

Iriserende mozaïeken

Het uiterlijk en de kleuren van iriserende mozaïeken veranderen onder verschillende lichtomstandigheden en variëren ook wanneer ze worden gezien vanuit verschillende hoeken. Wij raden u aan om stalen vragen aan uw kleinhandelaar en deze uit te proberen waar u ze graag wilt installeren zodat u de look krijgt die u wilt en de meest aangename resultaten.

Bamboe, kokosnoot mozaïeken zijn alleen geschikt voor droge ruimtes, niet geschikt voor vochtige ruimtes zoals sauna's, badkamers, douches of spatschermen, of plekken waar deze worden blootgesteld aan excessieve vochtigheid. Mozaïek gemaakt van hout, of die hout bevatten, zijn onderhevig aan natuurlijke onevenheden, zoals knoesten en gaten.

Versierde mozaïeken

Axum EW-AXUMOS, **Minoan EW-MINMOS**, **Tuwana**, **EW-TUWOMOS**: Gelieve de voeging aan de hand van een natte spons en zuiver warm water te verwijderen terwijl de betegeling vordert. **EW-AZTMOS Aztec**: Gelieve ENKEL witte en ongeschuurde voeging te willen gebruiken omdat deze tussen het fijn ontwerp zal blijven steken bij het schoonmaken.

Kiezels

Om zichtbare voegen te voorkomen, moeten sommige kiezels misschien licht worden gecorrigeerd voor een mooiere overgang tussen de kiezelmozaïekmatjes.

Stenen Mozaïek

Niet geschikt voor buitengebruik aangezien het merendeel van onze stenen mozaïeken in meer of mindere mate poreus zijn. Als ze buiten worden gelegd, kunnen ze water absorberen, waarna de mozaïeken door vorst beschadigd kunnen raken. Steen is een natuurlijk product en onderhevig aan kleurvariaties, putvorming, vlekken, afgebroken randen, variërende groottes en soms verkleuringen. Dergelijke betrekkelijk onbeduidende onvolmaaktheden zijn normaal en niet het gevolg van een gebrek aan vakmanschap.

Natuursteen kan in UV-licht verbleken. We kunnen niet garanderen dat dit niet gebeurt. Natuurlijke stenen mozaïek kan ook onderhevig zijn aan schuren en krassen.

Het is belangrijk dat uw tegelzetter begrijpt welk patroon of effect u wenst, welke voorbereidingen de ondergrond nodig heeft en welke bescherming de tegels nodig hebben tijdens het voortzetten van het werk tijdens en na het installeren van de tegels.

Belangrijke Informatie

Lees de onderstaande informatie zorgvuldig door. De informatie helpt u bij het kiezen van de juiste mozaïektegels en begeleidt u bij enkele procedures voor het aanbrengen en onderhouden van de tegels. Raadpleeg de installatiegids voor gedetailleerdere instructies en voorafgaande de installatie op originalstyle.com/guides. Van zodra het product is gezet of geïnstalleerd, is Original Style niet aansprakelijk voor defecten of voor problemen vermeld in deze belangrijke informatie of in de installatiegids.

KIES DE JUISTE STEENMOZAÏEK

Controleer de geschiktheid van het mozaïek in de gebruiksaanwijzing voorafgaand het bestellen en aanbrengen (interieur/exterieur/ badkamers/sauna's/vloeren/kleurvariatie en speciale aantekeningen). Vraag in geval van twijfel uw Original Style-detailhandelaar om raad.

MONSTERS

Monsters en staalkaarten kunnen op verzoek naar klanten worden opgestuurd. Gehele mozaïekmatjes kunnen gewoonlijk voor een lager tarief worden besteld. Vraag uw tegelspecialist naar de details.

AFMETINGEN

In deze brochure worden nominale afmetingen en diktes vermeld. Sommige mozaïeken worden met de hand afgewerkt waardoor de werkelijke afmetingen van de individuele mozaïekmatjes kunnen afwijken van de vermelde maten, die slechts als leidraad moeten worden gezien. Voor alle afmetingen geldt een tolerantiewaarde van ± 25mm. Houdt rekening met vijf percent voor het snijden en voor afval bij het berekenen van het aantal benodigde mozaïekmatjes.

KLEURVARIATIES EN NUANCERING

Zichtbare maar subtiele variaties in nuancering kunnen in veel mozaïeken worden aangetroffen, waaronder uit deze brochure. Eén monstertegel biedt dientengevolge geen preciese kleurindicatie. Sommige mozaïekmatjes en individuele tegels kunnen zichtbare maar subtiele variaties in nuancering, kleur en toon bevatten die een inherent eigenschap zijn van dat bepaald product. We raden aan dat u elke doos met mozaïek opent en inspecteert om de consistentie van de nuancering te bevestigen. Selecteer zes willekeurige matjes uit verschillende dozen om te controleren of er verschillen in de nuancering zijn. Voordat u met de betegeling start, raden we aan dat u tijd besteedt aan de verdeling van de nuancering die u het mooist vindt. De verschillen tussen verschillende partijen kunnen zelfs nog groter zijn. We raden u daarom aan om alle tegels tegelijkertijd te bestellen.

KRASSEN

Glazen en metalen mozaïeken kunnen bekrist raken. We raden een zorgvuldige installatie aan. Verder adviseren we dat mozaïek dat glas en metaal bevat, niet wordt gebruikt op plekken waar het risico op kraspen hoog is. Het is belangrijk om een fijnkorrelig of een zandloos voegmiddel te gebruiken om kraspen op het oppervlak van glazen en metalen mozaïek te vermijden. Test altijd een klein gebied voor dat u met de installatie begint.

MOZAÏEK EN RANDEN DIE GEMAAKT ZIJN VAN METAAL, OF DIE METAAL BEVATTEN

Raadpleeg eerst de installatiegids voor meer informatie voordat u mozaïek en randen installeert die gemaakt zijn van metaal, of die metaal bevatten. Het is van essentieel belang dat bij mozaïeken en randen die metaal bevatten alle elektriciteitswerkzaamheden worden uitgevoerd door een bekwaam elektricien. Bij het gebruik van metalen mozaïektegels in een elektrische douche is het aangeraden om heel voorzichtig te zijn. Raadpleeg altijd een bekwaam elektricien voor u begint.

INSTALLATIE

We raden ten zeerste aan dat uw tegelzetter deze belangrijke informatie doorleest en tevens de installatiegids (originalstyle.com/guides) doorneemt voordat hij/zij begint met de werkzaamheden. Hierin worden de verschillende stappen voor het plannen, zetten, het afdichten van uw mozaïek volledig uitgelegd en hoe ze jarenlang in optimale conditie kunnen worden gehouden. Neem in geval van twijfel contact op met onze technische afdeling voorafgaand het zetten, aangezien het repareren van onjuist aangebrachte tegels duur kan zijn.

SNIJDEN VAN MOZAÏKTEGELS

Het snijden van mozaïek is onvermijdelijk. Raadpleeg eerst de installatiegids voordat u metalen mozaïek probeert te snijden. Metalen mozaïeken kunnen gesneden worden met een water gekoelde tegelsnijder met een normale diamanten mesblad. Houten en kokosnoten mozaïek kunnen met een decoupeerzaag worden gesneden. De juiste veiligheidsmaatregelen moeten altijd in acht worden genomen bij het snijden van mozaïek. Alle persoonlijke beschermingsmiddelen voor handen en ogen moeten worden gebruikt.

LIJMEN, VOEGMIDDELLEN, AFDICHTINGSMIDDELEN

Schenk veel aandacht aan het kiezen van de juiste lijm, voegmiddelen en afdichtingsmiddelen. Lees de aanwijzingen van de producent zorgvuldig door en volg deze altijd op.

We bevelen aan dat u een witte, sneldrogende lijm op basis van cement en latex gebruikt en een zandloos of fijnkorrelig voegmiddel, tenzij hieronder anders vermeld staat of in de beknoppe handleiding. Original Style kan kleine kraspen op de oppervlakken van het mozaïek niet altijd vermijden, zelfs bij het gebruiken van zandloze voegmiddelen. Voorafgaand de installatie is het best om een onopvallend deel te testen waarbij alle aanwijzingen van de producent worden opgevolgd.

ONDERHOUD EN REINIGING

We wijzen u erop dat bepaalde zuurhoudende schoonmaakmiddelen kunnen reageren op sommige mozaïeken in deze brochure en dat ze het karakter hiervan kunnen wijzigen. We bevelen het gebruik van pH-neutrale schoonmaakproducten aan tenzij hieronder anders staat vermeld. Glas: reinig oppervlakken van glasmozaïek met zuiver water en een normaal glasreinigingsmiddel op basis van alcohol. Gebruik een zachte doek om kraspen te voorkomen.

Metaal: gebruik warm zeepwater, een vochtige doek en daarna een droge doek. U kunt ook een schoonmaakmiddel voor roestvrij staal gebruiken. Gebruik geen krassende of schurende schoonmaakmiddelen, schursponsen of bleekwater. Vermijd elk contact tussen roestvrijstaal mozaïek en andere metalen, zoals staalwol, omdat kleine metaaldeeltjes het oppervlak kunnen binnendringen en roestvlekjes kunnen veroorzaken.

Koper: vermijd contact met producten met citroenzuur en fluorwaterstofzuur (zoals zwembadreinigers) omdat deze tot vlekken leiden. Goud: we raden het gebruik van schoonmaakmiddelen op basis van zuur af. Volg de bovenstaande aanwijzingen voor glas op. Iridescente Mozaïeken: vermijd contact met producten die fluorwaterstofzuur bevatten (zoals zwembadreinigers), omdat deze de glans beschadigen.

VERLICHTING

Het gebruik van een goede verlichting kan uw mozaïek nog mooier maken, vooral als ze regenboogkleurige delen bevatten. We hopen dat de voorbeeldfoto's uit onze brochure u inspireren.

FOTOGRAFIE

Als gevolg van variaties in studiobelichting en printinkten kunnen de afgebeelde kleuren in deze catalogus enigszins afwijken van die van de daadwerkelijke tegels. Voordat u uw keuze maakt, is het altijd raadzaam om uw Original Styledetailhandelaar te vragen om monsters.

AANSPRAKELIJKHEIDSBEPERKING

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn tegels. In geval van klachten met betrekking tot de tegels zelf, is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toegestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product en is gevolgschade niet inbegrepen. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Klachten worden niet behandeld nadat de tegels zijn gezet. Klachten moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegelformaties kunnen enigszins, maar binnen internationale geaccepteerde standaarden verschillen van de vermelde nominale afmetingen. We wijzen u erop dat de zetting behoort tot het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels. We wijzen u er verder op dat het gebruik van bepaalde schoonmaakproducten op basis van zuur tot een reactie kan leiden bij sommige tegels waardoor het uiterlijk van de tegels zal veranderen. Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We geven geen garanties, uitdrukkelijk of impliciet, ten aanzien van sluitagebestendigheid of onderhoudsmiddelen. Het is van groot belang dat de instructies van de producent voor voeg- en lijmproducten worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmproducten van wie u de producten hebt aangekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van lijm- en voegmiddelen van derde partijen.

Index by name

Name	Code	Page
Actamira.....	EW-ACTMOS.....	113
Agra.....	GW-AGRMOS.....	73
Alchemy Brick.....	EW-ALCABB.....	61
Alchemy Square.....	EW-ALCAC20.....	61
Aldo.....	EW-ALDMOS.....	48
Alluvial.....	GW-ALLMOS.....	45
Almoutala.....	GW-ALMMOS.....	52
Altai Polished.....	EW-ALTPB.....	155
Amar.....	EW-AMAMOS.....	118
Amboseli.....	EW-ABSMOS.....	122
Amnesia.....	GW-AMNMOS.....	115
Angami.....	EW-AGMMOS.....	123
Arctic.....	GW-ARTMOS.....	41
Arctic Brickbond.....	GW-ARTMOSBBC.....	41
Ardes.....	CS-ARDMOS.....	135
Ares.....	GW-AREMOS.....	71
Artillery Brushed.....	EW-ARTBPR.....	77
Ashanti.....	GW-ASHMOS.....	106
Astral Copper.....	EW-ASTCPMOS.....	63
Astral Silver.....	EW-ASTSLMOS.....	75
Athabasca.....	GW-ATHMOS.....	106
Athenian Braid Black.....	EW-ATBRAIDB.....	154
Athenian Braid Travertine.....	EW-ATBRAIDT.....	154
Athenian Diamond Black.....	EW-ATHDIAB.....	154
Athenian Diamond Noce.....	EW-ATHDIAN.....	154
Athenian Interlocking Noce.....	EW-ATHINTN.....	154
Athenian Quadrant Black.....	EW-ATQUADB.....	154
Athenian Quadrant Travertine.....	EW-ATQUADT.....	154
Athenian Rope Black.....	EW-ATROPEB.....	154
Athenian Rope Black Corner.....	EW-ATROPEBC.....	154
Athenian Scroll Black.....	EW-ATSCROLLB.....	154
Athenian Scroll Black Corner.....	EW-ATSCROLLBC.....	154
Atlantic.....	GW-ATLMOS.....	87
Aura.....	GW-AUAMOS.....	51
Aurelio.....	EW-AURMOS.....	61
Autumn Haze.....	GW-AUTMOS.....	49
Axum.....	EW-AXUMOS.....	73
Azahar.....	EW-VMAZAT30.....	147
Aztec.....	EW-AZTMOS.....	129
Banana Daiquiri.....	GW-BNDMOS.....	37
Barcelona.....	GW-BRCMOS.....	45
Baring.....	GW-BARMOS.....	116
Basketweave.....	CS-BSKMOS.....	132
Basketweave (black with white dot).....	EW-BSKBLACK.....	148
Basketweave (white with black dot).....	EW-BSKWHITE.....	148
Basu.....	EW-BASMOS.....	119
Battalion Brushed.....	EW-BATB47.....	76
Batu.....	GW-BATMOS.....	91
Beaufort.....	GW-BEAMOS.....	122
Beige Hawaii.....	EW-HAWAI3.....	140
Beige Hawaii Border.....	EW-HAWAIIB3.....	155
Beryl.....	GW-BERRMOS.....	94
Bianco 1.0.....	EW-VMBIANCO.....	138
Bihar.....	GW-BHIMOS.....	129
Bijou.....	GW-BIJMOS.....	106
Biscay Clear Offset.....	GW-BCYMOSOFC.....	89
Black and White Honeycomb.....	CS-HNYCOMWB.....	133
Black Large Honeycomb.....	CS-HNYBLKG.....	133
Black Link.....	EW-BKLMOS.....	124
Black/Crema Octagon.....	EW-VMBLKCT.....	148
Blue Heaven.....	GW-BLHMOS.....	85
Blue Octagon & Dot.....	CS-OCTDOTBL.....	132
Bohemia.....	GW-BOHMOS.....	128
Bora Bora.....	EW-BORA2.....	150
Bora Bora Border.....	EW-BORAB2.....	155
Borneo.....	GW-BORNEO.....	97
Borrega.....	EW-BRRB.....	155
Breeze.....	GW-BRZMOS.....	71
Brickbond Beige.....	EW-VMBBEBEIGE.....	141
Brickbond Bottocino Tumbled.....	EW-VMBBBOTTM.....	140
Brickbond Crema.....	EW-VMBBCREMA.....	140
Brickbond Crema Travertine Tumbled.....	EW-VMBBCREMATM.....	140
Brickbond Nero Tumbled.....	EW-VMBBNEROM.....	152
Brickbond Noce Tumbled.....	EW-VMBBNOCM.....	145
Brickbond Pearl.....	EW-PRLMOSBB.....	34
Bullion.....	GW-BULMOS.....	65
Butajira.....	GW-BTJMOS.....	111
Byzantium Amber.....	GW-BYZAMBMOS.....	62
Byzantium Bronze.....	GW-BYZBROMOS.....	62
Byzantium Copper.....	GW-BYZCOPMOS.....	63
Byzantium Frankincense.....	GW-BYZFRAMOS.....	110
Byzantium Gem.....	GW-BYZGEMMOS.....	66
Byzantium Gold.....	GW-BYZGLDMOS.....	66
Byzantium Jewel.....	GW-BYZJEWMOS.....	115
Byzantium Myrrh.....	GW-BYZMYRMOS.....	125
Byzantium Platinum.....	GW-BYZPLAMOS.....	72
Byzantium Treasure.....	GW-BYZTREMOS.....	93
Caribbean.....	GW-CARMB.....	96
Caribou.....	EW-CARHB.....	155
Carinthia.....	GW-CRAMOS.....	116
Cascade Natural.....	GW-CSNPMOS.....	83
Cascade Silk.....	GW-CSSPMOS.....	83
Caspaf.....	GW-CASHEXMOS.....	128
Cavalier Brushed.....	EW-CAVBBB.....	76
Cedar Ridge.....	GW-CDRMMOS.....	53
Ceylon.....	EW-CEYMOS.....	47
Chad.....	GW-CHAMOS48T.....	98
Chakra.....	GW-CHAMOS.....	114
Chanda.....	GW-CHNHEXMOS.....	97
Chennai.....	EW-CHEMOS.....	51
Chesapeake Clear.....	GW-CHEMOSOFC.....	99
Chi.....	GW-CHIMOS.....	101
Chic Bottocino Polished.....	EW-VMCHICBOTT.....	140
Chrysler.....	EW-CYSMOS.....	79
Chumu.....	EW-CHUMOS.....	116
Classic Octagon and Dot.....	CS-OCTDOT.....	132
Cochin.....	GW-CHHEXMOS.....	58
Coral.....	GW-CRLMOS.....	113
Cotopaxi.....	GW-COTMOS.....	110
Crema 1.0.....	EW-VMCREM1.....	140
Crema 2.3.....	EW-VMCREMA.....	140
Crema 4.8.....	EW-VMCREMA48.....	141
Crema Chipped Edge 2.3.....	EW-VMCREMACE.....	140
Crema Pentagon 4.8.....	EW-VMCRPENT48.....	141
Cretaceous.....	GW-CREMOS.....	58
Crypto Large Hexagon.....	EW-CYLHXMOS.....	153
Crypto Random.....	EW-CYRNDMOS.....	153
Crypto Small Hexagon.....	EW-CYSHXMOS.....	153
Crystal Blue.....	GW-CRYMOS.....	89
Cuirassier Brushed Black.....	EW-CURBB.....	124
Cuirassier Brushed Steel.....	EW-CURBS.....	76
Cumulus 4.8 Hexagon.....	EW-CMUMOS.....	139
Czars Delight.....	GW-CZDMOS.....	49
Dappled Sky.....	GW-DAPMOS.....	89
Dawn.....	GW-DWNMOS.....	65
Delta Black.....	EW-DLBLKMS.....	152
Delta Grey.....	EW-DLGRMOS.....	146
Delta White.....	EW-DLWHMOS.....	139
Desire.....	EW-DESROS.....	63
Dias.....	EW-DASMOS.....	126
Discovery.....	GW-DSCMOS.....	52
Dispur.....	GW-DISHEXMOS.....	58
Divine.....	GW-DIVMOS.....	50
Donegal Clear Offset.....	GW-DONMOSOFC.....	106
Dream.....	GW-DREMOS.....	114
Eastern Light.....	GW-EASMOS.....	66
Eden.....	GW-EDEMOS.....	89
Eiger.....	GW-EIGMOS.....	114
El Divino.....	GW-EDIMOS.....	75
El Dorado.....	GW-ELDMOS.....	85
Elbert.....	GW-EBTMOS.....	85
Elgon.....	GW-EGNMOS.....	50
Emperor.....	GW-EPRMOS.....	53
Empire.....	EW-EMPMOS.....	63
Eos.....	GW-EOSMOS.....	38
Escalante Honed.....	EW-ESCHB.....	155
Escalante Polished.....	EW-ESCPB.....	155
Ethereal.....	GW-ETHMOS.....	62
Etna.....	GW-ETNMOS.....	101
Evening Glow.....	GW-EVGOMOS.....	98
Everest.....	GW-EVEMOS.....	39
Exti.....	EW-EXTMOS.....	45
Fan Honey.....	EW-VMFANH.....	144
Fantale.....	GW-FNTMOS.....	86
Fantasy.....	GW-FANMOS.....	83
Ferro.....	EW-FERMOS.....	124
Flores.....	GW-FLORES.....	123
Fusilier Brushed.....	EW-FUSBS.....	77
Fusion Macro.....	EW-FUSMAMOS.....	78
Fusion Micro.....	EW-FUSMIMOS.....	78
Galiano Silk.....	GW-GLSPMOS.....	43
Garabaldi.....	GW-GRBMOS.....	109
Genie.....	GW-GENMOS.....	101
Giello 2.3.....	EW-VMGIALLO.....	144
Gibson.....	EW-ATGIB.....	154
Gold Pearl.....	EW-GPLMOS.....	56
Gold Pearl Brickbond.....	EW-GPLBBMOS.....	56
Golden Nugget.....	EW-GNUMOS.....	69
Golden Spur.....	GW-GDSMOS.....	48
Golpo.....	EW-GOLMOS.....	45
Grace Shell.....	EW-GRCMOS.....	55
Green Balaïhi.....	EW-BALIHA1.....	150
Green Balaïhi Border.....	EW-BALIHA1B.....	155
Grisaille 1.0.....	EW-VMGRIG1.....	139
Guyot Natural.....	GW-GYNPMOS.....	118
Guyot Silk.....	GW-GYSPMOS.....	118
Hades.....	GW-HADMOS.....	68
Harmony.....	GW-HARMOS.....	45
Harvey Wallbanger.....	GW-HVWMOS.....	101
Hatteras Clear.....	GW-HATMOSOFC.....	96
Helmi.....	GW-HELMOS.....	109
Honey Silk.....	GW-HYSPMOS.....	45
Herald.....	EW-HERMOS.....	128
Highlander Polished & Brushed.....	EW-HIGBW.....	76
Horizon.....	GW-HORMOS.....	122
Hotat.....	EW-HOTMOS.....	50
Huascaran.....	GW-HSRMOS.....	38
Hudson Clear.....	GW-HUDMOSOFC.....	96
Huron Clear Random Pattern.....	GW-HURMOSR.....	94
Huron Frosted Random Pattern.....	GW-HURMOSRF.....	94
Hussar Brushed.....	EW-HUSB23.....	76
Ibiza.....	CS-IBIMOS.....	135
Ice.....	GW-ICERMOS.....	37
Illampu.....	GW-ILPMOS.....	98
Illusion.....	GW-ILSMOS.....	37
Imphal.....	EW-IMPMOS.....	58
Inca.....	EW-INCOS.....	69
Inca Gold 15.....	EW-INGMOS15.....	66
Inca Gold 23.....	EW-INGMOS23.....	66
Indus Clear.....	GW-INDMOSOFC.....	127
Innocence Shell.....	EW-INNMOS.....	34
Ivory Samoa.....	EW-SAMOA2.....	142
Ivory Samoa Border.....	EW-SAMOAB2.....	155
Jade 2.3.....	EW-VMJADE.....	152
Jager.....	GW-JAGDLMOS.....	117
Jai.....	EW-JAIMOS.....	47
Jaipur.....	GW-JIPHEXMOS.....	89
Jalapa.....	GW-JALMOS.....	98
Java.....	GW-JAVMOS.....	93
Jerusalem Gold 23.....	EW-VMJGOLD.....	144
Jerusalem Gold 4.8.....	EW-VMJGOLD48.....	144
Jerusalem Gold Basketweave.....	EW-VMJGOLD.....	144
John Collins.....	GW-JNCMOS.....	85
Jordan Clear Offset.....	GW-JORMOSOFC.....	105
Jules Verne.....	EW-JUVEP.....	78
Jungfrau.....	GW-JUNMOS.....	126
Jungfrau Brickbond.....	GW-JUNBB.....	126
Juvela.....	GW-JUVMOS.....	83
Kamet.....	GW-KAMMOS.....	91
Kandahar.....	GW-KANMOS.....	119
Kara.....	GW-KARMOS.....	105
Karisimbi.....	GW-KRMMOS.....	41
Karma.....	GW-KRAMOS.....	114
Katinka.....	GW-KTKMOS.....	110
Kauali.....	EW-KAUBBMOS.....	125
Kerala.....	GW-KERHEXMOS.....	124
Khois.....	EW-KHOMOS.....	121
Kinabalu.....	GW-KINMOS.....	83
Klondike.....	GW-KLOMOS.....	52
Kobushi.....	GW-KOBMOS.....	62
Kohar.....	GW-KOHMOS.....	98
Kolkata.....	EW-KOLMOS.....	51
Komati.....	GW-KOMMOS.....	98
Kongur.....	GW-KNGMOS.....	41

Name	Code	Page
Kumta.....	GW-KMTHEXMOS.....	58
Labrador.....	GW-LABMOS.....	123
Lafayette Pearl.....	GW-LFPPMOS.....	44
Lafayette Silk.....	GW-LFSPMOS.....	44
Lancer Brushed.....	EW-LANB2X3.....	76
Latouche Natural.....	GW-LTNPMOS.....	47
Latouche Silk.....	GW-LTSPMOS.....	47
Lega.....	EW-LEGMOS.....	76
Leso.....	EW-LESMOS.....	118
Levantine Ivory Splitface.....	EW-LIVSFMOS.....	144
Lial.....	EW-LIAMOS.....	118
Ligurian.....	GW-LIGMOS.....	106
Likaiu (8 sheets).....	GW-LIKPAN.....	81
Lombok.....	GW-LOMMOS.....	47
Lopeui.....	GW-LPEMOS.....	86
Lust.....	EW-LUSMOS.....	106
Masai Mara.....	EW-MAAMOS.....	122
Madalena Polished.....	EW-MDLPB.....	155
Magalia.....	GW-MAGMOS.....	89
Mambo.....	GW-MAMMOS.....	127
Mandalay.....	GW-MNDMOS.....	62
Manitoba.....	GW-MANMOST.....	99
Margarita.....	GW-MGRMOS.....	109
Marmo.....	CS-MMOMOS.....	42
Marsabit (8 sheets).....	GW-MRBPN.....	81
Mauna Kea.....	GW-MAUMOS.....	87
Mayan.....	EW-MAYMOS.....	69
Mazatlan Honed.....	EW-MAZHB.....	155
Mazatlan Polished.....	EW-MAZPB.....	155
Medak.....	GW-MDKHEXMOS.....	97
Medina.....	GW-MDNMOS.....	65
Mediterranean.....	GW-MEDMOS.....	96
Mellow.....	GW-MELMOS.....	115
Menegai (8 sheets).....	GW-MENPAN.....	81
Meseta.....	EW-ATMES.....	154
Milk Pearl.....	GW-MKPPMOS.....	37
Milk Silk.....	GW-MKSPMOS.....	44
Ming.....	CS-MINMOS.....	82
Mirano.....	EW-MINMOS.....	69
Mists.....	GW-MISMOS.....	71
Mixed Travertine 2.3.....	EW-VMTM23.....	144
Mixed Travertine 4.8.....	EW-VMTM48.....	144
Modesty Shell.....	EW-MDYMOS.....	56
Mogao.....	EW-MOGMOS.....	118
Mont Blanc.....	GW-MBLMOS.....	39
Monte Cristo.....	GW-MOCMOS.....	87
Moonbeam Penny Round.....	CS-PRMOON.....	132
Moonlight.....	GW-MLTMOS.....	87
Morij.....	EW-MRJMOS.....	106
Morning Dew.....	GW-MRDMMOS.....	111
Morning Sun.....	GW-MORMOS.....	47
Mother of Pearl.....	EW-PARMOS.....	55
Mother of Pearl Dark Brickbond.....	EW-MOPDBBMOS.....	55
Mother of Pearl Light Brickbond.....	EW-MOPLBBMOS.....	55
Murano Grey.....	GW-MRNHXMOS.....	117
Muztag.....	GW-MUZMOS.....	96
Naga.....	EW-NGAMOS.....	58
Namib.....	EW-ATNAM.....	154
Napoli Clear Offset.....	GW-NAPMOSOFC.....	106
Nares Brickbond.....	EW-NARBBMOS.....	139
Nares Hexagon.....	EW-NARHXMOS.....	139
Nares Running Brick.....	EW-NARRBMOS.....	139
Negra Black Splitface.....	EW-NEGSFMOS.....	152
Neve Linear.....	EW-NEVMOS.....	138
Nimbus Basketweave.....	EW-NIMMOS.....	138
Nirvana.....	GW-NIRMOS.....	115
Noce 1.0.....	EW-VMNOCE1.....	145
Noce 2.3.....	EW-VMNOCE.....	145
Noce 4.8.....	EW-VMNOCE48.....	145
Noce Chipped Edge 2.3.....	EW-VMNOCECE.....	145
Oasis.....	GW-OASMOS.....	93
Obsession.....	EW-OBSMOS.....	115
Okhotsk (sparkle).....	GW-OKHMOS.....	73
Ontario.....	GW-ONTMOS.....	93
Onya.....	EW-ONYMOS.....	41
Opulence.....	EW-OPUMOS.....	63
Orabella.....	EW-ORAMOS.....	61
Origin Beige.....	EW-ORBGMOS.....	142
Origin Brown.....	EW-ORBRMOS.....	146
Origin Dark Grey.....	EW-ORDGRMOS.....	151
Origin Grey.....	EW-ORGRMOS.....	138
Orla.....	EW-ORLMOS.....	65
Ottone.....	EW-OTTMOS.....	61
Pacha.....	GW-PCHMOS.....	126
Pacific.....	GW-PACMOS.....	87
Pagai.....	GW-PAGMOS.....	92
Pamplona.....	GW-PAMMOS.....	116
Panaji.....	GW-PJIHEXMOS.....	73
Parapazzi.....	GW-PAPMOSR.....	68
Paragon.....	GW-PARDLMMOS.....	113
Patna.....	GW-PATMOS.....	125
Peace.....	GW-PEAMOS.....	39
Pearl Shell.....	EW-PRLMOS.....	34
Perla Large Hexagon.....	EW-PRLHMOS.....	141
Perla Linear.....	EW-PRLNMOS.....	141
Perugia 2.3.....	EW-VMPERP23.....	147
Perugia 4.8.....	EW-VMPERP48.....	147
Phoenicia.....	GW-PHOMOS.....	82
Pink Panther.....	GW-PPAMOS.....	109
Poona.....	GW-PNAHEXMOS.....	125
Postojna.....	EW-POSMMOS.....	47
Powell.....	GW-POWMOS.....	93
Pradesh.....	GW-PRAMOS.....	122
Prague.....	GW-PRGMOS.....	49
Precious.....	GW-PREMOS.....	68
Purity.....	EW-PURMOS.....	34
Quail Maui.....	EW-MAU12.....	150
Quail Maui Border.....	EW-MAU12.....	155
Raipur.....	GW-RAIMOS.....	125
Rakaposhi.....	GW-RAKMOS.....	121
Rakoram.....	GW-RKOMOS.....	121
Reflection.....	GW-RFLMOS.....	65
Rena.....	GW-RENMOS.....	119
Ripple.....	GW-RPLMOS.....	92
Rodio.....	EW-RODMOS.....	79
Rois.....	EW-ROIMOS.....	43
Ruby Falls.....	GW-RBYMOS.....	51
Sadiola.....	GW-SADMOS.....	98
Safira.....	GW-SAFMOS.....	85
San Felipe.....	GW-SFPMOS.....	52
Santa Ana.....	GW-SNTMOS.....	52
Saratoga.....	GW-SARMOS.....	87
Savoy.....	GW-SAHEXMOS.....	128
Schwan Natural.....	GW-SCNPMOS.....	83
Schwan Silk.....	GW-SCSPMOS.....	92
Selene.....	GW-SELMOS.....	47
Seneca.....	GW-SNCMOS.....	53
Sequoia.....	GW-SEQMOS.....	98
Seram.....	GW-SRMMOS.....	101
Serene.....	GW-SREMOS.....	114
Serene.....	GW-SERMOS.....	101
Serpentine Natural.....	GW-SPNPMMOS.....	49
Serpentine Silk.....	GW-SPSPMOS.....	49
Sevier.....	EW-ATSEV.....	154
Shadow.....	GW-SHDMMOS.....	72
Shala.....	GW-SHLMMOS.....	48
Shanir.....	EW-SHAMOS.....	116
Shard.....	EW-SHRMOS.....	79
Shimmer.....	GW-SHMMOS.....	71
Shoreline.....	GW-SLNMOS.....	82
Sierra.....	GW-SRAMOS.....	53
Silurian.....	GW-SILMOS.....	49
Silver Link.....	EW-SVLMMOS.....	77
Silver Nugget.....	EW-SNUMOS.....	75
Silvermoon Pearl.....	GW-SLPPMOS.....	118
Silvermoon Silk.....	GW-SLSPMOS.....	118
Singapore Sling.....	GW-SISMOS.....	106
Singer.....	EW-SNGMOS.....	79
Small Brickbond Crema Travertine Tumbled.....	EW-VMCREMARECT.....	140
Smokey Ridge.....	GW-SKRMOS.....	127
Solitaire.....	GW-STDLMMOS.....	94
Sonoan Honed.....	EW-SONHB.....	155
Sorrento 2.3.....	EW-VMSORP23.....	142
Sorrento 4.8.....	EW-VMSORP48.....	142
Spectre.....	GW-SPEMOS.....	116
Sphere.....	GW-SPHMOS.....	71
Spiral Black.....	EW-SPBLKMOS.....	152
Spiral Grey.....	EW-SPGRMOS.....	146
Spiral Noce Black.....	EW-VMNOCESP.....	146
Spirit.....	GW-SPIMOS.....	95
Splendour.....	GW-SPLMOS.....	115
Splitface Beige.....	EW-VMSFBEIGE.....	142
St Elias.....	GW-STEMOS.....	109
Stellar.....	EW-STLMOS.....	66
Storm Beige.....	EW-STBGMOS.....	146
Storm Dark Grey.....	EW-STDGRMOS.....	151
Storm Grey.....	EW-STGRMOS.....	151
Stratus Basketweave.....	EW-STRMOS.....	138
Sukai.....	GW-SUKMOS.....	129
Sumatra.....	GW-SUMATRA.....	51
Sunset Special.....	GW-SNSMOS.....	101
Superior.....	GW-SUPMOS.....	95
Superior.....	GW-SUPMOS48T.....	95
Superior Brickbond.....	GW-SUPMOSBBT.....	94
Superior Clear Brickbond.....	GW-SUPMOSBBC.....	94
Surprise.....	GW-SPRMOS.....	113
Tahoe.....	GW-TAHMOS.....	93
Taj.....	GW-TAJMOS.....	73
Tanganyika Clear Random Pattern.....	GW-TGKMSR.....	51
Taupo Stripe.....	GW-TPOMOS.....	36
Tekari.....	GW-TKEMOS.....	71
Telstar.....	EW-TLSMOS.....	66
Tequila Sunrise.....	GW-TQSMOS.....	102
Theia.....	GW-THIMOS.....	47
Torcello White.....	GW-TORHEXMOS.....	43
Torque.....	EW-TORMOS.....	75
Torus Beige.....	EW-TORBGMOS.....	142
Torus Silver.....	EW-TORSLMS.....	138
Toubkal.....	GW-TKLMOS.....	111
Tousside.....	GW-TSSMOS.....	122
Tranquility.....	GW-TRAMOS.....	86
Trend Mica Polished.....	EW-TRENDMIC.....	146
Trend Noce Honed.....	EW-TRENDOCE.....	145
Trend Sorrento Polished.....	EW-TRENDSOR.....	142
Tuwana.....	EW-TUVMOS.....	128
Ultimo Shell.....	GW-UUMSMOS.....	38
Utopia.....	GW-UTOMOS.....	105
Valen.....	GW-VALMOS.....	75
Vatukoula.....	GW-VGMMOS.....	126
Velvet Bloom.....	GW-VTBMMOS.....	105
Venetia.....	GW-VNTMOS.....	128
Victoria Brickbond.....	GW-VCTMOSBBT.....	99
Victoria Clear Brickbond.....	GW-VCTMOSBBC.....	99
Viedo.....	GW-VIEMOS.....	118
Vista.....	GW-VSTMOS.....	66
Volga Frosted Offset.....	GW-VOLMOSOFF.....	91
Volta.....	GW-VTAMOS48T.....	90
Volta Brickbond.....	GW-VTAMOSBBT.....	90
Volta Clear & Frosted Random Pattern.....	GW-VTAMOSRM.....	90
Volta Clear Brickbond.....	GW-VTAMOSBBC.....	90
Volta Clear Random Pattern.....	GW-VTAMOSR.....	90
Volta Frosted Random Pattern.....	GW-VTAMOSRF.....	90
Weisshorn.....	GW-WEIMOS.....	85
White Honeycomb.....	CS-HNYCOMW.....	133
White Lady.....	GW-WLYMOS.....	37
White Large Honeycomb.....	CS-HNYWHTLG.....	133
White Octagon 10.....	EW-VMOCTW10.....	148
White Octagon 4.8.....	EW-VMOCTW48.....	148
White Pearl Herringbone.....	EW-WPHERMOS.....	35
White Pearl Hexagon.....	EW-WPHEXMOS.....	35
White Pearl Lozenge.....	EW-WPLOZMOS.....	35
Whitney.....	GW-WHIMOS.....	37
Willis.....	EW-WILMOS.....	79
Winnipeg.....	GW-WINMOS.....	122
Yari.....	GW-YARMOS.....	66
Yuma Honed.....	EW-YMAHB.....	155
Zama Polished.....	EW-ZAMPB.....	155
Zamo.....	GW-ZAMMOS.....	62
Zao.....	GW-ZAOMOS.....	102
Zenith Copper.....	EW-ZENCPMOS.....	62
Zenith Silver.....	EW-ZENSLMOS.....	75
Zircon.....	GW-ZIRRMMOS.....	117

Index by code

Code	Name	Page
CS-ARDMOS	Ardes	135
CS-BSKMOS	Basketweave	132
CS-HNYBLKLG	Black Large Honeycomb	133
CS-HNYCOMW	White Honeycomb	133
CS-HNYCOMWB	Black and White Honeycomb	133
CS-HNYWHTLG	White Large Honeycomb	133
CS-IBIMOS	Ibiza	135
CS-MINMOS	Ming	82
CS-MMOMOS	Marmo	42
CS-OCTDOT	Classic Octagon and Dot	132
CS-OCTDOTBTL	Blue Octagon & Dot	132
CS-PRMOON	Moonbeam Penny Round	132
EW-ABSMOS	Amboseli	122
EW-ACTMOS	Actamira	113
EW-AGMMOS	Argami	123
EW-ALCAC20	Alchemy Square	61
EW-ALCACBB	Alchemy Brick	61
EW-ALDMOS	Aldo	48
EW-ALTPB	Altai Polished	155
EW-AMAMOS	Amar	118
EW-ARTBPR	Artillery Brushed	77
EW-ASTCPMOS	Astral Copper	63
EW-ASTSLMOS	Astral Silver	75
EW-ATBRAIDB	Athenian Braid Black	154
EW-ATBRAIDT	Athenian Braid Travertine	154
EW-ATGIB	Gibson	154
EW-ATHDIAB	Athenian Diamond Black	154
EW-ATHDIAN	Athenian Diamond Noce	154
EW-ATHINTN	Athenian Interlocking Noce	154
EW-ATMES	Meseta	154
EW-ATNAM	Namib	154
EW-ATQUADB	Athenian Quadrant Black	154
EW-ATQUADT	Athenian Quadrant Travertine	154
EW-ATROPEB	Athenian Rope Black	154
EW-ATROPEBC	Athenian Rope Black Corner	154
EW-ATSCROLLB	Athenian Scroll Black	154
EW-ATSCROLLBC	Athenian Scroll Black Corner	154
EW-ATSEV	Sevier	154
EW-AURMOS	Aurelio	61
EW-AXUMOS	Axum	73
EW-AZTMOS	Aztec	129
EW-BALIHAII2	Green Balihai	150
EW-BALIHAIB2	Green Balihai Border	155
EW-BASMOS	Basu	119
EW-BATB47	Battalion Brushed	76
EW-BKLMOS	Black Link	124
EW-BORA2	Bora Bora	150
EW-BORAB2	Bora Bora Border	155
EW-BRRB	Borrega	155
EW-BSKBLACK	Basketweave (black with white dot)	148
EW-BSKWHITE	Basketweave (white with black dot)	148
EW-CARHB	Caribou	155
EW-CAVBBB	Cavalier Brushed	76
EW-CEYMOS	Ceylon	47
EW-CHEMOS	Chennai	51
EW-CHUMOS	Chumu	116
EW-CMUMOS	Cumulus 4.8 Hexagon	139
EW-CURBB	Cuirassier Brushed Black	124
EW-CURBS	Cuirassier Brushed Steel	76
EW-CYLHXMOS	Crypto Large Hexagon	153
EW-CYRNDMOS	Crypto Random	153
EW-CYSHXMOS	Crypto Small Hexagon	153
EW-CYSMOS	Chrysler	79
EW-DASMOS	Dias	126
EW-DESMOS	Desire	63
EW-DLBLKMOS	Delta Black	152
EW-DLGRMOS	Delta Grey	146
EW-DLWHMOS	Delta White	139
EW-EMPMOS	Empire	63
EW-ESCHB	Escalante Honed	155
EW-ESCPB	Escalante Polished	155
EW-EXTMOS	Exti	45
EW-FERMOS	Ferro	124
EW-FUSBS	Fusilier Brushed	77
EW-FUSMAMOS	Fusion Macro	78
EW-FUSMIMOS	Fusion Micro	78
EW-GNUMOS	Golden Nugget	69
EW-GOLMOS	Golpo	45
EW-GPLBBMOS	Gold Pearl Brickbond	56
EW-GPLMOS	Gold Pearl	56
EW-GRCMOS	Grace Shell	55
EW-HAWAII3	Beige Hawaii	140
EW-HAWAII3B3	Beige Hawaii Border	155
EW-HERMOS	Herald	128
EW-HIGBW	Highlander Polished & Brushed	76
EW-HOTMOS	Hotat	50
EW-HUSB23	Hussar Brushed	76
EW-IMPOMS	Imphal	58
EW-INCMOS	Inca	69
EW-INGMOS15	Inca Gold 15	66
EW-INGMOS23	Inca Gold 23	66
EW-INNMOS	Innocence Shell	34
EW-JAIMOS	Jai	47
EW-JUVEP	Jules Verne	78
EW-KAUBBMOS	Kauai	125
EW-KHOMOS	Khois	121
EW-KOLMOS	Kolkata	51
EW-LANB2X3	Lancer Brushed	76
EW-LEGMOS	Lega	76
EW-LESMOS	Leso	118
EW-LIAMOS	Lia	118
EW-LIVSFMOS	Levantine Ivory Splitface	144
EW-LUSMOS	Lust	106
EW-MAAMOS	Maasai Mara	122
EW-MAU12	Quail Maui	150
EW-MAU12B	Quail Maui Border	155
EW-MAYMOS	Mayan	69
EW-MAZHB	Mazatlan Honed	155
EW-MAZPB	Mazatlan Polished	155
EW-MDLPB	Madalena Polished	155
EW-MDYMOS	Modesty Shell	56
EW-MINMOS	Minoan	69
EW-MOGMOS	Mogao	118
EW-MOPDBBMOS	Mother of Pearl Dark Brickbond	55
EW-MOPLBBMOS	Mother of Pearl Light Brickbond	55
EW-MRJMOS	Morij	106
EW-NARBMMOS	Nares Brickbond	139
EW-NARHXMOS	Nares Hexagon	139
EW-NARRBMMOS	Nares Running Brick	139
EW-NEGSFMOS	Negra Black Splitface	152
EW-NEVMOS	Neve Linear	138
EW-NGAMOS	Naga	58
EW-NIMMOS	Nimbus Basketweave	138
EW-OBMSMOS	Obsession	115
EW-ONYMOS	Onya	41
EW-OPUMOS	Opulence	63
EW-ORAMOS	Orabella	61
EW-ORBGMOS	Origin Beige	142
EW-ORBRMOS	Origin Brown	146
EW-ORDGRMOS	Origin Dark Grey	151
EW-ORGRMMOS	Origin Grey	138
EW-ORLMMOS	Orla	65
EW-OTTMOS	Ottone	61
EW-PARMOS	Mother of Pearl	55
EW-POSMMOS	Postojna	47
EW-PRLHMOS	Perla Large Hexagon	141
EW-PRLMMOS	Pearl Shell	34
EW-PRLOMOSBB	Brickbond Pearl	34
EW-PRLNMMOS	Perla Linear	141
EW-PURMOS	Purity	34
EW-RODMOS	Rodio	79
EW-ROIMOS	Rois	43
EW-SAMOA2	Ivory Samoa	142
EW-SAMOA2B	Ivory Samoa Border	155
EW-SHAMOS	Sharir	116
EW-SHRMOS	Shard	79
EW-SNGMOS	Singer	79
EW-SNUMOS	Silver Nugget	75
EW-SONHB	Sonoan Honed	155
EW-SPBLKMMOS	Spiral Black	152
EW-SPGRMMOS	Spiral Grey	146
EW-STBGMOS	Storm Beige	146
EW-STDGRMOS	Storm Dark Grey	151
EW-STGRMOS	Storm Grey	151
EW-STLMOS	Stellar	66
EW-STRMOS	Stratus Basketweave	138
EW-SVLMMOS	Silver Link	77
EW-TLSMOS	Telstar	66
EW-TORGMMOS	Torus Beige	142
EW-TORMOS	Torque	75
EW-TORSLMOS	Torus Silver	138
EW-TRENDMIC	Trend Mica Polished	146
EW-TRENDOCE	Trend Noce Honed	145
EW-TRENDSOR	Trend Sorrento Polished	142
EW-TUWMOS	Tuwana	128
EW-VMAZAT30	Azahar	147
EW-VMBBEBEIGE	Brickbond Beige	141
EW-VMBBBOTTM	Brickbond Bottocino Tumbled	140
EW-VMBBCREMA	Brickbond Crema	140
EW-VMBBCREMAN	Brickbond Crema Travertine Tumbled	140
EW-VMBBNEROM	Brickbond Nero Tumbled	152
EW-VMBBNOCEM	Brickbond Noce Tumbled	145
EW-VMBIANCO	Bianco 1.0	138
EW-VMBJGOLD	Jerusalem Gold Basketweave	144
EW-VMLKOCT	Black/Crema Octagon	148
EW-VMCHICBOTT	Chic Bottocino Polished	140
EW-VMCREMA	Crema 2.3	140
EW-VMCREMA1	Crema 1.0	140
EW-VMCREMA48	Crema 4.8	141
EW-VMCREMACE	Crema Chipped Edge 2.3	140
EW-VMCREMARECT	Small Brickbond Crema Travertine Tumbled	140
EW-VMCRPENT48	Crema Pentagon 4.8	141
EW-VMFANH	Fan Honey	144
EW-VMGIALLO	Giallo 2.3	144
EW-VMGRIG1	Grisaille 1.0	139
EW-VMJADE	Jade 2.3	152
EW-VMGOLD	Jerusalem Gold 2.3	144
EW-VMGOLD48	Jerusalem Gold 4.8	144
EW-VMNOCE	Noce 2.3	145
EW-VMNOCE1	Noce 1.0	145
EW-VMNOCE48	Noce 4.8	145
EW-VMNOCECE	Noce Chipped Edge 23	145
EW-VMNOCESP	Spiral Noce Black	146
EW-VMOCTW10	White Octagon 10	148
EW-VMOCTW48	White Octagon 4.8	148
EW-VMPERP23	Perugia 2.3	147
EW-VMPERP48	Perugia 4.8	147
EW-VMSFBEGE	Splitface Beige	142
EW-VMSORP23	Sorrento 2.3	142
EW-VMSORP48	Sorrento 4.8	142
EW-VMTM23	Mixed Travertine 2.3	144
EW-VMTM48	Mixed Travertine 4.8	144
EW-WILMOS	Willis	79
EW-WPHERMOS	White Pearl Herringbone	35
EW-WPHEXMOS	White Pearl Hexagon	35
EW-WPLOZMOS	White Pearl Lozenge	35
EW-YMAHAB	Yuma Honed	155
EW-ZAMPB	Zama Polished	155
EW-ZENCPMOS	Zenith Copper	62
EW-ZENSLMOS	Zenith Silver	75
GW-AGRMMOS	Agra	73
GW-ALLMOS	Alluvial	45
GW-ALMMOS	Almotala	52
GW-AMNMOS	Amnesia	115
GW-AREMOS	Ares	71
GW-ARTMOS	Arctic	41
GW-ARTMOSBBC	Arctic Brickbond	41
GW-ASHMOS	Ashanti	106
GW-ATHMOS	Athabasca	106
GW-ATLMOS	Atlantic	87
GW-AUAMOS	Aura	51
GW-AUTMOS	Autumn Haze	49
GW-BARMOS	Baring	116
GW-BATMOS	Batu	91
GW-BCYMOSSOFFC	Biscay Clear Offset	89
GW-BEAMOS	Beaufort	122
GW-BERRRMOS	Beryl	94
GW-BIHMMOS	Bihar	129
GW-BIJMOS	Bijou	106
GW-BLHMOS	Blue Heaven	85
GW-BNDMOS	Banana Daiquiri	37
GW-BOHMOS	Bohemia	128
GW-BORNEO	Borneo	97
GW-BRCMOS	Barcelona	45

Code	Name	Page
GW-BRZMOS	Breeze	71
GW-BTJMOS	Butajira	111
GW-BULMOS	Bullion	65
GW-BYZAMBOS	Byzantium Amber	62
GW-BYZBROMOS	Byzantium Bronze	62
GW-BYZCOPMOS	Byzantium Copper	63
GW-BYZFRAMOS	Byzantium Frankincense	110
GW-BYZGEMMOS	Byzantium Gem	66
GW-BYZGLDMOS	Byzantium Gold	66
GW-BYZJEWMOS	Byzantium Jewel	115
GW-BYZMYRMOS	Byzantium Myrrh	125
GW-BYZPLAMOS	Byzantium Platinum	72
GW-BYZTREMOS	Byzantium Treasure	93
GW-CARMOS	Caribbean	96
GW-CASHEXMOS	Casper	128
GW-CCHHEXMOS	Cochin	58
GW-CRDMOS	Cedar Ridge	53
GW-CHAMOS	Chakra	114
GW-CHAMOS48T	Chad	98
GW-CHEMOSOFFC	Chesapeake Clear	99
GW-CHIMOS	Chi	101
GW-CHNHEXMOS	Chanda	97
GW-COTMOS	Cotopaxi	110
GW-CRAMOS	Carinthia	116
GW-CREMOS	Cretaceous	58
GW-CRLMOS	Coral	113
GW-CRYMOS	Crystal Blue	89
GW-CSNPMOS	Cascade Natural	83
GW-CSSPMOS	Cascade Silk	83
GW-CZDMOS	Czars Delight	49
GW-DAPMOS	Dappled Sky	89
GW-DISHEXMOS	Dispur	58
GW-DIVMOS	Divine	50
GW-DONMOSOFFC	Donegal Clear Offset	106
GW-DREMOS	Dream	114
GW-DSCMOS	Discovery	52
GW-DWNMOS	Dawn	65
GW-EASMOS	Eastern Light	66
GW-EBTMOS	Elbert	85
GW-EDEMOS	Eden	89
GW-EDIMOS	El Divino	75
GW-EGNMOS	Elgon	50
GW-EIGMOS	Eiger	114
GW-ELDMOS	El Dorado	85
GW-EOSMOS	Eos	38
GW-EPRMOS	Emperor	53
GW-ETHMOS	Ethereal	62
GW-ETNMOS	Etna	101
GW-EVEMOS	Everest	39
GW-EVGMOS	Evening Glow	98
GW-FANMOS	Fantasy	83
GW-FLORES	Flores	123
GW-FNTMOS	Fantale	86
GW-GDSMOS	Golden Spur	48
GW-GENMOS	Genie	101
GW-GLSPMOS	Galiano Silk	43
GW-GRBMOS	Garabaldi	109
GW-GYNPMOS	Guyot Natural	118
GW-GYPSMOS	Guyot Silk	118
GW-HADMOS	Hades	68
GW-HARMOS	Harmony	45
GW-HATMOSOFFC	Hatteras Clear	96
GW-HELMOS	Helmi	109
GW-HORMOS	Horizon	122
GW-HSRMOS	Huascaran	38
GW-HUDMOSOFFC	Hudson Clear	96
GW-HURMOSR	Huron Clear Random Pattern	94
GW-HURMOSRF	Huron Frosted Random Pattern	94
GW-HVWMOS	Harvey Wallbanger	101
GW-HYSPMOS	Heney Silk	45
GW-ICERRMOS	Ice	37
GW-ILPMOS	Illampu	98
GW-ILSMOS	Illusion	37
GW-INDMOSOFFC	Indus Clear	127
GW-JAGDLMOS	Jager	117
GW-JALMOS	Jalapa	98
GW-JAVMOS	Java	93
GW-JIPHEXMOS	Jaipur	89
GW-JNCMOS	John Collins	85
GW-JORMOSOFFC	Jordan Clear Offset	105
GW-JUNBB	Jungfrau Brickbond	126
GW-JUNMOS	Jungfrau	126
GW-JUMMOS	Juvela	83
GW-KAMMOS	Kamet	91
GW-KANMOS	Kandahar	119
GW-KARMMOS	Kara	105
GW-KERHEXMOS	Kerala	124
GW-KINMOS	Kinabalu	83
GW-KLOMOS	Klondike	52
GW-KMTHEXMOS	Kumta	58
GW-KNGMOS	Kongur	41
GW-KOBMOS	Kobushi	62
GW-KOHMOS	Kohar	98
GW-KOMMOS	Komati	98
GW-KRAMOS	Karma	114
GW-KRMMOS	Karísimbi	41
GW-KTKMOS	Katinka	110
GW-LABMOS	Labrador	123
GW-LFPPMOS	Lafayette Pearl	44
GW-LNSPMOS	Lafayette Silk	44
GW-LIGMOS	Ligurian	106
GW-LIKPAN	Likaiu (8 sheets)	81
GW-LOMMOS	Lombok	47
GW-LPEMOS	Lopeui	86
GW-LTNPMOS	Latouche Natural	47
GW-LTPSMOS	Latouche Silk	47
GW-MAGMOS	Magalia	89
GW-MAMMOS	Mambo	127
GW-MANMOS	Manitoba	99
GW-MAUMOS	Mauna Kea	87
GW-MBLMOS	Mont Blanc	39
GW-MDKHEXMOS	Medak	97
GW-MDNMOS	Medina	65
GW-MEDMOS	Mediterranean	96
GW-MELOMOS	Mellow	115
GW-MENPAN	Menegai (8 sheets)	81
GW-MGRMOS	Margarita	109
GW-MISMOS	Mists	71
GW-MKPPMOS	Milk Pearl	37
GW-MKSPMOS	Milk Silk	44
GW-MLTOMOS	Moonlight	87
GW-MNDMOS	Mandalay	62
GW-MOCMOS	Monte Cristo	87
GW-MORMOS	Morning Sun	47
GW-MRBPAN	Marsabit (8 sheets)	81
GW-MRDMOS	Morning Dew	111
GW-MRNHXMOS	Murano Grey	117
GW-MUZMOS	Muztag	96
GW-NAPMOSOFFC	Napoli Clear Offset	106
GW-NIRMMOS	Nirvana	115
GW-OASMOS	Oasis	93
GW-OKHMOS	Okhotsk (sparkle)	73
GW-ONTMOS	Ontario	93
GW-PACMOS	Pacific	87
GW-PAGMOS	Pagai	92
GW-PAMMOS	Pamplona	116
GW-PAPMOS	Paparazzi	68
GW-PARDLMO	Paragon	113
GW-PATMOS	Patna	125
GW-PCHMOS	Pacha	126
GW-PEAMOS	Peace	39
GW-PHOMOS	Phoenicia	82
GW-PJIHEXMOS	Panaji	73
GW-PNAHEXMOS	Poona	125
GW-POWMOST	Powell	93
GW-PPAMOS	Pink Panther	109
GW-PRAMOS	Pradesh	122
GW-PREMOS	Precious	68
GW-PRGMOS	Prague	49
GW-RAIMOS	Raipur	125
GW-RAKMOS	Rakaposhi	121
GW-RBYMOS	Ruby Falls	51
GW-RENMOS	Rena	119
GW-RFLMOS	Reflection	65
GW-RIKMOS	Rakoram	121
GW-RPLMOS	Ripple	92
GW-SADMOS	Sadiola	98
GW-SAFMOS	Safira	85
GW-SARMOS	Saratoga	87
GW-SAVHEXMOS	Savoy	128
GW-SCNPMOS	Schwan Natural	83
GW-SCSPMOS	Schwan Silk	92
GW-SELMOS	Selene	47
GW-SEOMOS	Sequoia	98
GW-SERMOS	Serene	101
GW-SFPMOS	San Felipe	52
GW-SHDOMS	Shadow	72
GW-SHLMOS	Shala	48
GW-SHMMOS	Shimmer	71
GW-SILMOS	Silurian	49
GW-SISMOS	Singapore Sling	106
GW-SKRMOS	Smokey Ridge	127
GW-SLNMOS	Shoreline	82
GW-SLPPMOS	Silvermoon Pearl	118
GW-SLSPMOS	Silvermoon Silk	118
GW-SLTLMOS	Solitaire	94
GW-SNCMOS	Seneca	53
GW-SNSMOS	Sunset Special	101
GW-SNTMOS	Santa Ana	52
GW-SPEMOS	Spectre	116
GW-SPHMOS	Sphere	71
GW-SPIMOS	Spirit	95
GW-SPLMOS	Splendour	115
GW-SPNPMOS	Serpentine Natural	49
GW-SPRPMOS	Surprise	113
GW-SPSPMOS	Serpentine Silk	49
GW-SRAMOS	Sierra	53
GW-SREMOS	Serene	114
GW-SRMMOS	Seram	101
GW-STEMOS	St Elias	109
GW-SUKMOS	Sukai	129
GW-SUMATRA	Sumatra	51
GW-SUPMOS48T	Superior	95
GW-SUPMOSBBC	Superior Clear Brickbond	94
GW-SUPMOSBTT	Superior Brickbond	94
GW-SUPMOSPT	Superior	95
GW-TAHMOS	Tahoe	93
GW-TAJMOS	Taj	73
GW-TEKMOS	Tekari	71
GW-TGKMSR	Tanganyika Clear Random Pattern	51
GW-THIMOS	Theia	47
GW-TKLMOS	Toubkal	111
GW-TORHEXMOS	Torcello White	43
GW-TPOMOS	Taupo Stripe	36
GW-TQSMOS	Tequila Sunrise	102
GW-TRAMOS	Tranquility	86
GW-TSSMOS	Tousside	122
GW-UMSMOS	Ultimo Shell	38
GW-UTOMOS	Utopia	105
GW-VALMOS	Valen	75
GW-VCTMOSBBC	Victoria Clear Brickbond	99
GW-VCTMOSBTT	Victoria Brickbond	99
GW-VGMMOS	Vatukoula	126
GW-VIEMOS	Viedo	118
GW-VNTMOS	Venetia	128
GW-VOLMOSOFF	Volga Frosted Offset	91
GW-VSTMOS	Vista	66
GW-VTAMOS48T	Volta	90
GW-VTAMOSBBC	Volta Clear Brickbond	90
GW-VTAMOSBTT	Volta Brickbond	90
GW-VTAMOSR	Volta Clear Random Pattern	90
GW-VTAMOSRF	Volta Frosted Random Pattern	90
GW-VTAMOSRMR	Volta Clear & Frosted Random Pattern	90
GW-VTBMO	Velvet Bloom	105
GW-WEIMOS	Weisshorn	85
GW-WHIMOS	Whitney	37
GW-WINMOS	Winnipeg	122
GW-WLYMOS	White Lady	37
GW-YARMOS	Yari	66
GW-ZAMMOS	Zamo	62
GW-ZAOMOS	Zao	102
GW-ZIRRMMOS	Zircon	117



Victorian Floor Tiles
Traditional geometric floor tiles in a range of colours and shapes



Odyssey
Patterned wall and floor tiles inspired by journeys of discovery



Tileworks
Contemporary porcelain and ceramic tiles for floors and walls



Winchester Tile Company
Hand crafted wall tiles in a choice of sumptuous glazes and finishes

GENERAL ENQUIRIES
Tel: +44 (0)1392 473004
Fax: +44 (0)1392 473014

UK SALES
Tel: +44 (0)1392 473000
Fax: +44 (0)1392 473010

USA SALES
Tel: 508 507 6228
Fax: 1-866 881 6609 (toll free)

REST OF WORLD SALES
Tel: +44 (0)1392 473001
Fax: +44 (0)1392 473011

Email: info@originalstyle.com
Website: www.originalstyle.com

The 'Original Style' logo is a registered trade mark of Original Style Ltd.
Original Style Limited is registered in England number 3018117.
Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 \$3.50

MSBROCH6/03/17

© Copyright Original Style Ltd 2017