

DUST	202
FOG	204
COAL	206
JUTA	208
PITCH	210

# NORTHSTONE



# DUST

# NORTHSTONE

## RETTIFICATO MONOCALIBRO

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

## SPESSORE

THICKNESS / DICKE / ÉPAISSEUR

▼  
**9 mm**  
▲

## FORMATI

SIZES / FORMATE / FORMATS

**120 x 60 cm**  
48" x 24"



**60 x 60 cm**  
24" x 24"



**60 x 30 cm**  
24" x 12"



## SUPERFICI / SURFACES / OBERFLÄCHEN / SURFACES

LEVIGATO SILK

NATURALE

## COEFFICIENTE DI ATTRITO

FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

N (R10) A+B

## FORMATI pag. 374

SIZES pag. 374 / FORMATE pag. 374 / FORMATS pag. 374

## PEZZI SPECIALI pag. 374

TRIMS pag. 374 / FORMTEILE pag. 374 / PIÈCES SPÉCIALES pag. 374



# FOG

# NORTHSTONE

## RETTIFICATO MONOCALIBRO

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

## SPESSORE

THICKNESS / DICKE / ÉPAISSEUR

▼  
**9 mm**  
▲

## FORMATI

SIZES / FORMATE / FORMATS

**120 x 60 cm**  
48" x 24"



**60 x 60 cm**  
24" x 24"



**60 x 30 cm**  
24" x 12"



## SUPERFICI / SURFACES / OBERFLÄCHEN / SURFACES

LEVIGATO SILK

NATURALE

## COEFFICIENTE DI ATTRITO

FRICITION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT


N (R10) A+B

**FORMATI pag. 374**

SIZES pag. 374 / FORMATE pag. 374 / FORMATS pag. 374

**PEZZI SPECIALI pag. 374**

TRIMS pag. 374 / FORMTEILE pag. 374 / PIÈCES SPÉCIALES pag. 374



COAL

NORTHSTONE

**RETTIFICATO MONOCALIBRO**

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**

THICKNESS / DICKE / ÉPAISSEUR

▼  
**9 mm**  
▲

**FORMATI**

SIZES / FORMATE / FORMATS

**120 x 60 cm**

48" x 24"



**60 x 60 cm**

24" x 24"



**60 x 30 cm**

24" x 12"



**SUPERFICI / SURFACES / OBERFLÄCHEN / SURFACES**

**LEVIGATO SILK**

**NATURALE**

**COEFFICIENTE DI ATTRITO**

FRICITION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

N (R10) A+B

**FORMATI pag. 374**

SIZES pag. 374 / FORMATE pag. 374 / FORMATS pag. 374

**PEZZI SPECIALI pag. 374**

TRIMS pag. 374 / FORMTEILE pag. 374 / PIÈCES SPÉCIALES pag. 374





# JUTA

# NORTHSTONE

## RETTIFICATO MONOCALIBRO

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

## SPESSORE

THICKNESS / DICKE / ÉPAISSEUR

▼  
**9 mm**  
▲

## FORMATI

SIZES / FORMATE / FORMATS

**120 x 60 cm**

48" x 24"




**60 x 60 cm**

24" x 24"



**60 x 30 cm**

24" x 12"



## SUPERFICI / SURFACES / OBERFLÄCHEN / SURFACES

LEVIGATO SILK

NATURALE

## COEFFICIENTE DI ATTRITO

FRICITION COEFFICIENT

REIBUNGSKOEFFIZIENT

COEFFICIENT DE FROTTEMENT


N (R10) A+B

**FORMATI pag. 374**

SIZES pag. 374 / FORMATE pag. 374 / FORMATS pag. 374

**PEZZI SPECIALI pag. 374**

TRIMS pag. 374 / FORMTEILE pag. 374 / PIÈCES SPÉCIALES pag. 374



# PITCH

# NORTHSTONE

## RETTIFICATO MONOCALIBRO

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

## SPESSORE

THICKNESS / DICKE / ÉPAISSEUR

▼  
**9 mm**  
▲

## FORMATI

SIZES / FORMATE / FORMATS

**120 x 60 cm**

48" x 24"



**60 x 60 cm**

24" x 24"



**60 x 30 cm**

24" x 12"



## SUPERFICI / SURFACES / OBERFLÄCHEN / SURFACES

LEVIGATO SILK

NATURALE

## COEFFICIENTE DI ATTRITO

FRICITION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

N (R10) A+B

**FORMATI pag. 374**

SIZES pag. 374 / FORMATE pag. 374 / FORMATS pag. 374

**PEZZI SPECIALI pag. 374**

TRIMS pag. 374 / FORMTEILE pag. 374 / PIÈCES SPÉCIALES pag. 374